

TWENTY-SECOND ANNUAL REPORT
ON
BIRTHS, MARRIAGES, DIVORCES,
AND DEATHS,
IN THE
STATE OF MAINE

1 9 1 3

ALLEN COUNTY PUBLIC LIBRARY



3 1833 01816 9927

GENEALOGY

974.1

M284M,

1913



Digitized by the Internet Archive
in 2012

TWENTY-SECOND ANNUAL REPORT

UPON THE

BIRTHS, MARRIAGES, DIVORCES
AND DEATHS

IN THE

STATE OF MAINE

FOR THE

Year Ending December 31, 1913



WATERVILLE
SENTINEL PUBLISHING COMPANY
1914

DEPARTMENT OF VITAL STATISTICS.

OFFICE OF THE REGISTRAR.
AUGUSTA, MAINE, August 10, 1914.

*To his Excellency, William T. Haines, Governor, and the
Hon. Executive Council:*

GENTLEMEN:—In accordance with the provisions of the law, I have the honor of submitting to you the Twenty-Second Annual Report relating to the births, marriages, divorces, and deaths which were registered in Maine in the year 1913.

Very respectfully,

A. G. YOUNG, M. D.,

Registrar of Vital Statistics.

REGISTRATION REPORT, 1913.

This report presents the results of the registration and tabulation of the births, marriages, divorces, and deaths which occurred in the State of Maine during the year 1913.

The number of births registered in that year is 175 less than in the preceding year. The number of births recorded in each of the registration years 1892-1913 is 14,028, 14,604, 14,607, 15,430, 15,429, 15,142, 15,121, 14,475, 14,709, 14,615, 15,166, 15,130, 15,405, 16,005, 16,585, 16,595, 16,914, 16,735, 16,469, 16,300, 16,583 and 16,408 respectively.

The number of marriages (number of couples married) in 1913 was 6,622, 72 more than in the preceding year. The number of marriages registered in the State in each of the years 1892-1913 is, respectively, 5,726, 5,795, 5,591, 5,729, 5,579, 5,331, 5,144, 5,329, 5,482, 5,735, 5,905, 6,200, 6,208, 6,264, 6,498, 6,380, 5,904, 6,011, 5,900, 5,878, 6,550 and 6,622.

The number of deaths recorded in the State for the same year was 11,552, a number 162 more than that of the deaths registered in the preceding year. The number of deaths in each year thus far recorded is: in 1892, 12,147; in 1893, 11,134; in 1894, 11,012; in 1895, 10,464; in 1896, 10,626; in 1897, 11,236; in 1898, 10,956; in 1899, 11,370; in 1900, 11,389; in 1901, 11,133; in 1902, 10,673; in 1903, 11,009; in 1904, 11,346; in 1905, 11,381; in 1906, 11,427; in 1907, 11,803; in 1908, 11,664; in 1909, 11,295; in 1910, 12,439; in 1911, 11,731; in 1912, 11,390 and in 1913, 11,552.

Bertillon Classification.—The nomenclature of the causes of death in this report is the revised Bertillon classification adopted by the International Commission which met in Paris in July, 1909.

Population.—The population of the State of Maine in 1910, as given by the twelfth census was 742,371. In 1900, the population of the State was 694,466. There was, therefore, a gain of 47,905 in the decade between the last two census enumerations. The following table exhibits the population of the several counties in 1890, 1900, 1910, and the estimated population in 1913.

TABLE No. 1
**Population in 1890, 1900, 1910, and Estimated Popu-
 lation in 1913.**

COUNTIES.	Population in 1890.	Population in 1900.	Population in 1910.	Estimated population in 1913.
Androscoggin.....	48,968	54,242	59,822	61,631
Aroostook.....	49,589	60,744	74,664	78,810
Cumberland.....	90,949	100,689	112,014	117,680
Franklin.....	17,053	18,444	19,119	19,320
Hancock.....	37,312	37,241	35,575	35,075
Kennebec.....	57,012	59,117	62,863	64,003
Knox.....	21,473	30,406	28,981	28,580
Lincoln.....	21,996	19,669	18,216	17,835
Oxford.....	30,586	32,238	36,256	37,462
Penobscot.....	72,865	76,246	85,285	87,991
Piscataquis.....	16,134	16,949	19,887	20,763
Sagadahoc.....	19,452	20,330	18,574	18,063
Somerset.....	32,627	33,849	36,301	37,144
Waldo.....	27,759	24,135	23,383	23,111
Washington.....	44,482	45,232	42,905	42,306
York.....	62,829	64,885	68,526	69,511
Total.....	661,086	694,466	742,371	757,315

TABLE No. 2.
Births, Marriages and Deaths, 1905—1913.

STATE.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Number of births...	15,294	15,878	15,914	16,173	16,060	15,798	15,635	15,869	15,719
Number of marriages	6,264	6,498	6,380	5,904	6,011	5,900	5,878	6,550	6,622
Number of deaths...	11,381	11,427	11,803	11,664	11,295	12,439	11,731	11,390	11,552
Birth-rate.....	21.40	22.09	22.02	22.25	21.97	21.28	20.89	21.27	20.89
Marriage-rate.....	8.76	9.04	8.83	8.12	8.22	7.95	7.85	8.71	8.80
Death-rate.....	11.92	15.90	16.33	16.05	15.45	16.62	15.68	15.27	15.35

Birth, Marriage, and Death-Rates.—In this report the birth-rates, marriage-rates, and death-rates from all causes are stated as so many among each 1,000 of the population according to the estimated population for 1913.

Death-rates from individual causes, or from groups of diseases are expressed as per 10,000.

TABLE No. 3.

Estimated Population for 1913, Births, Marriages and Deaths with rate of each to 1,000 of Population for the year ending December 31, 1913.

COUNTIES.	Estimated population for 1913.	Births.	Birth-rate per 1,000.	Marriages.	Marriage-rate per 1,000.	Deaths.	Death-rate per 1,000.
Androscoggin.....	61,631	1,272	20.64	652	10.53	1,016	16.47
Aroostook.....	78,840	2,505	32.39	588	7.46	978	12.59
Cumberland.....	115,680	2,321	20.06	1,044	9.02	1,908	16.49
Franklin.....	19,320	419	22.11	169	8.23	292	15.41
Hancock.....	35,075	625	18.00	267	7.62	526	15.15
Kennebec.....	64,003	1,192	18.62	624	9.77	1,099	17.17
Knox.....	28,580	445	15.57	276	9.66	508	17.77
Lincoln.....	17,835	293	16.43	149	8.35	226	12.67
Oxford.....	37,462	815	21.79	333	8.92	544	14.55
Penobscot.....	87,991	1,719	19.84	768	8.73	1,306	15.07
Piscataquis.....	20,763	365	18.35	224	10.79	262	13.17
Sagadahoc.....	18,063	301	16.66	168	9.30	315	17.44
Somerset.....	37,144	728	19.76	309	8.32	505	13.71
Waldo.....	23,111	384	16.61	207	8.96	374	16.18
Washington.....	42,306	933	22.23	321	7.59	556	13.25
York.....	69,511	1,402	20.16	523	7.52	1,137	16.37
State.....	757,315	15,719	20.89	6,622	8.74	11,552	15.35

The following is a general summary of the births, marriages and deaths in 1913.

BIRTHS.

SEX.		PARENTAGE.	
Males.....	8,011	American.....	9,615
Females.....	7,702	Foreign.....	2,993
Not stated.....	6	One parent foreign.....	2,932
	15,719	Not stated.....	179
			15,719
Whole number of births.....			15,719
Birth-rate per 1,000.....			20.89

MARRIAGES.

Groom and bride American.....	4,791
Groom and bride foreign.....	658
Groom American, bride foreign.....	540
Groom foreign, bride American.....	613
Not stated.....	20
	6,622
Whole number of marriages.....	6,622
Marriage-rate per 1,000.....	8.80

DEATHS.

SEX.		NATIVITY.	
Males.....	6,003	American.....	9,673
Females.....	5,549	Foreign.....	1,744
Not stated.....	—	Not stated.....	135
	11,552		11,552
Whole number of deaths.....			11,552
Death-rate per 1,000.....			15.35

Relation of Births to Deaths.—As the total number of births registered in Maine in the year 1913 was 16,408, and the number of deaths was 11,552, the natural increase of births over deaths was 4,856.

The following table shows the number of births and deaths in each county and the preponderance of births over deaths, or vice versa :

TABLE No. 4.

COUNTIES.	Estimated population for 1913.	Births.	Deaths.	Difference.
Androscoggin.....	61,631	1,272	1,616	256 gain
Aroostook.....	78,840	2,505	978	1,527 gain
Cumberland.....	115,680	2,321	1,968	413 gain
Franklin.....	19,320	419	292	127 gain
Hancock.....	35,075	625	526	99 gain
Kennebec.....	64,003	1,192	1,099	93 gain
Knox.....	28,580	445	508	63 loss
Lincoln.....	17,835	293	226	67 gain
Oxford.....	37,462	815	544	271 gain
Penobscot.....	87,991	1,719	1,306	413 gain
Piscataquis.....	20,763	365	262	103 gain
Sagadahoc.....	18,063	301	315	14 loss
Somerset.....	37,144	728	505	223 gain
Waldo.....	23,111	384	374	10 gain
Washington.....	42,366	933	556	377 gain
York.....	69,511	1,402	1,137	265 gain
State.....	757,315	15,719	11,552	4,167 gain

In the cities the relation of the number of births to that of the deaths is conveniently shown in the following table, together with the birth-rate and the death-rate per 1,000 of the estimated population in 1913 in each city:

TABLE No. 5.

CITIES.	Population in 1910.	Estimated population in 1913.	Births.	Deaths.	Difference.	Birth-rate.	Death-rate.
Auburn	15,064	15,751	240	223	17 gain	15.23	14.16
Augusta.....	13,211	13,705	263	326	63 loss	19.19	*15.18
Bangor.....	24,803	25,762	372	509	137 loss	14.40	*15.33
Bath.....	9,396	9,072	156	144	12 gain	17.20	15.87
Belfast.....	4,618	4,618	95	102	7 loss	20.57	22.09
Biddeford.....	17,079	17,381	491	304	187 gain	28.25	17.49
Brewer.....	5,667	5,915	148	70	78 gain	25.02	11.83
Calais.....	6,116	5,654	135	105	30 gain	23.88	18.57
Eastport.....	4,961	4,926	92	66	26 gain	18.67	13.39
Ellsworth.....	3,549	3,325	52	81	29 loss	15.64	24.36
Gardiner.....	5,311	5,235	86	100	14 loss	16.13	19.10
Hallowell.....	2,864	2,894	57	43	14 gain	19.70	14.86
Lewiston.....	26,247	27,053	675	534	141 gain	24.95	*17.41
Old Town.....	6,317	6,581	176	96	80 gain	26.74	14.59
Portland.....	58,571	61,308	1,279	1,099	180 gain	20.86	*16.42
Rockland.. ..	8,174	8,180	149	163	14 loss	18.22	19.93
Saco.....	6,583	6,721	103	96	7 gain	15.33	14.28
So. Portland.....	7,471	7,825	166	109	57 gain	21.21	13.93
Waterville.....	11,458	12,100	310	154	156 gain	25.62	12.73
Westbrook.....	8,281	8,605	213	103	110 gain	24.75	11.97
Total.....	245,741	252,611	5,258	4,427	831 gain	20.81	17.52

*Deaths of non-residents in public institutions; Augusta, 118; Bangor, 114; Lewiston, 63; Portland, 92; deducted from total in estimating death-rate.

TABLE

Births, Marriages and Deaths

ANDROSCOGGIN

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Auburn.....	15,751	118	122	-	240	15.23	115	62	41	21	1
Durham.....	1,744	15	18	-	33	18.92	20	8	2	3	-
East Livermore....	2,796	40	36	-	76	27.54	35	22	11	7	1
Greene.....	778	7	6	-	13	16.71	10	2	1	-	-
Leeds.....	969	9	11	-	20	20.64	18	-	-	2	-
Lewiston.....	27,053	332	343	-	675	24.95	195	309	97	68	6
Lisbon.....	4,269	48	46	-	94	22.02	45	36	6	7	-
Livermore.....	1,098	9	12	-	21	19.13	17	-	2	1	1
Mechanic Falls....	1,678	8	10	-	18	10.73	17	-	-	1	-
Minot.....	780	4	7	-	11	14.10	9	-	1	1	-
Poland.....	1,304	12	15	-	27	20.71	23	-	2	1	1
Turner.....	1,669	10	8	-	18	10.78	15	-	1	2	-
Wales.....	505	4	4	-	8	15.84	4	-	3	1	-
Webster.....	1,237	13	5	-	18	14.55	9	1	2	5	1
Total.....	61,631	629	643	-	1,272	20.64	532	440	169	120	11

No. 6.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						SEX.				NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
112	8	17	14	1	152	114	109	-	223	198	24	1	14.16	
7	3	-	-	-	10	10	15	-	25	22	3	-	14.33	
21	1	2	-	-	24	17	12	-	29	26	3	-	10.73	
7	2	-	-	-	9	4	12	-	16	15	1	-	20.57	
9	-	-	-	-	9	7	10	-	17	17	-	-	17.54	
139	108	42	54	-	343	283	251	-	534	357	175	2	19.70	
22	6	1	4	-	33	23	24	-	47	41	6	-	11.24	
9	-	-	-	-	9	8	5	-	13	8	4	1	11.84	
15	-	1	-	-	16	15	11	-	26	26	-	-	15.49	
6	2	-	1	1	10	10	5	-	15	13	2	-	19.23	
13	-	2	2	-	17	7	17	-	24	20	3	1	18.41	
8	-	1	-	-	9	16	10	-	26	26	-	-	15.58	
3	-	-	-	-	3	5	1	-	6	6	-	-	11.88	
6	-	1	1	-	8	10	5	-	15	13	2	-	12.13	
377	130	67	76	2	652	529	487	-	1,016	788	223	5	16.47	

TABLE

Births, Marriages and Deaths

AROOSTOOK

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amity.....	366	7	11	-	18	49.18	13	-	3	1	1
Ashland.....	2,500	45	48	1	94	37.60	65	4	19	5	1
Bancroft.....	344	4	4	-	8	23.26	3	2	3	-	-
Benedicta.....	274	5	6	-	11	40.15	9	-	-	2	-
Blaine.....	1,031	10	11	-	21	19.40	11	1	3	6	-
Bridgewater.....	1,256	11	18	-	29	23.09	10	6	8	5	-
Caribou.....	5,563	107	99	-	206	37.03	109	37	37	21	2
Castle Hill.....	517	9	9	-	18	34.82	14	-	3	1	-
Crystal.....	541	8	10	-	18	33.28	7	3	6	2	-
Dyer Brook.....	281	2	4	-	6	21.35	5	-	1	-	-
Eagle Lake.....	1,821	49	48	-	97	53.27	77	6	10	4	-
Easton.....	1,325	20	12	-	32	24.15	10	4	10	3	-
Fort Fairfield.....	4,461	66	63	-	129	28.92	42	25	33	28	1
Fort Kent.....	4,064	91	90	-	181	44.54	118	20	23	20	-
Frenchville.....	1,444	36	41	-	77	53.32	74	-	-	3	-
Grand Isle.....	1,380	46	27	-	73	52.90	46	5	12	10	-
Haynesville.....	256	5	5	-	10	39.06	7	1	1	1	-
Hersey.....	185	2	3	-	5	27.57	4	-	1	-	-
Hodgdon.....	1,159	8	12	-	20	17.26	9	2	4	5	-
Houlton.....	6,193	57	59	-	116	18.73	39	31	20	23	3
Island Falls.....	1,872	25	25	-	50	26.71	30	9	4	6	1
Limestone.....	1,341	38	29	-	67	49.96	26	14	11	16	-
Linneus.....	802	10	5	-	15	18.70	11	2	1	1	-
Littleton.....	1,054	8	7	-	15	14.24	7	2	5	1	-
Ludlow.....	418	5	6	-	11	24.40	4	2	2	3	-
Madawaska.....	1,870	38	21	-	59	31.98	56	-	1	2	-

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	2	1	-	3	3	-	-	8.20
9	2	3	2	1	17	5	2	-	7	6	-	1	2.80
1	-	-	1	-	2	4	1	-	5	4	1	-	14.53
1	-	-	-	-	1	3	3	-	6	6	-	-	21.90
3	1	3	2	-	9	8	6	-	14	8	6	-	13.58
2	-	1	-	-	3	6	7	-	13	6	7	-	10.35
29	6	11	6	-	52	35	36	-	71	56	15	-	12.76
7	-	2	-	-	9	1	3	-	4	2	1	1	7.74
3	-	-	-	-	3	3	3	-	6	5	1	-	11.09
1	-	-	-	-	1	-	4	-	4	2	2	-	14.23
5	-	-	2	-	7	17	15	-	32	28	4	-	17.57
3	-	2	3	1	9	2	5	-	7	5	2	-	5.28
15	1	6	4	-	26	9	9	-	18	11	7	-	4.03
23	-	3	3	-	29	33	27	-	60	55	5	-	14.76
12	-	1	1	-	14	17	13	-	30	26	4	-	20.77
7	-	-	1	-	8	20	10	-	39	29	1	-	21.74
4	-	-	-	-	4	-	2	-	2	1	1	-	7.81
1	-	1	-	-	2	-	1	-	1	1	-	-	5.41
8	-	2	-	-	10	6	5	-	11	7	4	-	9.49
24	8	5	8	-	45	40	35	-	75	47	27	1	12.27
9	-	3	3	-	15	6	4	-	10	6	4	-	5.34
10	-	2	-	-	12	11	11	-	22	16	5	1	16.41
2	-	-	-	-	2	7	4	-	11	3	8	-	13.72
2	3	1	-	1	7	6	5	-	11	3	8	-	10.45
-	-	-	-	-	-	3	3	-	6	3	2	1	14.35
13	-	-	1	-	14	13	11	-	26	24	2	-	13.90

TABLE

Births, Marriages and Deaths

AROOSTOOK

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Mapleton	1,199	15	8	—	23	19.18	13	1	2	5	2
Mars Hill	1,610	23	32	—	55	34.16	27	3	12	13	—
Masardis	713	10	10	—	20	28.05	12	1	4	3	—
Merrill	422	8	6	—	14	33.18	6	1	5	2	—
Monticello	1,293	18	15	—	33	25.52	16	7	6	4	—
New Limerick	433	7	7	—	14	32.33	5	1	6	2	—
New Sweden	920	9	14	—	23	25.00	3	10	5	5	—
Oakfield	956	17	14	—	31	32.43	15	3	8	4	1
Orient	179	2	2	—	4	22.35	1	1	—	2	—
Perham	845	4	6	—	10	11.83	9	—	1	—	—
Portage Lake	578	8	7	—	15	25.95	9	3	2	1	—
Presque Isle	5,590	70	61	—	131	23.43	77	14	22	13	5
St. Agatha	1,587	38	37	—	75	47.26	71	—	3	1	—
Sherman	1,074	25	11	1	37	35.38	27	1	8	1	—
Smyrna	411	3	9	—	12	29.20	5	—	6	1	—
Stockholm	871	25	16	—	41	47.07	18	12	5	6	—
Van Buren	3,420	94	86	—	180	52.92	105	29	20	25	1
Washburn	1,689	38	22	—	60	35.52	41	6	8	4	1
Westfield	861	11	13	—	24	27.87	6	6	7	5	—
Weston	396	3	9	—	12	30.30	8	—	1	3	—
Woodland	1,179	11	13	—	24	20.36	12	3	7	1	1
Cary Pl.	340	8	6	—	14	41.18	6	2	5	1	—
Caswell Pl.	577	8	4	—	12	20.79	5	2	3	2	—
Chapman Pl.	468	8	7	—	15	32.05	11	—	—	4	—
Connor Pl.	657	2	7	—	9	13.68	6	—	2	—	1
Cyr Pl.	540	15	4	—	19	35.19	11	1	4	2	1

No. 6—Continued. for the year 1913.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						SEX.				NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
9	1	-	-	-	10	5	2	-	7	5	2	-	5.84	
9	1	1	3	-	14	15	5	-	20	11	9	-	12.42	
3	1	1	-	-	5	2	2	-	4	3	1	-	5.61	
2	-	1	2	-	5	2	2	-	4	3	1	-	9.48	
3	-	1	2	-	6	10	21	-	31	22	9	-	23.98	
1	-	-	-	-	1	1	3	-	4	4	-	-	9.24	
2	1	-	3	-	6	6	3	-	9	3	6	-	9.78	
14	1	-	1	-	16	5	2	-	7	4	3	-	7.64	
2	-	-	-	-	2	-	1	-	1	1	-	-	5.59	
6	-	1	-	-	7	6	3	-	9	8	1	-	10.65	
6	1	-	-	-	7	-	1	-	1	1	-	-	1.73	
21	4	6	12	-	43	38	32	-	70	54	15	1	12.52	
6	-	-	1	-	7	23	15	-	38	31	7	-	23.94	
10	-	-	-	-	10	5	3	-	8	6	2	-	7.45	
1	1	3	-	-	5	4	-	-	4	1	2	1	9.73	
3	-	1	3	-	7	6	3	-	9	5	4	-	10.33	
16	2	4	5	-	27	50	28	-	78	70	8	-	22.83	
11	-	2	2	-	15	12	5	-	17	12	5	-	10.07	
3	-	-	-	-	3	2	4	-	6	4	2	-	6.97	
2	-	1	-	-	3	6	1	-	7	6	1	-	17.68	
2	-	3	-	-	5	14	7	-	21	12	9	-	17.81	
2	-	-	2	-	4	3	3	-	6	4	2	-	17.65	
3	-	-	-	-	3	2	2	-	4	3	1	-	6.93	
3	1	-	1	-	5	-	-	-	-	-	-	-		
2	-	2	-	-	4	5	7	-	12	11	1	-	18.26	
3	1	-	-	-	4	8	5	-	13	10	3	-	24.07	

TABLE
Births, Marriages and Deaths

AROOSTOOK

TOWNS.	Estimated population in 1913.	BIRTHS.								
		SEX.				PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.
E Pl.	126	-	2	-	2	15.87	-	1	-	1
Garfield Pl.	123	3	2	-	5	40.65	4	-	1	-
Glenwood Pl.	113	-	2	-	2	17.70	2	-	-	-
Hamlin Pl.	681	13	4	-	17	24.96	11	1	-	5
Hammond Pl.	115	3	1	-	4	34.78	-	1	1	2
Macwahoc Pl.	147	-	3	-	3	20.41	3	-	-	-
Moro Pl.	215	8	1	-	9	41.86	7	-	-	2
New Canada Pl.	641	12	10	-	22	34.32	18	1	-	3
Oxbow Pl.	192	-	1	-	1	5.21	-	-	-	-
Reed Pl.	579	10	9	-	19	32.82	12	4	1	2
St. Francis Pl.	1,023	23	21	-	44	43.01	33	1	9	1
St. John Pl.	631	3	6	-	9	14.26	5	-	1	2
Silver Ridge Pl.	151	2	2	-	4	26.49	3	-	-	1
Wade Pl.	333	4	8	-	12	36.04	7	-	3	2
Wallagrass Pl.	1,070	24	20	-	44	41.12	36	3	2	3
Westmanland Pl.	104	-	1	-	1	9.62	1	-	-	-
Winterville Pl.	309	10	3	-	13	42.07	8	2	2	1
No. 9, R. 3.	-	-	1	-	1	-	1	-	-	-
Total.	*77,679	1,307	1,196	2	2,505	32.39	1,482	297	393	309
										24

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the year 1913.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	1	1	-	-	8.13
2	-	-	-	-	2	1	-	-	1	1	-	-	8.85
3	1	-	-	-	4	3	4	-	7	6	1	-	10.28
-	-	-	-	-	-	1	1	-	2	1	1	-	17.39
2	-	-	-	-	2	1	1	-	2	2	-	-	13.61
2	-	-	-	-	2	4	1	-	5	4	-	1	23.26
7	-	-	-	-	7	15	6	-	21	21	-	-	32.76
4	-	-	1	-	5	-	-	-	-	-	-	-	-
4	-	2	3	-	9	4	2	-	6	4	2	-	10.36
5	-	1	1	-	7	7	8	-	15	15	-	-	14.66
-	-	3	1	-	4	4	2	-	6	4	1	1	9.51
3	-	-	-	-	3	1	-	-	1	1	-	-	6.62
1	-	-	-	-	1	4	2	-	6	4	2	-	18.02
12	-	-	1	-	13	12	12	-	24	22	2	-	22.42
1	-	-	-	-	1	-	2	-	2	1	1	-	19.23
1	-	-	-	-	1	2	2	-	4	-	4	-	12.94
-	-	-	-	-	-	-	-	-	-	-	-	-	-
387	37	79	82	3	588	548	430	-	978	744	225	9	12.59

TABLE

Births, Marriages and Deaths

CUMBERLAND

* Towns.	Estimated population in 1913.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Baldwin.....	779	8	8	-	16	20.54	15	-	1	-	-
Bridgton.....	2,600	13	22	-	35	13.46	30	1	4	-	-
Brunswick.....	6,567	83	72	-	155	23.60	56	40	26	31	2
Cape Elizabeth....	2,148	8	9	-	17	7.91	12	2	1	2	-
Casco.....	662	6	6	-	12	18.13	12	-	-	-	-
Cumberland.....	1,403	9	12	-	21	14.97	19	1	-	1	-
Falmouth.....	1,480	8	1	1	10	6.76	8	1	1	-	-
Freeport.....	2,496	13	17	-	30	12.02	29	-	1	-	-
Gorham.....	2,906	20	25	-	45	15.49	37	-	4	4	-
Gray.....	1,225	14	8	-	22	17.96	19	-	2	1	-
Harpwell.....	1,610	14	14	-	28	17.39	23	1	2	2	-
Harrison.....	967	9	12	-	21	21.72	15	5	-	1	-
Naples.....	708	7	10	-	17	24.01	15	-	1	1	-
New Cloucester....	1,254	12	16	-	28	22.33	26	-	2	-	-
North Yarmouth....	698	3	3	-	6	8.60	5	1	-	-	-
Otisfield.....	625	9	7	-	16	25.60	13	2	1	-	-
Portland.....	61,308	631	648	-	1,279	20.86	579	458	104	117	21
Pownal.....	634	6	1	-	7	11.04	6	-	-	1	-
Raymond.....	662	3	13	-	16	24.17	16	-	-	-	-
Scarboro.....	1,977	23	14	-	37	18.72	28	2	1	6	-
Sebago.....	520	3	8	-	11	21.15	11	-	-	-	-
South Portland....	7,825	83	83	-	166	21.21	121	20	9	12	4
Standish.....	1,679	6	13	-	19	11.32	17	1	-	1	-
Westbrook.....	8,605	108	105	-	213	24.75	114	46	20	29	4
Windham.....	1,952	22	17	-	39	19.98	34	1	1	2	1
Yarmouth.....	2,390	25	30	-	55	23.06	32	12	7	4	-
Total.....	115,680	1,146	1,174	1	2,321	20.06	1,292	594	188	215	32

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
5	-	-	-	-	5	6	8	-	14	14	-	-	17.97
18	-	-	-	-	18	18	31	-	49	48	1	-	18.85
30	3	10	7	-	50	44	77	-	121	104	17	-	18.43
8	2	-	3	-	13	4	9	-	13	12	1	-	6.52
4	-	-	1	-	5	5	3	-	8	8	-	-	12.08
18	-	-	-	-	18	10	12	-	22	20	2	-	15.68
5	-	2	2	-	9	7	7	-	14	14	-	-	9.46
30	-	-	2	-	32	19	20	-	39	35	1	3	15.63
15	1	1	-	-	17	18	18	-	36	35	1	-	12.39
13	-	-	2	-	15	11	8	-	19	18	1	-	15.51
10	-	2	-	-	12	17	12	-	29	26	3	-	18.01
5	1	1	-	-	7	12	10	-	22	21	1	-	22.75
10	-	1	-	-	11	9	5	-	14	12	-	2	14.77
6	-	1	-	-	7	10	14	-	24	24	-	-	19.14
4	-	-	1	-	5	6	3	-	9	8	1	-	12.89
7	-	-	1	1	9	8	6	-	14	14	-	-	22.40
386	100	52	66	-	604	550	549	-	1,099	818	257	24	17.93
-	-	1	-	-	1	2	5	-	7	6	1	-	11.04
2	-	-	-	-	2	3	8	-	11	11	-	-	16.62
10	-	1	1	-	12	17	13	-	30	26	3	1	15.17
4	-	-	-	-	4	4	6	-	10	10	-	-	19.23
44	-	3	3	-	50	47	62	-	109	94	13	2	13.93
11	-	-	2	-	13	13	11	-	24	23	1	-	14.23
63	16	4	8	-	91	54	49	-	103	76	27	-	11.97
9	-	-	-	-	9	15	15	-	30	27	3	-	15.37
17	4	2	2	-	25	21	17	-	38	34	4	-	15.90
734	127	81	101	1	1,044	930	978	-	1,908	1,538	338	32	16.49

TABLE

Births, Marriages and Deaths

FRANKLIN

TOWNS.	Estimated population in 1913.	BIRTHS.								
		SEX.				PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.
Avon.....	354	6	6	-	12	33.90	11	1	-	-
Carthage.....	278	4	4	-	8	28.78	5	-	1	2
Chesterville.....	604	9	9	-	18	29.80	16	-	-	2
Eustis.....	529	9	5	-	14	26.47	12	2	-	-
Farmington.....	3,189	19	23	-	42	13.17	32	3	1	5
Freeman.....	319	2	3	-	5	15.67	5	-	-	-
Industry.....	441	3	3	-	6	13.61	6	-	-	-
Jay.....	3,056	57	50	-	107	35.01	18	66	18	4
Kingfield.....	999	12	10	-	22	22.02	18	-	1	2
Madrid.....	246	5	3	-	8	32.52	7	-	-	1
New Sharon.....	955	9	9	-	18	18.85	18	-	-	-
New Vineyard.....	531	4	1	-	5	9.42	5	-	-	-
Phillips.....	1,431	13	13	-	26	18.17	24	-	2	-
Rangeley.....	1,211	14	12	-	26	21.47	19	2	3	2
Salem.....	181	4	4	-	8	44.20	7	-	1	-
Strong.....	744	12	7	-	19	25.54	15	2	1	1
Temple.....	403	3	-	-	3	7.44	3	-	-	-
Weld.....	526	5	4	-	9	17.11	8	-	1	-
Wilton.....	2,292	26	18	-	44	19.20	37	4	1	2
Coplin Pl.....	83	-	-	-	-	-	-	-	-	-
Dallas Pl.....	166	4	4	-	8	48.19	7	1	-	-
Lang Pl.....	60	-	1	-	1	16.67	1	-	-	-
Perkins Pl.....	67	1	1	-	2	29.85	2	-	-	-
Rangeley Pl.....	208	2	3	-	5	24.04	4	1	-	-
Sandy River Pl....	78	-	1	-	1	12.82	1	-	-	-
Washington Pl....	-	-	1	-	1	-	1	-	-	-
No. 4, R. 3.....	-	1	-	-	1	-	1	-	-	-
Total.....	*18,951	224	195	-	419	22.11	283	82	30	21

*Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.

for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	2	2	-	4	4	-	-	11.30
1	-	-	-	-	1	4	-	-	4	4	-	-	14.39
8	-	-	-	-	8	4	4	-	8	7	1	-	13.25
6	-	1	-	-	7	4	2	-	6	4	2	-	11.34
17	-	1	1	-	19	30	35	-	65	64	1	-	20.38
2	-	1	-	-	3	2	-	-	2	1	-	1	3.13
4	-	1	-	-	5	2	2	-	4	4	-	-	12.54
16	4	2	2	-	24	24	20	-	44	36	7	1	14.40
9	-	-	-	-	9	10	4	-	14	13	1	-	14.01
5	-	-	-	-	5	1	5	-	6	6	-	-	28.46
3	-	-	-	-	3	9	9	-	18	16	1	1	18.85
2	-	1	-	-	3	2	3	-	5	5	-	-	9.42
19	-	-	1	-	20	11	11	-	22	21	-	1	15.37
9	-	1	1	-	11	8	6	-	14	12	2	-	11.56
1	-	-	-	-	1	1	1	-	2	2	-	-	11.05
5	-	-	-	-	5	5	7	-	12	10	2	-	16.13
4	-	-	-	-	4	5	3	-	8	8	-	-	19.85
7	-	-	-	-	7	8	2	-	10	10	-	-	19.01
21	-	1	1	-	23	11	22	-	33	31	2	-	14.40
1	-	-	-	-	1	-	-	-	-	-	-	-	-
4	-	-	-	-	4	2	3	-	5	4	1	-	30.12
1	-	-	1	-	2	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	1	-	-	1	-	-	1	4.81
-	-	-	-	-	-	3	1	-	4	4	-	-	51.28
1	-	-	-	-	1	-	1	-	1	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
149	4	9	7	-	169	149	143	-	292	267	20	5	15.41

TABLE

Births, Marriages and Deaths

HANCOCK

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Amherst.....	239	-	2	-	2	8.37	2	-	-	-	-
Aurora.....	96	1	-	-	1	10.42	-	-	-	1	-
Bluehill.....	1,388	17	10	-	27	19.45	25	-	2	-	-
Brooklin.....	936	10	10	-	20	21.37	19	-	1	-	-
Brooksville.....	1,176	16	7	-	23	11.05	23	-	-	-	-
Bucksport.....	2,180	16	14	-	30	13.76	24	2	4	-	-
Castine.....	933	8	12	-	20	21.44	18	-	2	-	-
Cranberry Isles....	405	3	8	-	11	27.16	8	-	1	2	-
Deadham.....	359	3	4	-	7	19.50	6	1	-	-	-
Deer Isle.....	1,916	18	25	-	43	22.44	42	-	-	-	1
Eastbrook.....	204	-	3	-	3	14.71	3	-	-	-	-
Eden.....	4,459	29	32	-	61	13.68	43	5	5	3	5
Ellsworth.....	3,325	26	26	-	52	15.64	50	-	1	1	-
Franklin.....	1,149	8	11	-	19	16.54	19	-	-	-	-
Gouldsboro.....	1,376	12	13	-	25	18.17	23	1	1	-	-
Hancock.....	825	6	10	-	16	19.39	14	1	-	1	-
Isle au Haut.....	154	1	-	-	1	6.49	1	-	-	-	-
Lamoine.....	449	4	3	-	7	15.59	7	-	-	-	-
Mariaville.....	159	-	3	-	3	18.87	2	1	-	-	-
Mount Desert.....	1,560	24	26	1	51	32.69	41	2	1	3	4
Orland.....	1,215	10	10	-	20	16.46	19	1	-	-	-
Otis.....	103	-	1	-	1	9.71	1	-	-	-	-
Penobscot.....	934	10	8	-	18	19.27	18	-	-	-	-
Sedgwick.....	909	11	8	-	19	20.80	18	-	1	-	-
Sorrento.....	156	2	2	-	4	25.64	4	-	-	-	-
Southwest Harbor..	888	7	9	-	16	18.02	13	1	1	1	-

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
3	-	-	-	-	3	2	2	-	4	4	-	-	16.74
1	-	-	-	-	1	1	1	-	2	2	-	-	20.83
13	-	1	-	-	14	9	21	-	30	29	1	-	21.61
7	-	-	-	-	7	6	8	-	14	14	-	-	14.96
8	-	-	-	-	8	9	9	-	18	18	-	-	15.31
13	-	1	1	-	15	11	17	-	28	25	1	2	12.84
3	-	-	-	-	3	5	9	-	14	14	-	-	15.01
5	-	1	-	-	6	6	3	-	9	9	-	-	22.22
2	-	-	-	-	2	-	1	-	1	1	-	-	2.76
12	-	-	-	-	12	14	20	-	34	32	2	-	17.75
1	-	-	-	-	1	-	3	-	3	3	-	-	14.71
28	3	1	6	-	38	23	28	-	51	46	5	-	11.44
28	-	-	1	-	29	48	33	-	81	71	9	1	24.36
8	-	-	-	-	8	8	12	-	20	19	1	-	17.41
14	-	-	-	-	14	7	9	-	16	16	-	-	11.63
5	-	-	-	-	5	2	3	-	5	5	-	-	6.06
4	-	-	-	-	4	1	-	-	1	1	-	-	6.49
2	-	-	-	-	2	2	4	-	6	5	1	-	13.36
4	-	-	-	-	4	-	2	-	2	2	-	-	12.58
14	-	1	-	-	15	10	3	-	13	12	1	-	8.33
10	-	-	-	-	10	13	15	-	28	28	-	-	23.05
1	-	-	-	-	1	1	1	-	2	2	-	-	19.42
3	-	-	-	-	3	9	16	-	25	25	-	-	26.77
5	-	-	-	-	5	9	4	-	13	13	-	-	14.30
-	-	1	-	-	1	-	-	-	-	-	-	-	-
2	-	1	-	-	3	4	7	-	11	10	1	-	12.39

TABLE

Births, Marriages and Deaths

HANCOCK

TOWNS.	Estimated Population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Foreign.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Stonington.....	2,116	17	17	-	34	16.07	26	7	1	-	-
Sullivan.....	1,162	8	7	-	15	12.91	14	-	-	1	-
Surry.....	686	6	6	-	12	17.49	10	-	-	2	-
Swan's Island.....	749	7	4	-	11	14.69	9	-	1	1	-
Tremont.....	849	12	13	-	25	29.45	23	-	-	-	2
Trenton.....	314	-	8	-	8	25.48	8	-	-	-	-
Verona.....	229	-	-	-	-	-	-	-	-	-	-
Waltham.....	182	1	1	-	2	10.99	2	-	-	-	-
Winter Harbor.....	595	3	6	-	9	15.13	8	-	1	-	-
Long Island Pl.....	203	2	5	-	7	34.48	7	-	-	-	-
No. 8 Pl.....	19	2	-	-	2	105.26	2	-	-	-	-
No. 21, Pl.....	39	-	-	-	-	-	-	-	-	-	-
No. 33 Pl.....	82	-	-	-	-	-	-	-	-	-	-
Total.....	*34,718	300	324	1	625	18.00	552	22	23	16	12

*Population not including that of unorganized townships, and other places not represented in this tabulation. See Table No 1.

No. 6—Continued.
for the year 1913.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
11	1	-	1	-	13	10	12	-	22	19	2	1	10.39
3	-	-	1	-	4	6	9	-	15	15	-	-	12.19
4	-	-	-	-	4	5	6	-	11	11	-	-	16.03
5	-	-	-	-	5	6	2	-	8	8	-	-	10.68
11	1	-	-	-	12	6	4	-	10	9	1	-	11.73
2	-	-	-	-	2	2	4	-	6	6	-	-	19.08
-	-	-	-	-	-	4	5	-	9	9	-	-	39.30
3	-	-	-	-	3	1	2	-	3	3	-	-	16.48
5	-	-	-	-	5	3	3	-	6	6	-	-	10.08
3	-	-	-	-	3	1	1	-	2	2	-	-	9.85
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	1	-	1	1	-	-	25.64
1	-	-	-	-	1	1	1	-	2	2	-	-	24.39
245	5	7	10	-	267	245	281	-	526	497	25	4	15 15

TABLE

Births, Marriages and Deaths

KENNEBEC

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Albion.....	940	10	8	-	18	19.15	17	-	-	1	-
Augusta.....	13,705	131	132	-	263	19.19	137	74	25	25	2
Belgrade.....	1,035	12	13	-	25	24.15	22	2	1	-	-
Benton.....	1,225	10	13	-	23	18.78	19	2	1	-	1
Chelsea.....	3,253	9	2	-	11	3.38	10	-	1	-	-
China.....	1,265	10	16	-	26	20.55	22	-	2	2	-
Clinton.....	1,229	18	13	-	31	25.22	28	1	-	1	1
Farmingdale.....	817	7	6	-	13	15.91	9	-	1	3	-
Fayette.....	527	4	6	-	10	18.98	10	-	-	-	-
Gardiner.....	5,235	41	45	-	86	16.43	65	5	9	7	-
Hallowell.....	2,894	28	29	-	57	19.70	44	6	4	2	1
Litchfield.....	937	8	6	-	14	14.94	14	-	-	-	-
Manchester.....	617	6	6	-	12	19.45	12	-	-	-	-
Monmouth.....	1,431	12	6	-	18	12.58	14	2	1	1	-
Mount Vernon.....	898	6	4	-	10	11.12	9	-	1	-	-
Oakland.....	2,325	19	14	-	33	14.19	27	-	5	1	-
Pittston.....	888	3	4	-	7	7.88	6	-	1	-	-
Randolph.....	999	11	9	-	20	20.02	12	3	5	-	-
Readfield.....	996	5	8	-	13	13.05	13	-	-	-	-
Rome.....	446	1	5	-	6	13.45	4	-	-	1	1
Sidney.....	886	7	11	-	18	20.32	14	1	1	2	-
Vassalboro.....	2,077	20	13	-	33	15.89	19	6	6	2	-
Vienna.....	403	1	6	-	7	17.37	7	-	-	-	-

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
9	-	-	-	-	9	8	9	-	17	17	-	-	18.09
90	14	23	16	-	143	181	145	-	326	268	50	8	23.79
5	-	3	-	-	8	13	8	-	21	20	1	-	20.29
11	-	-	-	-	11	9	7	-	16	15	1	-	13.06
9	-	-	-	-	9	4	9	-	13	10	2	1	4.00
8	-	-	1	-	9	10	14	-	24	24	-	-	18.97
8	-	-	1	-	9	7	14	-	21	19	1	1	17.08
3	-	-	-	-	3	7	9	-	16	14	1	1	19.58
4	-	-	1	-	5	6	3	-	9	9	-	-	17.08
65	4	4	5	-	78	43	57	-	100	89	11	-	19.10
22	3	1	1	-	27	27	16	-	43	36	5	2	14.86
11	1	-	-	-	12	11	9	-	20	20	-	-	21.34
5	-	-	-	-	5	6	2	-	8	7	1	-	12.97
6	1	1	2	-	10	15	14	-	29	28	1	-	20.27
1	-	-	-	-	1	7	9	-	16	16	-	-	17.81
24	1	1	1	-	27	12	17	-	29	27	1	1	12.47
8	-	-	-	-	8	6	6	-	12	12	-	-	13.51
15	2	-	-	-	17	7	8	-	15	15	-	-	15.01
3	-	1	-	-	4	7	9	-	16	15	1	-	16.06
5	-	-	-	-	5	7	4	-	11	11	-	-	24.66
8	-	-	-	-	8	5	9	-	14	14	-	-	15.80
11	1	2	1	-	15	21	14	-	35	32	3	-	16.85
1	-	-	-	-	1	6	1	-	7	6	1	-	17.37

TABLE

Births, Marriages and Deaths

KENNEBEC

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Waterville.....	12,100	176	134	-	310	25.62	155	81	52	19	3
Wayne.....	562	5	5	-	10	17.79	9	-	-	-	1
West Gardiner.....	611	7	4	-	11	18.00	11	-	-	-	-
Windsor.....	686	3	4	-	7	10.21	6	-	-	1	-
Winslow.....	2,838	38	44	-	82	28.89	22	47	6	7	-
Winthrop.....	2,122	10	7	-	17	8.01	11	6	-	-	-
Unity Pl.....	56	-	1	-	1	17.86	1	-	-	-	-
Togus.....	-	-	-	-	-	-	-	-	-	-	-
Total.....	64,003	618	574	-	1,192	18.62	749	236	122	75	10

**No. 6—Continued.
for the year 1913.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						SEX.				NATIVITY				
Both American	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
84	21	12	13	-	130	71	83	-	154	117	37	-	12.73	
3	1	-	-	-	4	6	5	-	11	10	1	-	19.57	
4	-	-	-	-	4	5	8	-	13	12	1	-	21.28	
4	-	-	-	-	4	3	5	-	8	8	-	-	11.66	
10	16	4	4	-	34	21	17	-	38	32	6	-	13.39	
13	-	2	1	1	17	20	13	-	33	31	1	1	15.55	
1	-	-	-	-	1	-	-	-	-	-	-	-	-	
4	-	-	2	-	6	22	2	-	24	15	-	9	-	
455	65	54	49	1	624	573	526		1,099	949	126	24	17.17	

TABLE

Births, Marriages and Deaths

KNOX

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Appleton.....	803	4	11	-	15	18.68	13	1	-	1	-
Camden.....	3,072	28	15	-	43	14.00	38	2	-	3	-
Cushing.....	528	3	7	-	10	18.94	9	-	-	-	1
Friendship.....	764	7	9	-	16	22.26	14	-	-	2	-
Hope.....	469	7	4	-	11	23.45	11	-	-	-	-
Hurricane Isle.....	256	-	1	-	1	3.91	-	1	-	-	-
North Haven.....	535	-	4	-	4	7.48	3	-	-	1	-
Rockland.....	8,180	78	71	-	149	18.22	113	15	13	7	1
Rockport.....	1,935	15	17	-	32	16.54	28	2	1	1	-
St. George.....	2,201	7	23	-	30	13.63	22	3	3	1	1
South Thomaston..	1,441	12	6	-	18	12.49	16	-	2	-	-
Thomaston.....	2,061	13	10	-	23	11.16	19	2	-	1	1
Union.....	1,229	7	6	-	13	10.58	10	-	2	-	1
Vinalhaven.....	2,328	21	27	-	48	20.62	33	10	4	1	-
Warren.....	1,734	5	10	-	15	8.65	15	-	-	-	-
Washington.....	754	8	8	-	16	21.22	15	-	-	1	-
Matinecus Isle Pl..	179	-	1	-	1	5.59	1	-	-	-	-
Muscle Ridge Pl..	67	-	-	-	-	-	-	-	-	-	-
Total.....	28,580	215	230	-	445	15.57	360	36	25	19	5

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	Death-rate per 1,000.
7	—	—	1	—	8	6	—	—	6	6	—	—	7.47
26	—	3	2	—	31	19	19	—	38	35	2	1	12.37
5	—	—	2	—	7	1	3	—	4	4	—	—	7.58
4	—	—	—	—	4	2	4	—	6	6	—	—	7.85
3	—	1	—	—	4	2	5	—	7	7	—	—	14.92
—	—	—	—	—	—	—	—	—	—	—	—	—	—
5	—	—	—	—	5	8	6	—	14	14	—	—	26.17
75	3	3	9	1	91	85	78	—	163	144	18	1	19.93
20	—	—	—	—	20	34	16	—	50	50	—	—	25.84
16	—	—	3	—	19	19	14	—	33	29	4	—	14.99
9	1	1	—	—	11	9	11	—	20	18	2	—	13.88
17	—	—	1	—	18	16	30	—	46	42	4	—	22.32
3	—	—	—	—	3	12	9	—	21	21	—	—	17.09
19	4	—	4	—	27	14	22	—	36	33	3	—	1.56
14	—	—	—	—	14	21	21	—	42	42	—	—	24.22
10	—	—	—	—	10	13	8	—	21	21	—	—	27.85
2	—	—	—	—	2	1	—	—	1	1	—	—	5.59
2	—	—	—	—	2	—	—	—	—	—	—	—	—
237	8	8	22	1	276	262	246	—	508	473	33	2	17.77

TABLE

Births, Marriages and Deaths

LINCOLN

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alna.....	458	1	4	-	5	10.92	3	1	-	1	-
Boothbay.....	1,682	25	10	-	35	20.81	30	2	1	2	-
Boothbay Harbor..	2,030	20	17	-	37	18.23	33	-	2	2	-
Bremen.....	520	2	2	-	4	7.69	4	-	-	-	-
Bristol.....	2,368	18	18	-	36	15.20	35	-	-	-	1
Damariscotta.....	741	5	7	-	12	16.19	8	-	1	2	1
Dresden.....	808	4	13	-	17	21.04	16	-	-	1	-
Edgecomb.....	486	5	1	-	6	12.35	4	1	1	-	-
Jefferson.....	1,018	8	9	-	17	16.70	17	-	-	-	-
Newcastle.....	1,066	14	10	-	24	22.51	21	-	-	3	-
Nobleboro.....	775	6	6	-	12	15.48	9	-	-	2	1
Somerville.....	267	5	6	-	11	41.20	11	-	-	-	-
Southport.....	383	1	-	-	1	2.61	1	-	-	-	-
Waldoboro.....	2,509	18	15	-	33	13.15	28	1	2	1	1
Westport.....	270	3	1	-	4	14.81	3	-	1	-	-
Whitefield.....	1,026	9	9	-	18	17.54	15	-	1	2	-
Wiscasset.....	1,302	8	13	-	21	16.13	16	1	2	2	-
Monhegan Pl.....	126	-	-	-	-	-	-	-	-	-	-
Total.....	17,835	152	141	-	293	16.43	254	6	11	18	4

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	-	3	-	3	3	-	-	6.55
4	-	1	-	-	5	11	6	-	17	17	-	-	10.11
25	1	-	1	-	27	12	4	-	16	13	3	-	7.88
6	-	-	-	-	6	4	3	-	7	5	2	-	13.42
14	-	-	-	-	14	16	10	-	26	24	2	-	10.98
9	1	2	-	-	12	6	9	-	15	14	1	-	20.24
5	-	1	-	1	7	3	12	-	15	14	1	-	18.56
5	-	-	-	-	5	3	2	-	5	4	1	-	10.29
10	-	-	2	1	13	3	6	-	9	7	2	-	8.84
5	-	1	-	-	6	3	8	-	11	10	1	-	10.32
6	-	-	-	-	6	9	6	-	15	13	2	-	19.35
2	-	-	-	-	2	3	3	-	6	6	-	-	22.47
6	-	-	-	-	6	3	1	-	4	4	-	-	10.44
16	-	-	1	-	17	25	16	-	41	37	4	-	16.34
3	-	-	1	-	4	3	1	-	4	4	-	-	14.81
6	-	-	-	-	6	13	6	-	19	19	-	-	18.52
11	-	1	-	-	12	9	3	-	12	12	-	-	9.22
-	-	-	-	-	-	1	-	-	1	1	-	-	7.94
134	2	6	5	2	149	127	99	-	226	207	19	-	12.67

TABLE

Births, Marriages and Deaths

OXFORD

TOWNS.	Estimated population in 1913.	BIRTHS.								
		SEX.				PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.
Albany.....	371	2	6	-	8	21.56	8	-	-	-
Andover.....	766	5	8	-	13	16.97	9	-	2	2
Bethel.....	1,957	16	21	-	37	18.91	32	1	3	1
Brownfield.....	903	7	14	-	21	23.25	20	-	-	1
Buckfield.....	1,067	10	7	-	17	15.93	17	-	-	-
Byron.....	181	-	5	-	5	27.62	4	-	1	-
Canton.....	1,033	14	7	-	21	20.33	15	3	2	1
Denmark.....	584	3	6	-	9	15.41	8	1	-	-
Dixfield.....	1,056	14	12	-	26	24.62	23	1	1	1
Fryeburg.....	1,253	8	5	-	13	10.38	11	-	1	1
Gilead.....	203	-	1	-	1	4.93	1	-	-	-
Grafton.....	60	1	-	-	1	16.67	1	-	-	-
Greenwood.....	641	10	10	-	20	31.20	14	4	1	1
Hanover.....	189	2	1	-	3	15.87	1	1	-	1
Hartford.....	572	2	4	-	6	10.49	5	1	-	-
Hebron.....	633	4	2	-	6	9.48	5	1	-	-
Hiram.....	924	8	4	-	12	12.99	11	-	-	-
Lovell.....	660	5	2	-	7	10.61	7	-	-	-
Mason.....	60	-	1	-	1	16.67	-	-	1	-
Mexico.....	2,440	42	32	-	74	30.33	23	36	11	4
Newry.....	268	5	2	-	7	26.12	4	-	2	1

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	1	4	-	5	5	-	-	13.48
4	-	-	-	-	4	6	7	-	13	13	-	-	16.97
19	-	1	1	-	21	12	13	-	25	23	2	-	12.77
6	-	-	-	-	6	13	6	-	19	19	-	-	21.04
12	-	-	-	-	12	12	10	-	22	22	-	-	20.62
1	-	-	-	-	1	-	1	-	1	1	-	-	5.52
4	-	-	1	-	5	10	5	-	15	14	1	-	14.52
2	-	-	-	-	2	4	7	-	11	9	2	-	18.84
5	-	-	1	-	6	8	7	-	15	15	-	-	14.20
6	-	-	-	-	6	11	9	-	20	19	1	-	15.96
3	-	-	1	-	4	-	2	-	2	2	-	-	9.85
1	-	-	-	-	1	-	1	-	1	1	-	-	16.67
7	-	-	-	-	7	7	6	-	13	10	3	-	20.28
2	-	-	-	-	2	-	2	-	2	2	-	-	10.58
3	-	1	-	-	4	2	-	-	2	2	-	-	3.50
4	-	-	-	-	4	12	5	-	17	16	1	-	26.86
4	-	-	1	-	5	12	1	-	13	13	-	-	14.07
4	-	1	1	-	6	9	4	-	13	13	-	-	19.70
1	-	-	-	-	1	-	1	-	1	1	-	-	16.67
11	-	5	3	-	19	14	15	-	29	23	6	-	11.89
3	-	-	-	-	3	-	2	-	2	2	-	-	7.46

TABLE
Births, Marriages and Deaths
OXFORD

TOWNS.	Estimated population in 1913.	BIRTHS.								
		SEX.				PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.
Norway.....	3,032	28	28	-	56	18.47	41	6	5	4
Oxford.....	1,188	9	8	-	17	14.31	11	1	2	3
Paris.....	3,499	38	30	-	68	19.44	45	14	5	4
Peru.....	737	13	8	-	21	28.49	19	1	1	-
Porter.....	858	4	5	-	9	10.49	9	-	-	-
Roxbury.....	325	4	1	-	5	15.38	3	2	-	-
Rumford.....	7,680	129	139	-	268	34.90	57	171	30	10
Stoneham.....	244	-	2	-	2	8.20	2	-	-	-
Stow.....	209	1	2	-	3	14.35	3	-	-	-
Sumner.....	750	3	6	-	9	12.00	4	2	-	3
Sweden.....	261	2	4	-	6	22.99	6	-	-	-
Upton.....	324	2	-	-	2	6.17	1	-	-	1
Waterford.....	939	9	9	-	18	19.17	15	2	-	1
Woodstock.....	808	9	5	-	14	17.33	11	3	-	-
Lincoln Pl.....	376	1	2	-	3	7.98	3	-	-	-
Magalloway Pl.....	103	-	-	-	-	-	-	-	-	-
Milton Pl.....	206	1	1	-	2	9.66	2	-	-	-
Batchelder's Grant.	36	3	1	-	4	111.11	2	1	1	-
Total.....	*37,396	414	401	-	815	21.79	453	252	69	40

*Population of county, not including that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued. for the year 1913.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						SEX.				NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
23	-	1	1	-	25	19	28	-	47	44	3	-	15.50	
10	-	2	1	-	13	12	5	-	17	14	2	1	14.31	
31	8	4	-	-	43	38	23	-	61	58	2	1	17.43	
6	-	-	-	-	6	5	10	-	15	15	-	-	20.35	
5	-	-	-	-	5	4	5	-	9	9	-	-	10.49	
3	-	-	1	-	4	2	1	-	3	2	1	-	9.23	
31	39	7	10	-	87	63	35	-	98	66	27	5	12.76	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	1	-	2	2	-	-	9.57	
4	-	1	-	-	5	4	4	-	8	7	1	-	10.67	
3	-	1	-	-	4	1	4	-	5	5	-	-	19.19	
-	-	1	-	-	1	-	-	-	-	-	-	-	-	
5	-	1	-	-	6	11	7	-	18	18	-	-	19.17	
8	-	1	-	-	9	5	14	-	19	18	1	-	23.51	
-	-	1	1	-	2	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
-	-	-	-	-	-	1	-	-	1	-	1	-	4.85	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
235	47	28	23	-	333	299	245	-	544	483	54	7	14.55	

TABLE

Births, Marriages and Deaths

PENOBSCOT

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Alton.....	243	1	4	-	5	20.58	5	-	-	-	-
Argyle.....	216	3	4	-	7	32.41	4	1	1	-	1
Bangor.....	25,762	199	173	-	372	14.40	197	96	45	26	8
Bradford.....	924	12	5	-	17	18.40	14	-	-	3	-
Bradley.....	626	3	4	-	7	11.18	5	-	1	1	-
Brewer.....	5,915	79	69	-	148	25.02	77	36	18	16	1
Burlington.....	364	4	4	-	8	21.98	8	-	-	-	-
Carmel.....	1,074	6	10	-	16	14.90	12	1	2	1	-
Carroll.....	466	3	2	-	5	1.07	5	-	-	-	-
Charleston.....	872	3	7	-	10	11.47	9	-	-	1	-
Chester.....	346	2	5	-	7	20.32	5	-	2	-	-
Clifton.....	211	2	3	-	5	23.70	4	-	-	1	-
Corinna.....	1,255	10	7	-	17	15.14	17	-	-	-	-
Corinth.....	1,034	5	4	-	9	8.70	9	-	-	-	-
Dexter.....	3,707	38	30	-	68	18.34	47	4	12	5	-
Dixmont.....	735	5	8	-	13	17.69	13	-	-	-	-
East Millinocket..	923	17	16	-	33	35.75	11	9	9	3	1
Eddington.....	607	9	3	-	12	19.77	9	-	1	2	-
Edinburg.....	41	-	1	-	1	24.39	1	-	-	-	-
Enfield.....	949	12	12	-	24	25.29	16	1	3	4	-
Etna.....	523	5	3	-	8	15.30	8	-	-	-	-
Exeter.....	888	3	3	-	6	6.76	5	-	-	1	-
Garland.....	805	5	6	-	11	13.66	10	-	-	1	-
Glenburn.....	457	-	3	-	3	6.56	-	1	1	1	-
Greenbush.....	455	6	6	-	12	26.37	12	-	-	-	-
Greenfield.....	195	1	-	-	1	5.13	1	-	-	-	-

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	1	-	-	1	1	-	-	4.12
1	-	-	1	-	2	2	1	-	3	3	-	-	13.89
178	27	20	29	-	254	282	227	-	509	385	112	12	19.76
6	-	-	1	-	7	9	10	-	19	18	1	-	20.56
6	-	-	1	-	7	8	5	-	13	10	3	-	20.77
37	8	7	6	-	58	41	29	-	70	58	12	-	11.83
5	-	-	-	-	5	2	4	-	6	5	1	-	16.48
11	-	-	-	-	11	7	8	-	15	13	2	-	13.97
3	-	-	-	-	3	1	2	-	3	3	-	-	6.44
9	-	-	-	-	9	4	5	-	9	9	-	-	10.32
3	-	-	-	-	3	4	5	-	9	6	2	1	26.01
-	-	-	-	-	-	1	-	-	1	1	-	-	4.74
11	-	-	-	-	11	9	8	-	17	16	1	-	15.14
6	-	-	-	-	6	6	8	-	14	14	-	-	13.54
30	-	1	2	-	33	16	25	-	41	39	2	-	11.06
4	-	-	2	-	6	3	6	-	9	9	-	-	12.24
3	3	2	4	-	12	-	8	-	8	8	-	-	8.69
1	-	-	-	-	1	6	4	-	10	9	1	-	16.47
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	1	-	1	8	3	-	11	7	4	-	11.59
7	-	-	-	1	8	5	5	-	10	10	-	-	19.12
6	-	1	1	-	8	7	5	-	12	12	-	-	13.51
4	-	-	-	-	4	9	7	-	16	15	1	-	19.88
2	-	-	-	-	2	3	6	-	9	9	-	-	19.69
5	-	-	-	-	5	4	3	-	7	6	1	-	26.37
-	-	-	-	-	-	2	-	-	2	1	1	-	10.26

TABLE

Births, Marriages and Deaths

PENOBSCOT

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Hampden.....	2,440	18	19	-	37	15.16	33	1	2	1	-
Hermon.....	1,218	7	12	-	19	15.60	17	2	-	-	-
Holden.....	609	7	2	-	9	14.78	8	-	-	1	-
Howland.....	488	7	3	-	10	20.49	7	2	-	1	-
Hudson.....	397	1	3	-	4	10.08	4	-	-	-	-
Kenduskeag.....	499	5	6	-	11	20.04	8	1	-	2	-
Kingman.....	721	14	6	-	20	27.74	14	3	-	3	-
Lagrange.....	598	6	6	-	12	20.07	11	1	-	-	-
Lee.....	743	13	15	-	28	37.69	23	1	3	1	-
Levant.....	683	4	5	-	9	13.18	9	-	-	-	-
Lincoln.....	2,065	36	16	-	52	25.13	34	8	9	1	-
Lowell.....	247	1	3	-	4	16.19	4	-	-	-	-
Mattawamkeag...	513	8	7	-	15	29.24	13	1	-	1	-
Maxfield.....	70	-	2	-	2	28.57	2	-	-	-	-
Medway.....	548	7	7	-	14	25.55	11	-	1	2	-
Milford.....	1,005	5	8	-	13	12.94	12	-	1	-	-
Millinocket.....	3,368	102	71	-	173	51.37	50	74	30	18	1
Mt. Chase.....	206	2	2	-	4	19.50	3	-	-	1	-
Newburg.....	682	6	6	-	12	17.60	10	-	1	-	1
Newport.....	1,810	11	12	-	23	12.71	17	-	2	3	1
Old Town.....	6,581	92	84	-	176	26.74	84	39	29	20	4
Orono.....	3,645	45	36	-	81	22.22	26	29	16	9	1
Orrington.....	1,213	10	7	-	17	14.01	11	1	2	3	-
Passadumkeag....	454	5	5	-	10	22.03	9	-	1	-	-
Patten.....	1,452	20	12	-	32	22.04	21	-	6	4	1
Plymouth.....	572	7	4	-	11	19.23	11	-	-	-	-

No. 6—Continued. for the year 1913.

COUNTY—CONTINUED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
11	-	1	1	-	13	16	20	-	36	32	4	-	14.75
4	-	-	-	-	4	14	5	-	19	17	2	-	15.60
2	-	-	-	-	2	2	4	-	6	5	1	-	9.85
5	-	1	1	-	7	3	2	-	5	2	2	1	10.25
2	1	-	-	-	3	4	3	-	7	7	-	-	17.63
2	-	-	-	-	2	8	6	-	14	13	1	-	28.06
2	1	-	1	-	4	4	4	-	8	4	4	-	11.10
2	-	1	1	-	4	6	1	-	7	6	1	-	11.70
3	-	-	-	1	4	5	9	-	14	13	1	-	18.84
4	-	1	-	-	5	3	12	-	15	15	-	-	21.96
16	-	-	4	-	20	8	8	-	16	13	3	-	7.75
1	-	-	-	-	1	4	1	-	5	3	2	-	22.03
1	-	-	-	-	1	4	1	-	5	4	1	-	9.75
1	-	-	-	-	1	-	-	-	-	-	-	-	-
2	-	-	-	-	2	1	2	-	3	3	-	-	5.47
7	-	1	-	-	8	10	8	-	18	17	1	-	17.91
17	13	3	9	-	42	31	13	-	44	34	7	3	13.06
1	-	-	-	-	1	1	-	-	1	-	1	-	4.85
6	-	-	-	-	6	6	5	-	11	11	-	-	16.13
17	-	1	1	1	20	15	13	-	28	27	1	-	15.47
52	10	5	12	-	79	57	39	-	96	71	25	-	14.59
12	3	2	6	-	23	17	20	-	37	22	14	1	10.15
6	-	1	-	-	7	10	10	-	20	20	-	-	16.49
3	-	-	-	-	3	3	4	-	7	6	-	1	15.42
8	-	-	1	-	9	5	6	-	11	8	3	-	7.58
7	-	-	-	-	7	4	3	-	7	7	-	-	12.24

TABLE
Births, Marriages and Deaths

PENOBSCOT

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Prentiss.....	463	8	8	-	16	34.56	13	-	-	2	1
Springfield.....	441	5	4	-	9	20.41	8	-	-	-	1
Stetson.....	474	3	4	1	8	16.75	8	-	-	-	-
Veazie.....	557	4	2	-	6	10.77	4	2	-	-	-
Winn.....	646	6	10	-	16	24.77	14	-	1	1	-
Woodville.....	116	1	1	-	2	17.24	2	-	-	-	-
Drew Pl.....	271	2	5	-	7	25.83	4	1	1	1	-
Grand Falls Pl....	52	1	1	-	2	38.46	2	-	-	-	-
Lakeville Pl.....	88	-	2	-	2	22.73	1	-	1	-	-
Seboeis Pl.....	85	1	2	-	3	35.29	2	-	1	-	-
Stacyville Pl.....	646	6	5	-	11	17.03	7	-	4	-	-
Webster Pl.....	97	-	4	-	4	41.24	3	-	-	1	-
Indian Twp. No. 3	44	2	2	-	4	90.91	4	-	-	-	-
No. 1, R. 7.....	40	3	3	-	6	150.00	3	-	3	-	-
No. 2, R. 6.....	208	-	-	-	-	-	-	-	-	-	-
Total.....	*86,648	914	804	1	1,719	19.84	1,031	315	209	142	22

*Population of county, omitting that of unorganized townships and other places, not represented in this tabulation. See Table No. 1.

**No. 6—Continued.
for the year 1913.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY			
Both American	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	-	-	-	-	-	-	-	-
-	-	-	-	-	-	4	3	-	7	7	-	-	15.87
3	-	1	-	-	4	3	7	-	10	10	-	-	21.10
4	-	-	-	-	4	1	2	-	3	3	-	-	5.39
2	-	-	-	-	2	6	4	-	10	10	-	-	15.48
3	-	-	-	-	3	2	1	-	3	3	-	-	25.86
1	1	-	-	-	2	1	1	-	2	2	-	-	7.38
1	-	-	-	-	1	-	-	-	-	-	-	-	-
1	-	-	-	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	3	3	3	-	6	6	-	-	9.29
1	-	1	-	-	2	1	-	-	1	1	-	-	10.31
-	-	-	1	-	1	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	1	-	5	-	-	-	-	-	-	-	-
559	68	51	87	3	768	702	604	-	1,306	1,069	218	19	15.07

TABLE

Births, Marriages and Deaths

PISCATAQUIS

TOWNS.	Estimated Population in 1913.	BIRTHS.								
		SEX.				PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.
Abbot.....	703	2	5	-	7	9.96	6	-	1	-
Atkinson.....	534	7	3	-	10	18.73	9	-	1	-
Blanchard.....	154	1	2	-	3	19.48	2	-	-	1
Bowerbank.....	76	-	-	-	-	-	-	-	-	-
Brownville.....	1,879	25	24	-	49	26.08	19	16	5	8
Dover.....	2,151	9	16	-	25	11.62	23	-	1	1
Foxcroft.....	1,938	7	9	-	16	8.26	12	2	-	2
Greenville.....	1,581	23	15	-	38	24.04	17	8	8	5
Guilford.....	1,721	17	10	-	27	15.69	25	-	1	1
Medford.....	256	3	2	-	5	19.53	3	-	1	1
Milo.....	2,976	35	41	-	76	25.54	55	5	7	7
Monson.....	1,269	17	10	-	27	21.28	10	12	3	2
Orneville.....	357	1	2	-	3	8.40	3	-	-	-
Parkman.....	628	10	6	-	16	25.48	15	-	1	-
Sangerville.....	1,325	14	14	-	28	21.13	21	1	2	3
Sebec.....	537	2	2	-	4	7.45	3	-	1	-
Shirley.....	359	2	4	-	6	16.71	4	-	1	1
Wellington.....	387	1	3	-	4	10.34	3	1	-	-
Williamsburg.....	144	2	-	1	3	20.83	1	-	2	-
Willimantic.....	256	2	3	-	5	19.57	4	-	1	-
Barnard Pl.	101	-	1	-	1	9.90	1	-	-	-
Elliottsville Pl....	126	-	2	-	2	15.87	1	-	-	1
Kingsbury Pl.....	108	1	3	-	4	37.04	4	-	-	-
Lake View Pl.....	259	5	1	-	6	23.17	2	1	2	1
Katahdin Iron W'ks	63	-	-	-	-	-	-	-	-	-
Total.....	*19,888	186	178	1	365	18.35	243	46	38	33

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	2	7	-	9	7	2	-	12.80
4	-	1	1	-	6	1	3	-	4	4	-	-	7.49
4	-	-	-	-	4	1	1	-	2	2	-	-	12.99
1	-	-	-	-	1	1	-	-	1	1	-	-	13.16
5	-	-	7	-	12	11	9	-	20	12	8	-	10.64
32	-	2	1	-	35	16	11	-	27	26	1	-	12.55
25	-	1	1	-	27	15	15	-	30	29	1	-	15.48
9	2	3	3	2	19	30	8	-	38	20	15	3	24.04
19	-	2	1	-	22	11	12	-	23	22	1	-	13.36
3	-	-	1	-	4	1	3	-	4	4	-	-	15.63
17	1	3	7	-	28	18	7	-	25	21	4	-	8.40
8	5	-	1	-	14	12	7	-	19	14	5	-	14.97
2	-	-	-	-	2	6	2	-	8	7	-	1	22.41
4	-	-	-	-	4	6	5	-	11	10	1	-	17.52
12	1	-	1	-	14	5	12	-	17	16	1	-	12.83
6	-	-	-	-	6	3	2	-	5	4	1	-	9.31
3	-	1	-	-	4	1	-	-	1	-	1	-	2.79
9	-	-	-	1	10	7	2	-	9	9	-	-	23.26
-	-	-	1	-	1	1	1	-	2	2	-	-	13.89
-	-	-	-	-	-	2	1	-	3	3	-	-	11.72
5	-	-	-	-	5	-	-	-	-	-	-	-	-
-	-	-	-	-	-	2	-	-	2	1	1	-	15.87
1	-	-	-	-	1	1	-	-	1	1	-	-	9.26
-	-	1	-	-	1	1	-	-	1	1	-	-	3.84
-	-	-	-	-	-	-	-	-	-	-	-	-	-
173	9	14	25	3	224	154	108	-	262	216	42	4	13.17

TABLE

Births, Marriages and Deaths

SAGADAHOC

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Arrowsic.....	144	2	2	-	4	27.78	4	-	-	-	-
Bath.....	9,072	85	71	-	156	17.20	109	20	14	12	1
Bowdoin.....	778	12	5	-	17	21.85	15	-	-	1	1
Bowdoinham.....	1,409	6	8	-	14	9.94	11	1	1	1	-
Georgetown.....	724	7	8	-	15	20.72	13	-	-	2	-
Perkins.....	38	-	-	-	-	-	-	-	-	-	-
Phillipsburg.....	1,028	8	7	-	15	14.59	14	-	1	-	-
Richmond.....	1,801	13	7	-	20	11.10	18	-	1	1	-
Topsham.....	1,992	21	20	-	41	20.58	21	15	3	1	1
West Bath.....	212	3	3	-	6	28.30	5	1	-	-	-
Woolwich.....	865	8	5	-	13	15.03	11	-	1	1	-
Total.....	18,063	165	136	-	301	16.66	221	37	21	19	3

No 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.			NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
-	-	-	-	-	-	1	2	-	3	2	1	-	20.83
70	10	8	6	-	94	80	64	-	144	116	27	1	15.87
2	-	1	-	-	3	8	12	-	20	20	-	-	25.71
5	-	2	-	-	7	10	6	-	16	14	2	-	11.36
9	-	1	-	-	10	5	6	-	11	10	1	-	15.19
-	-	-	-	-	-	1	-	-	1	1	-	-	26.32
3	-	1	-	-	4	20	6	-	26	24	2	-	25.29
16	1	3	4	-	24	21	24	-	45	43	1	1	24.99
18	1	-	1	-	20	15	17	-	32	25	7	-	16.06
-	-	-	-	-	-	3	4	-	7	6	1	-	33.02
6	-	-	-	-	6	3	7	-	10	9	1	-	11.56
129	12	16	11	-	168	167	148	-	315	270	43	2	17.44

TABLE

Births, Marriages and Deaths

SOMERSET

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Anson.....	2,323	29	26	-	55	23.68	33	12	6	4	-
Athens.....	918	12	2	-	14	15.25	14	-	-	-	-
Bingham.....	757	3	5	-	8	10.57	5	-	1	2	-
Cambridge.....	369	3	3	-	6	16.26	5	-	-	-	1
Canaan.....	844	8	11	-	19	22.51	19	-	-	-	-
Concord.....	244	2	5	-	7	28.69	4	1	-	2	-
Cornville.....	729	2	5	-	7	9.60	7	-	-	-	-
Detroit.....	515	2	1	-	3	5.83	3	-	-	-	-
Embden.....	517	6	4	-	10	19.34	9	-	1	-	-
Fairfield.....	5,000	51	47	-	98	19.60	59	19	14	5	1
Harmony.....	778	10	7	-	17	21.85	14	-	-	2	1
Hartland.....	1,194	5	11	-	16	13.40	14	2	-	-	-
Madison.....	3,562	46	53	-	99	27.79	46	29	13	10	1
Mercer.....	426	1	5	-	6	14.08	5	-	1	-	-
Moscow.....	560	7	2	-	9	16.07	7	-	2	-	-
New Portland.....	873	11	10	-	21	24.05	20	-	-	1	-
Norridgewock.....	1,641	17	12	-	29	17.67	19	3	6	1	-
Palmyra.....	972	5	3	-	8	8.23	5	-	-	3	-
Pittsfield.....	2,891	19	20	-	39	13.49	32	2	1	3	1
Ripley.....	431	7	6	-	13	30.16	9	1	2	-	1
St. Albans.....	1,017	7	8	-	15	14.75	11	-	2	2	-
Skowhegan.....	5,389	56	55	-	111	20.60	68	14	11	16	2
Smithfield.....	419	2	4	-	6	14.32	5	-	-	1	-
Solon.....	1,046	11	9	-	20	19.12	17	1	1	-	1
Stark.....	523	5	7	-	12	22.94	10	2	-	-	-

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
9	4	2	-	-	15	8	23	-	31	30	1	-	13.34
3	-	1	-	-	4	4	7	-	11	11	-	-	11.98
10	-	2	1	-	13	5	3	-	8	6	2	-	10.57
2	-	-	-	-	2	3	2	-	5	5	-	-	13.55
6	-	-	-	-	6	8	8	-	16	16	-	-	18.96
1	-	1	-	-	2	4	-	-	4	3	1	-	16.39
3	-	-	-	-	3	3	4	-	7	5	1	1	9.60
5	-	-	-	-	5	1	5	-	6	6	-	-	11.65
4	-	-	-	-	4	3	5	-	8	8	-	-	15.47
28	1	3	4	-	36	32	33	-	65	52	13	-	13.00
7	1	1	1	-	10	6	3	-	9	8	1	-	11.54
13	-	1	-	-	14	5	6	-	11	11	-	-	9.21
15	8	4	9	-	36	24	19	-	43	40	3	-	12.07
5	-	-	1	-	6	3	2	-	5	5	-	-	11.74
4	-	-	-	-	4	8	4	-	12	7	5	-	21.43
4	-	-	-	-	4	5	2	-	7	7	-	-	8.02
10	-	2	2	-	14	14	12	-	26	24	1	1	15.84
5	-	-	-	-	5	5	10	-	15	14	1	-	15.43
23	1	1	2	-	27	13	21	-	34	33	1	-	11.76
4	-	1	-	-	5	2	2	-	4	4	-	-	9.28
6	-	-	-	-	6	10	8	-	18	18	-	-	17.70
27	5	5	1	1	39	44	43	-	87	74	13	-	16.14
1	-	-	-	-	1	2	3	-	5	4	1	-	11.93
8	-	-	-	-	8	9	9	-	18	17	1	-	17.21
1	-	-	-	-	1	5	3	-	8	8	-	-	15.30

TABLE

Births, Marriages and Deaths

SOMERSET

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Bigelow Pl.	54	2	-	-	2	37.04	-	1	-	1	-
Brighton Pl.	247	3	-	-	3	12.15	3	-	-	-	-
Caratunk Pl.	241	2	4	-	6	24.90	5	1	-	-	-
Dead River Pl.	94	-	1	-	1	10.64	1	-	-	-	-
Dennistown Pl.	99	1	-	-	1	10.10	-	-	-	1	-
Flagstaff Pl.	158	2	2	-	4	25.32	4	-	-	-	-
Highland Pl.	68	4	1	-	5	73.53	5	-	-	-	-
Jackman Pl.	760	17	17	-	34	44.74	4	18	4	6	2
Lexington Pl.	237	2	1	-	3	12.66	2	-	-	1	-
Long Pond Pl.	240	4	7	-	11	45.83	-	5	4	2	-
Mayfield Pl.	61	1	-	-	1	16.39	-	-	1	-	-
Moose River Pl.	254	5	1	-	6	23.62	2	3	-	1	-
Pleasant Ridge Pl. .	86	-	1	-	1	11.63	1	-	-	-	-
The Forks Pl.	172	-	-	-	-	-	-	-	-	-	-
West Forks Pl.	130	1	1	-	2	15.31	2	-	-	-	-
Total.	*36,839	371	357	-	728	19.76	469	114	70	64	11

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

**No. 6—Continued.
for the year 1913.**

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
1	-	-	-	-	1	-	-	-	-	-	-	-	-
5	-	-	-	-	5	3	2	-	5	4	1	-	20.24
6	-	-	1	-	7	-	-	-	-	-	-	-	-
1	-	-	-	-	1	3	-	-	3	3	-	-	31.91
-	-	-	-	-	-	1	-	-	1	-	1	-	10.10
1	-	-	-	-	1	1	1	-	2	2	-	-	12.66
-	-	-	-	-	-	1	1	-	2	2	-	-	29.41
2	7	-	3	-	12	7	4	-	11	10	1	-	14.47
1	-	-	-	-	1	1	2	-	3	2	1	-	12.66
-	-	1	-	-	1	2	1	-	3	2	1	-	12.50
-	-	-	-	-	-	3	-	-	3	2	1	-	49.18
1	2	1	1	-	5	2	6	-	8	5	3	-	31.49
1	-	-	-	-	1	1	-	-	1	1	-	-	11.63
3	-	-	1	-	4	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
226	29	26	27	1	309	251	254	-	505	449	54	2	13.71

TABLE

Births, Marriages and Deaths

WALDO

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Belfast.....	4,618	50	45	-	95	20.57	80	3	2	6	4
Belmont.....	331	5	1	-	6	18.12	5	-	-	1	-
Brooks.....	660	2	2	-	4	60.61	4	-	-	-	-
Burnham.....	727	10	9	-	19	26.13	15	2	2	-	-
Frankfort.....	1,147	8	12	-	20	17.44	16	1	2	1	-
Freedom.....	480	2	1	-	3	6.25	3	-	-	-	-
Islesboro.....	859	7	8	-	15	17.46	14	1	-	-	-
Jackson.....	410	6	5	-	11	26.83	10	-	1	-	-
Knox.....	499	5	4	-	9	18.04	8	-	-	1	-
Liberty.....	626	7	6	-	13	20.77	11	-	-	2	-
Lincolntonville.....	960	7	7	-	14	14.58	14	-	-	-	-
Monroe.....	856	8	8	-	16	18.69	16	-	-	-	-
Montville.....	811	7	12	-	19	23.43	18	-	-	1	-
Morrill.....	332	3	1	-	4	12.05	4	-	-	-	-
Northport.....	509	3	2	-	5	9.82	5	-	-	-	-
Palermo.....	669	4	7	-	11	16.44	10	-	-	1	-
Prospect.....	587	4	5	-	9	15.33	7	1	1	-	-
Searsmont.....	796	6	4	-	10	12.56	9	-	-	1	-
Searsport.....	1,471	10	10	-	20	13.59	18	1	1	-	-
Stockton Springs...	1,169	7	9	-	16	13.69	15	-	-	-	1
Swanville.....	455	3	7	-	10	21.98	10	-	-	-	-
Thorndike.....	534	3	6	-	9	16.85	8	-	1	-	-
Troy.....	768	5	5	-	10	13.02	10	-	-	-	-
Unity.....	905	6	3	-	9	9.94	9	-	-	-	-
Waldo.....	362	2	6	-	8	22.10	8	-	-	-	-
Winterport.....	1,570	11	8	-	19	12.10	18	-	-	1	-
Total.....	23,111	191	193	-	384	16.61	345	9	10	15	5

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						SEX.				NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
49	-	1	-	-	50	50	52	-	102	100	2	-	22.09	
2	-	-	-	-	2	-	1	-	1	1	-	-	3.02	
2	-	-	1	-	3	7	8	-	15	15	-	-	22.73	
7	-	-	-	-	7	9	6	-	15	15	-	-	20.63	
4	1	-	-	-	5	8	8	-	16	16	-	-	13.95	
4	-	-	-	-	4	5	7	-	12	12	-	-	25.00	
8	-	3	1	-	12	3	3	-	6	6	-	-	6.98	
2	-	-	-	-	2	4	4	-	8	8	-	-	19.51	
5	-	1	-	-	6	6	2	-	8	8	-	-	16.03	
5	-	-	-	-	5	9	-	-	9	8	1	-	14.38	
11	-	1	-	-	12	6	8	-	14	14	-	-	14.58	
3	-	1	-	-	4	8	5	-	13	12	-	1	15.19	
7	-	-	-	-	7	7	5	-	12	10	1	1	14.80	
1	-	-	-	-	1	-	3	-	3	3	-	-	9.04	
-	-	-	-	-	-	6	6	-	12	10	2	-	23.58	
10	-	-	-	-	10	4	7	-	11	11	-	-	16.44	
4	-	1	2	-	7	6	2	-	8	7	-	1	13.63	
9	-	1	-	-	10	5	5	-	10	10	-	-	12.56	
14	-	-	-	-	14	7	12	-	19	15	4	-	12.92	
4	1	1	1	-	7	6	4	-	10	10	-	-	8.55	
2	-	-	-	-	2	4	5	-	9	9	-	-	19.78	
5	-	-	1	-	6	2	4	-	6	6	-	-	11.24	
5	-	-	1	-	6	9	11	-	20	20	-	-	26.04	
5	-	1	1	-	7	6	4	-	10	8	1	1	11.05	
3	-	-	-	-	3	4	4	-	8	7	1	-	22.10	
13	1	1	-	-	15	10	7	-	17	16	1	-	10.83	
184	3	12	8	-	207	191	183	-	374	357	13	4	16.18	

TABLE

Births, Marriages and Deaths

WASHINGTON

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Addison.....	961	14	8	-	22	22.89	21	-	1	-	-
Alexander.....	386	4	6	-	10	25.91	9	-	-	-	1
Baileyville.....	1,410	33	21	-	54	38.50	21	17	10	5	1
Baring.....	228	2	1	-	3	13.16	2	-	-	1	-
Beddington.....	86	-	-	-	-	-	-	-	-	-	-
Brookton.....	222	2	5	-	7	31.53	7	-	-	-	-
Calais.....	5,654	76	59	-	135	23.88	64	16	24	27	4
Centerville.....	91	1	-	-	1	10.99	1	-	-	-	-
Charlotte.....	284	4	1	-	5	17.61	1	-	2	1	1
Cherryfield.....	1,367	9	13	-	22	16.09	19	-	1	1	1
Columbia.....	573	4	6	-	10	17.45	9	-	1	-	-
Columbia Falls.....	691	12	9	-	21	30.39	20	-	1	-	-
Cooper.....	184	1	1	-	2	10.87	2	-	-	-	-
Crawford.....	114	-	1	-	1	8.77	1	-	-	-	-
Cutler.....	591	6	3	-	9	15.23	9	-	-	-	-
Danforth.....	1,355	17	16	-	33	24.35	11	9	8	5	-
Deblois.....	69	1	-	-	1	14.49	1	-	-	-	-
Dennysville.....	453	4	6	-	10	22.08	9	-	1	-	-
East Machias.....	1,353	14	6	-	20	14.78	17	2	1	-	-
Eastport.....	4,926	38	54	-	92	18.67	48	14	14	16	-
Edmunds.....	652	10	6	-	16	24.54	12	-	1	3	-
Forest City.....	60	1	1	-	2	33.33	-	1	-	-	1
Harrington.....	978	11	6	-	17	17.38	17	-	-	-	-
Jonesboro.....	498	12	3	-	15	30.12	15	-	-	-	-
Jonesport.....	2,059	22	31	-	53	25.74	51	-	2	-	-
Lubec.....	3,441	44	42	-	86	24.99	37	15	16	17	1
Machias.....	2,089	25	23	-	48	22.98	42	2	1	3	-
Machiasport.....	1,218	8	12	-	20	16.42	20	-	-	-	-

No. 6—Continued.
for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.								Death-rate per 1,000.
						SEX.				NATIVITY.				
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.		
10	-	-	-	-	10	7	9	-	16	16	-	-	16.65	
1	-	-	-	-	1	-	3	-	3	2	1	-	7.77	
6	5	3	4	-	18	15	6	-	21	12	9	-	14.89	
1	-	-	-	-	1	1	-	-	1	1	-	-	4.39	
2	-	-	-	-	2	-	-	-	-	-	-	-	-	
1	-	-	-	-	1	1	2	-	3	2	1	-	13.51	
18	8	7	16	-	49	57	48	-	105	63	41	1	18.57	
1	-	-	-	-	1	2	-	-	2	2	-	-	21.98	
3	-	-	-	-	3	4	3	-	7	5	2	-	24.65	
11	-	-	-	-	11	6	3	-	9	8	-	1	6.58	
3	-	-	-	-	3	2	4	-	6	5	1	-	10.47	
3	-	-	-	-	3	3	2	-	5	5	-	-	7.24	
-	-	-	-	-	-	1	1	-	2	-	2	-	10.87	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
3	-	-	-	-	3	7	4	-	11	10	1	-	12.61	
6	2	2	1	-	11	10	5	-	15	9	5	1	11.07	
1	-	-	-	-	1	1	1	-	2	2	-	-	28.98	
3	-	-	-	-	3	1	2	-	3	3	-	-	6.62	
8	-	1	-	-	9	11	8	-	19	17	2	-	14.04	
19	5	8	3	-	35	36	30	-	66	42	23	1	13.39	
1	-	-	-	-	1	5	4	-	9	7	2	-	13.80	
-	-	1	-	-	1	-	-	-	-	-	-	-	-	
4	-	-	-	-	4	4	7	-	11	11	-	-	11.25	
4	-	-	-	-	4	3	2	-	5	5	-	-	10.04	
24	-	-	-	1	25	13	12	-	25	24	1	-	12.24	
11	1	6	2	-	20	23	22	-	45	29	16	-	13.08	
14	-	-	-	-	14	17	13	-	30	29	1	-	14.36	
10	-	1	1	-	12	7	6	-	13	11	2	-	10.67	

TABLE
Births, Marriages and Deaths
 WASHINGTON

TOWNS.	Estimated population in 1913.	BIRTHS.								
		SEX.				PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.
Marion.....	120	2	4	-	6	50.00	5	-	1	-
Marshfield.....	163	5	1	-	6	36.81	6	-	-	-
Meddybemps.....	115	-	3	-	3	26.09	3	-	-	-
Milbridge.....	1,439	9	10	-	19	13.20	16	-	1	2
Northfield.....	69	1	2	-	3	43.48	2	-	1	-
Pembroke.....	1,297	12	17	-	29	22.36	28	-	-	1
Perry.....	1,130	11	13	-	24	21.24	19	1	2	2
Princeton.....	1,091	14	10	-	24	21.08	18	-	2	4
Robbinston.....	631	3	4	-	7	11.09	5	-	2	-
Roque Bluffs.....	87	2	-	-	2	22.99	2	-	-	-
Steuben.....	890	6	7	-	13	14.61	13	-	-	-
Talmage.....	100	1	-	-	1	10.00	1	-	-	-
Topsfield.....	253	6	3	-	9	35.57	6	-	2	1
Trescott.....	461	6	4	-	10	21.69	7	-	-	2
Vanceboro.....	644	8	10	-	18	27.95	6	5	5	1
Waite.....	170	5	3	-	8	47.06	6	-	1	1
Wesley.....	166	1	5	-	6	36.14	6	-	-	-
Whiting.....	359	3	2	-	5	13.93	4	-	-	1
Whitneyville.....	210	-	3	-	3	14.29	2	1	-	-
Codyville Pl.....	69	1	2	-	3	43.48	2	-	1	-
Grand Lake Stream Pl.....	303	7	5	-	12	39.60	11	-	1	-
No. 14 Pl.....	82	1	-	-	1	12.20	-	-	-	1
No. 21 Pl.....	81	3	1	-	4	49.38	3	1	-	-
Kossuth.....	14	2	-	-	2	45.45	2	-	-	-
Total.....	*41,967	484	449	-	933	22.23	639	84	103	91

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 6—Continued. for the year 1913.

COUNTY—CONCLUDED.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY			
Both American	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
2	-	-	-	-	2	2	2	-	4	4	-	-	33.33
3	-	-	-	-	3	-	1	-	1	1	-	-	6.13
1	-	-	-	-	1	2	1	-	3	2	1	-	26.09
9	-	-	-	-	9	10	5	-	15	15	-	-	10.42
2	-	-	-	-	2	1	-	-	1	1	-	-	14.49
5	-	1	-	-	6	8	13	-	21	20	1	-	16.19
8	1	1	-	-	10	5	2	-	7	5	2	-	6.19
8	-	-	-	-	8	8	6	-	14	11	3	-	12.83
3	-	1	1	-	5	3	2	-	5	4	-	1	7.92
-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	-	-	-	9	6	5	-	11	10	1	-	12.36
-	-	-	-	-	-	1	-	-	1	1	-	-	10.00
2	-	-	-	-	2	1	2	-	3	3	-	-	11.86
4	-	-	-	-	4	2	2	-	4	4	-	-	8.68
1	-	1	2	-	4	8	6	-	14	5	6	3	21.74
-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	-	3	1	-	-	1	1	-	-	6.02
3	-	-	-	-	3	3	1	-	4	4	-	-	11.14
1	-	-	-	-	1	4	2	-	6	4	2	-	28.57
-	-	-	1	-	1	-	-	-	-	-	-	-	-
2	-	-	-	-	2	2	1	-	3	3	-	-	9.9
-	-	-	-	-	-	1	-	-	1	1	-	-	12.20
-	-	-	-	-	-	1	1	-	2	2	-	-	24.69
-	-	-	-	-	-	-	1	-	1	1	-	-	22.78
233	22	34	31	1	321	306	250	-	556	422	126	8	13.25

TABLE

Births, Marriages and Deaths

YORK

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.					PARENTAGE.				
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Acton.....	580	7	7	-	14	24.14	12	-	1	1	-
Alfred.....	880	5	12	-	17	19.32	17	-	-	-	-
Berwick.....	2,042	22	15	-	37	18.12	23	9	2	2	1
Biddeford.....	17,381	244	247	-	491	28.25	116	266	52	53	4
Buxton.....	1,627	11	16	-	27	16.59	26	-	1	-	-
Cornish.....	945	4	7	-	11	11.64	10	-	-	1	-
Dayton.....	372	1	5	-	6	16.13	5	1	-	-	-
Eliot.....	1,558	15	11	-	26	16.69	24	1	-	1	-
Hollis.....	1,284	9	6	-	15	11.68	15	-	-	-	-
Kennebunk.....	3,061	22	21	-	43	14.05	38	2	2	1	-
Kennebunkport....	2,130	19	14	-	33	15.49	24	1	4	3	1
Kittery.....	3,732	31	29	-	60	16.08	52	-	2	6	-
Lebanon.....	1,320	6	9	-	15	11.36	10	2	-	3	-
Limerick.....	992	6	9	-	15	15.03	11	2	1	1	-
Limington.....	972	12	5	-	17	17.49	15	1	-	1	-
Lyman.....	594	4	3	-	7	11.78	5	1	-	1	-
Newfield.....	605	4	2	-	6	9.92	5	-	1	-	-
North Berwick.....	1,786	13	9	-	22	12.32	18	-	1	1	2
Old Orchard.....	961	5	5	-	10	10.41	7	1	-	2	-
Parsonsfield.....	1,046	12	5	-	17	16.25	16	-	-	1	-
Saco.....	6,721	56	47	-	103	15.33	57	21	10	12	3
Sanford.....	9,643	98	138	-	236	24.47	81	90	24	40	1
Shapleigh.....	675	5	7	-	12	17.78	12	-	-	-	-
South Berwick.....	2,885	32	25	-	57	19.76	30	19	2	4	2
Waterboro.....	980	8	12	-	20	20.41	17	1	1	1	-
Wells.....	1,898	19	11	-	30	15.81	26	-	-	3	1
York.....	2,841	25	30	-	55	19.36	38	5	4	8	-
Total.....	69,511	695	707	-	1,402	20.16	710	423	108	146	15

No. 6—Concluded. for the year 1913.

COUNTY.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
4	-	-	-	-	4	4	6	-	10	10	-	-	17.24
4	-	1	-	-	5	6	6	-	12	11	1	-	13.64
7	1	1	-	-	9	16	23	-	39	38	1	-	19.10
58	48	16	17	-	139	161	143	-	304	202	100	2	17.49
7	-	-	-	-	7	12	12	-	24	22	2	-	14.75
7	-	-	3	-	10	14	10	-	24	24	-	-	25.40
3	-	-	-	-	3	3	1	-	4	4	-	-	10.75
11	-	-	1	-	12	16	9	-	25	24	-	1	16.05
7	-	-	-	-	7	10	7	-	17	15	2	-	13.24
14	2	2	2	-	20	31	31	-	62	59	2	1	20.25
11	-	-	-	-	11	21	19	-	40	38	1	1	18.78
10	-	-	2	-	12	26	23	-	49	46	3	-	13.13
7	-	1	-	-	9	8	3	-	11	10	1	-	83.33
4	-	-	1	-	5	11	4	-	15	14	1	-	15.03
4	-	-	1	-	5	13	13	-	26	26	-	-	26.75
4	-	-	-	-	4	8	9	-	17	17	-	-	28.62
5	-	-	-	-	5	4	5	-	9	9	-	-	11.57
8	-	1	1	-	10	14	10	-	24	22	1	1	13.44
9	-	1	-	1	11	13	18	-	31	26	5	-	32.26
6	-	1	-	-	7	10	15	-	25	22	1	2	23.90
33	4	3	6	1	47	46	50	-	96	83	13	-	14.28
44	28	13	11	-	96	53	75	-	128	90	38	-	13.27
5	-	-	-	-	5	3	4	-	7	7	-	-	10.37
16	4	2	3	-	25	29	22	-	51	45	6	-	17.67
9	-	-	-	-	9	3	10	-	13	12	1	-	13.27
18	-	1	1	-	20	20	16	-	36	35	1	-	18.98
19	2	5	-	-	26	15	23	-	38	33	5	-	13.38
334	90	48	49	2	523	570	567	-	1,137	944	185	8	16.37

TABLE
Recapitulation

TOWNS.	Estimated population in 1913.	BIRTHS.									
		SEX.				PARENTAGE.					
		Male.	Female.	Not stated.	Total.	Rate per 1,000.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.
Androscoggin.....	61,631	629	643	-	1,272	20.64	532	440	169	120	11
Aroostook.....	*77,679	1,307	1,196	2	2,505	32.39	1,482	297	393	309	24
Cumberland.....	115,680	1,146	1,174	1	2,321	20.06	1,292	594	188	215	32
Franklin.....	*18,951	224	195	-	419	22.11	283	82	30	21	3
Hancock.....	*34,718	300	324	1	625	18.00	552	22	23	16	12
Kennebec.....	64,003	618	574	-	1,192	18.62	749	236	122	75	10
Knox.....	28,580	215	230	-	445	15.57	360	36	25	19	5
Lincoln.....	17,835	152	141	-	293	16.43	254	6	11	18	4
Oxford.....	*37,396	414	401	-	815	21.79	453	252	69	40	1
Penobscot.....	*86,648	914	804	1	1,719	19.84	1,031	315	209	142	22
Piscataquis.....	*19,888	186	178	1	365	18.35	243	46	38	33	5
Sagadahoc.....	18,063	165	136	-	301	16.66	221	37	21	19	3
Somerset.....	*36,839	371	357	-	728	19.76	469	114	70	64	11
Waldo.....	23,111	191	193	-	384	16.61	345	9	10	15	5
Washington.....	*41,967	484	449	-	933	22.23	639	84	103	91	16
York.....	69,511	695	707	-	1,402	20.16	710	423	108	146	15
Total.....	*752,500	8,011	7,702	6	15,719	20.89	9,615	2,993	1,589	1,343	179

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table No. 1.

No. 7.

by Counties.

MARRIAGES.						DEATHS.							Death-rate per 1,000.
						SEX.				NATIVITY.			
Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.	Male.	Female.	Not stated.	Total.	American.	Foreign.	Not stated.	
377	130	67	76	2	652	529	487	-	1,016	788	223	5	16.47
387	37	79	82	3	588	548	430	-	978	744	225	9	12.59
734	127	81	101	1	1,044	930	978	-	1,908	1,538	338	32	16.49
149	4	9	7	-	169	149	143	-	292	267	20	5	15.41
245	5	7	10	-	267	245	281	-	526	497	25	4	15.15
455	65	54	49	1	624	573	526	-	1,099	949	126	24	17.17
237	8	8	22	1	276	262	246	-	508	473	33	2	17.77
134	2	6	5	2	149	127	99	-	226	207	19	-	12.67
235	47	28	23	-	333	299	245	-	544	483	54	7	14.55
559	68	51	87	3	768	702	604	-	1,306	1,069	218	19	15.07
173	9	14	25	3	224	154	108	-	262	216	42	4	13.17
129	12	16	11	-	168	167	148	-	315	270	43	2	17.44
226	29	26	27	1	309	251	254	-	505	449	54	2	13.71
184	3	12	8	-	207	191	183	-	374	357	13	4	16.18
233	22	34	31	1	321	306	250	-	556	422	126	8	13.25
334	90	48	49	2	523	570	567	-	1,137	944	185	8	16.37
4,791	658	540	613	20	6,622	6,003	5,549	-	11,552	9,673	1,744	135	15.35

TABLE No. 8.
Births and Birth-Rates by Counties for the Years 1906-1913.

COUNTIES.	1906.		1907.		1908.		1909.		1910.		1911.		1912.		1913.	
	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.	Rate.	Births.
State	15,878	22.09	15,914	22.02	16,173	22.25	16,060	21.97	15,798	21.28	15,635	21.01	15,869	21.27	15,719	20.89
Androscoggin	1,175	20.47	1,088	18.78	1,124	19.23	1,205	20.43	1,173	19.61	1,260	20.87	1,217	19.96	1,272	20.64
Aroostook	2,328	34.45	2,413	35.20	2,429	34.87	2,374	33.54	2,443	32.72	2,385	31.76	2,411	31.94	2,505	32.39
Cumberland	2,179	20.45	2,163	20.12	2,354	20.78	2,263	20.68	2,201	19.65	2,265	20.04	2,423	21.20	2,321	20.06
Franklin	1,04	20.96	742	22.76	702	20.56	718	21.22	703	21.08	354	18.84	380	26.13	419	22.11
Hancock	768	20.62	757	20.33	753	20.32	740	19.87	693	19.48	683	19.42	675	19.45	625	18.00
Kennebec	1,225	20.72	1,257	20.75	1,236	20.33	1,259	20.64	1,262	20.08	1,131	18.04	1,173	18.42	1,192	18.62
Knox	531	17.53	444	14.60	454	14.93	438	14.40	432	14.91	435	14.81	436	15.20	445	15.57
Lincoln	310	15.76	323	16.42	321	16.32	314	15.96	293	16.08	307	16.95	306	17.05	293	16.43
Oxford	880	26.48	787	23.57	906	27.00	864	25.62	876	24.16	741	20.26	813	21.93	815	21.79
Penobscot	1,722	22.00	1,772	22.54	1,781	22.55	1,770	22.31	1,671	19.59	1,800	21.10	1,703	19.89	1,719	19.84
Piscataquis	364	20.87	404	23.06	409	23.24	383	21.67	381	19.16	403	20.61	368	18.75	365	18.35
Sagadahoc	366	17.54	340	16.23	347	16.50	360	17.04	336	18.09	366	15.56	311	17.06	301	16.66
Somerset	692	20.01	703	20.26	749	21.51	735	21.03	760	20.94	672	18.87	396	17.11	728	19.76
Waldo	365	15.09	385	15.92	380	15.71	366	15.13	366	16.85	396	17.00	396	17.11	384	16.61
Washington	1,023	22.39	1,030	22.51	1,031	22.93	999	21.76	956	22.28	945	22.48	991	21.10	933	22.23
York	1,551	23.46	1,606	24.21	1,577	23.70	1,572	23.55	1,524	22.24	1,542	22.36	1,460	21.07	1,462	20.16

TABLE No. 9

Births by Counties, Showing Proportion of Males to Females, 1913.

COUNTIES.	Males.	Females.	Sex not stated.	Total.	Excess of males.	Excess of females.	Males to each 100 females.
Androscoggin.....	629	643	-	1,272	-	14	97.8
Aroostook.....	1,307	1,196	2	2,505	111	-	109.3
Cumberland.....	1,146	1,174	1	2,321	-	28	97.6
Franklin.....	224	195	-	419	29	-	114.9
Hancock.....	300	324	1	625	-	24	92.6
Kennebec.....	618	574	-	1,192	44	-	107.7
Knox.....	215	230	-	445	-	15	93.5
Lincoln.....	152	141	-	293	11	-	107.8
Oxford.....	414	401	-	815	13	-	103.2
Penobscot.....	914	804	1	1,719	110	-	113.7
Piscataquis.....	186	178	1	365	8	-	104.5
Sagadahoc.....	165	136	-	301	29	-	121.3
Somerset.....	371	357	-	728	14	-	103.9
Waldo.....	191	193	-	384	-	2	98.9
Washington.....	484	449	-	933	35	-	108.8
York.....	695	707	-	1,402	-	12	98.3
Total.....	8,011	7,702	6	15,719	404	95	104.0

TABLE No. 10.

Number of Births in Each Month of 1906-1913, with a Monthly Ratio Compared with a Standard of 100.

Months.	1906.		1907.		1908.		1909.		1910.		1911.		1912.		1913.	
	Births.	Ratio.*	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.	Births.	Ratio.
January.....	1,173	87.0	1,361	96.3	1,296	94.3	1,366	95.9	1,308	97.5	1,261	95.0	1,253	92.9	1,299	97.3
February.....	1,206	99.0	1,288	105.0	1,312	102.2	1,276	103.7	1,252	103.3	1,224	98.6	1,267	104.1	1,185	98.2
March.....	1,333	102.1	1,431	105.9	1,551	112.9	1,475	108.3	1,506	112.2	1,463	110.2	1,415	105.0	1,467	109.9
April.....	1,385	106.1	1,397	106.8	1,345	101.2	1,392	105.6	1,424	109.7	1,426	111.0	1,357	104.0	1,425	110.2
May.....	1,335	99.0	1,455	107.4	1,464	106.6	1,453	106.7	1,393	103.8	1,371	103.2	1,451	107.6	1,400	104.9
June.....	1,316	100.3	1,424	108.9	1,430	107.5	1,309	99.1	1,379	106.2	1,355	105.4	1,337	102.5	1,378	106.7
July.....	1,454	107.8	1,360	100.6	1,361	99.1	1,353	99.2	1,330	99.1	1,380	103.9	1,442	107.0	1,397	104.7
August.....	1,450	107.5	1,293	95.7	1,438	104.7	1,437	105.4	1,348	100.5	1,331	100.2	1,439	106.8	1,316	98.5
September.....	1,364	104.5	1,336	102.1	1,246	93.7	1,351	102.3	1,263	97.3	1,294	100.7	1,318	101.1	1,245	96.3
October.....	1,280	94.9	1,204	93.5	1,216	88.5	1,251	91.7	1,256	93.7	1,172	88.3	1,229	91.2	1,264	94.7
November.....	1,260	96.5	1,129	86.3	1,212	91.1	1,221	92.5	1,131	87.1	1,153	89.7	1,182	97.1	1,131	87.5
December.....	1,325	98.2	1,231	91.1	1,299	94.6	1,231	90.2	1,207	90.0	1,202	90.5	1,179	87.4	1,210	90.6
Unknown.....	3	-	5	-	3	-	5	-	1	-	3	-	-	-	1	-

*In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 11.

Births, by Sex and Months, by Counties, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
Androscoggin, males.	43	45	60	48	60	58	49	57	41	58	46	64	-	629	-
females....	56	45	58	64	58	59	51	48	40	58	39	67	-	643	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,272
Aroostook, males....	103	87	133	135	130	102	133	112	103	97	87	85	-	1,307	-
females....	98	93	120	113	108	105	105	84	103	78	85	104	-	1,196	-
not stated	-	-	-	2	-	-	-	-	-	-	-	-	-	-	2,505
Cumberland, males....	102	90	90	118	81	103	104	83	107	92	66	110	-	1,146	-
females....	98	87	98	92	131	93	109	94	99	97	87	89	-	1,174	-
not stated	-	-	1	-	-	-	-	-	-	-	-	-	-	-	12,321
Franklin, males....	10	18	19	24	23	25	20	17	8	22	20	18	-	224	-
females....	21	17	19	17	15	17	16	20	20	9	11	13	-	195	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	419
Hancock, males....	20	25	18	20	31	25	22	23	37	40	22	17	-	300	-
females....	27	23	38	30	29	32	26	30	23	26	21	19	-	324	-
not stated	-	-	1	-	-	-	-	-	-	-	-	-	-	-	625
Kennebec, males....	53	54	68	61	56	58	48	43	46	48	43	40	-	618	-
females....	43	38	61	43	52	64	56	47	43	45	40	42	-	574	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,192
Knox, males....	19	13	23	18	9	24	22	20	21	14	19	13	-	215	-
females....	19	16	22	22	26	24	17	14	14	21	16	19	-	230	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	445
Lincoln, males....	13	5	12	16	17	11	12	13	18	8	18	9	-	152	-
females....	9	10	14	10	7	7	13	17	11	1	20	12	-	141	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	293
Oxford, males....	29	32	45	43	36	37	28	31	35	39	34	25	-	414	-
females....	33	24	42	31	35	41	34	37	29	33	31	31	-	401	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	815
Penobscot, males....	74	72	89	79	81	75	85	90	61	76	70	62	-	914	-
females....	69	59	61	74	68	74	60	78	68	69	64	60	-	804	-
not stated	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1,719
Piscataquis, males...	18	16	23	9	9	15	21	12	19	14	16	14	-	186	-
females....	14	10	16	18	14	13	11	16	18	14	17	17	-	178	-
not stated	-	-	-	-	-	-	-	-	-	1	-	-	-	-	365
Sagadahoc, males....	16	19	16	15	8	6	13	16	7	15	15	19	-	165	-
females....	18	14	8	10	16	17	7	14	7	11	6	8	-	136	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	301
Somerset, males....	20	31	45	34	28	34	32	31	33	35	20	27	1	371	-
females....	30	29	22	35	30	31	42	39	28	29	23	19	-	357	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	728
Waldo, males....	18	20	13	17	13	15	17	22	12	12	15	17	-	191	-
females....	19	10	16	16	22	13	18	17	16	11	19	16	-	193	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	384
Washington, males...	31	40	46	43	46	43	50	38	43	36	30	38	-	484	-
females....	39	32	45	48	45	34	40	30	36	36	40	24	-	449	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	933
York, males....	65	57	60	67	60	58	62	61	52	59	47	46	-	695	-
females....	72	53	65	53	56	65	74	62	47	50	44	66	-	707	-
not stated	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,402
Total, males....	634	624	760	747	688	689	718	669	643	665	568	604	1	8,011	-
females....	665	560	705	676	712	689	679	647	602	598	563	606	-	7,702	-
not stated	-	1	2	-	-	-	-	-	-	1	-	-	-	6	-
Grand total.....	1299	1185	1467	1425	1400	1378	1397	1316	1245	1264	1131	1210	1	15719	15719

TABLE No. 12.
Births in Cities for 1913, with Rate per 1,000 of
Population.

CITIES.	Estimated popu- lation in 1913.	Males born.	Females born.	Sex not stated.	Total.	Birth-rate per 1,000.	Males to each 100 females.
Auburn.....	15,751	118	122	-	240	15.23	96.7
Augusta.....	13,705	131	132	-	263	19.19	99.2
Bangor.....	25,762	199	173	-	372	14.40	115.0
Bath.....	9,072	85	71	-	156	17.20	119.7
Belfast.....	4,618	50	45	-	95	20.57	111.1
Biddeford.....	17,381	244	247	-	491	28.25	98.8
Brewer.....	5,915	79	69	-	148	25.02	114.5
Calais.....	5,654	76	59	-	135	23.88	128.8
Eastport.....	4,926	38	54	-	92	18.67	70.4
Ellsworth.....	3,325	26	26	-	52	15.64	100.0
Gardiner.....	5,235	41	45	-	86	16.43	91.1
Hallowell.....	2,894	28	29	-	57	19.70	96.6
Lewiston.....	27,053	332	343	-	675	24.95	96.8
Old Town.....	6,581	92	84	-	176	26.4	109.5
Portland.....	61,308	631	648	-	1,279	20.86	97.4
Rockland.....	8,180	78	71	-	149	18.22	109.8
Saco.....	6,721	56	47	-	103	15.33	119.1
South Portland.....	7,825	83	83	-	166	21.21	100.0
Waterville.....	12,100	176	134	-	310	25.62	131.3
Westbrook.....	8,605	108	105	-	213	24.75	102.9
Total.....	252,611	2,671	2,587	-	5,258	20.82	103.2

TABLE No. 13.

Percentage of American and Foreign Births by Counties,
1913.

COUNTIES.	PARENTS.			Births with parentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Androscoggin.....	41.82	34.59	22.72	0.87
Aroostook.....	59.16	11.86	28.02	0.96
Cumberland.....	55.67	25.59	17.36	1.38
Franklin.....	67.55	19.57	12.17	0.71
Hancock.....	88.32	3.52	6.24	1.92
Kennebec.....	62.84	19.80	16.53	0.83
Knox.....	80.90	8.09	9.89	1.12
Lincoln.....	86.69	2.05	9.90	1.36
Oxford.....	55.58	30.92	13.38	0.12
Penobscot.....	59.98	18.33	20.41	1.28
Piscataquis.....	66.58	12.60	19.45	1.37
Sagadahoc.....	73.42	12.29	13.29	1.00
Somerset.....	64.42	15.66	18.41	1.51
Waldo.....	89.84	2.35	6.51	1.30
Washington.....	68.49	9.00	20.79	1.72
York.....	50.64	30.17	18.12	1.07
State.....	61.17	19.04	18.65	1.14

TABLE No. 14.
Percentage of American and Foreign Births by Cities,
1913.

CITIES.	PARENTS.			Births with percentage not stated.
	American-born.	Foreign-born.	One foreign-born.	
Auburn.....	47.92	25.83	25.83	0.42
Augusta.....	52.09	28.14	19.01	0.76
Bangor.....	52.96	25.80	19.08	2.16
Bath.....	69.87	12.82	16.67	0.64
Belfast.....	84.21	3.16	8.42	4.21
Biddeford.....	23.63	54.17	21.38	0.82
Brewer.....	52.03	24.32	22.97	0.68
Calais.....	47.41	11.85	37.78	2.96
Eastport.....	52.17	15.22	32.61	-
Ellsworth.....	96.15	-	3.85	-
Gardiner.....	75.58	5.81	18.61	-
Hallowell.....	77.19	10.53	10.53	1.75
Lewiston.....	28.88	45.76	24.44	0.92
Old Town.....	47.72	22.16	27.27	2.85
Portland.....	45.27	35.81	17.28	1.64
Rockland.....	75.84	10.07	13.42	0.67
Saco.....	55.43	20.39	21.36	2.82
South Portland.....	72.89	12.05	12.65	2.41
Waterville.....	50.00	26.13	22.90	0.97
Westbrook.....	53.52	21.60	23.00	1.88
Collectively.....	47.92	30.18	20.52	1.38

TABLE No. 15.
Twin Births by Months and Counties, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	1	1	1	2	-	2	-	-	-	1	1	3	12
Aroostook.....	2	4	3	3	4	1	3	2	2	2	2	4	32
Cumberland.....	1	6	2	4	2	4	2	3	-	1	2	3	30
Franklin.....	-	-	-	1	1	-	1	-	-	1	-	-	4
Hancock.....	-	-	1	-	-	-	1	-	1	3	2	1	9
Kennebec.....	1	2	3	-	1	1	1	2	-	-	2	2	15
Knox.....	-	-	1	-	1	-	-	-	2	-	1	-	5
Lincoln.....	-	-	-	-	-	-	-	-	2	1	-	-	3
Oxford.....	-	-	-	-	1	-	2	1	2	1	1	-	8
Penobscot.....	2	-	2	2	2	2	5	1	4	3	1	1	25
Piscataquis.....	-	-	1	-	-	-	-	-	-	1	-	2	4
Sagadahoc.....	1	-	1	-	-	-	-	-	-	-	-	-	2
Somerset.....	-	2	-	-	1	1	3	1	1	-	-	-	9
Waldo.....	1	-	-	-	2	-	-	-	-	-	-	2	5
Washington.....	-	-	-	-	1	-	1	-	-	1	1	1	5
York.....	1	2	1	2	1	-	1	1	1	-	1	-	11
Total.....	10	17	16	14	17	11	20	11	15	15	14	19	179

TABLE No. 16.
Twin Births by Sex and Parentage, by Counties, 1913.

COUNTIES.	SEX.				PARENTAGE.							Living children.	Stillborn children.	Total.
	Both male.	Both female.	One male and one female.	Not stated.	Both American.	Both foreign.	American mother and foreign father.	American father and foreign mother.	Not stated.	Total.				
Androscoggin.....	3	2	7	-	3	3	2	4	-	12	23	1	24	
Aroostook.....	10	11	11	-	19	4	4	5	-	32	56	8	64	
Cumberland.....	9	10	11	-	8	15	4	2	1	30	58	2	60	
Franklin.....	3	1	-	-	4	-	-	-	-	4	7	1	8	
Hancock.....	3	2	4	-	8	-	-	-	1	9	18	-	18	
Kennebec.....	5	4	6	-	13	1	-	1	-	15	28	2	30	
Knox.....	1	1	3	-	5	-	-	-	-	5	10	-	10	
Lincoln.....	1	-	2	-	3	-	-	-	-	3	6	-	6	
Oxford.....	-	4	4	-	3	3	1	-	1	8	14	2	16	
Penobscot.....	8	7	10	-	13	4	5	3	-	25	43	7	50	
Piscataquis.....	2	-	2	-	3	1	-	-	-	4	6	2	8	
Sagadahoc.....	-	1	1	-	1	-	1	-	-	2	4	-	4	
Somerset.....	2	4	3	-	6	2	-	1	-	9	16	2	18	
Waldo.....	1	2	2	-	3	1	-	1	-	5	10	-	10	
Washington.....	2	1	2	-	4	1	-	-	-	5	10	-	10	
York.....	3	4	4	-	2	6	3	-	-	11	20	2	22	
Total.....	53	54	72	-	98	41	20	17	3	179	329	29	358	

TABLE No. 17.

Stillbirths by Sex and Parentage, by Counties, 1913.

COUNTIES.	Male.	Female.	Sex not stated.	Total.	Mother American.	Mother foreign.	Not stated.
Androscoggin.....	17	15	-	32	22	10	-
Aroostook.....	71	51	2	124	83	41	-
Cumberland.....	51	41	-	92	62	30	-
Franklin.....	15	9	-	24	20	4	-
Hancock.....	18	10	1	29	26	3	-
Kennebec.....	27	13	-	40	31	9	-
Knox.....	11	11	-	22	18	4	-
Lincoln.....	5	2	-	7	6	1	-
Oxford.....	26	14	-	40	23	17	-
Penobscot.....	44	33	-	77	64	12	1
Piscataquis.....	16	12	1	29	23	6	-
Sagadahoc.....	7	4	-	11	6	5	-
Somerset.....	15	16	-	31	24	7	-
Waldo.....	12	5	-	17	16	1	-
Washington.....	26	15	-	35	31	4	-
York.....	52	27	-	79	43	36	-
Total.....	407	278	4	689	498	190	1

TABLE No. 18.
Stillbirths by Seasons, 1913.

MONTHS.			
January.....	58		
February.....	68		
March.....	76	Total for first quarter.....	202
April.....	54		
May.....	54		
June.....	62	Total for second quarter.....	170
July.....	51		
August.....	47		
September.....	49	Total for third quarter.....	147
October.....	52		
November.....	59		
December.....	59	Total for fourth quarter.....	170
Total.....	689		689

NOTES ON BIRTHS.

In the year 1913, 16,408 births were registered in the State, including stillbirths, (14,082 in 1892, 14,604 in 1893, 14,607 in 1894, 15,430 in 1895, 15,429 in 1896, 15,142 in 1897, 15,121 in 1898, 14,475 in 1899, 14,709 in 1900, 14,615 in 1901, 15,166 in 1902, 15,130 in 1903, 15,405 in 1904, 16,005 in 1905, 16,585 in 1906, 16,595 in 1907, 16,914 in 1908, 16,735 in 1909, 16,469 in 1910, 16,300 in 1911, and 16,583 in 1912).

The number of living children born was 15,719, and the number of stillbirths was 689.

Of the whole number of living children of which the sex was certified, 8,011 were males and 7,702 were females. In 6 births, the sex was not stated. For each 100 girls born there were 104.0 boys (106.7 in 1892, 107.4 in 1893, 104.7 in 1894, 106.4 in 1895, 105.3 in 1896, 102.3 in 1897, 106 in 1898, 104.4 in 1899, 103.2 in 1900, 105.6 in 1901, 105 in 1902, 105.3 in 1903, 104.2 in 1904, 104.1 in 1905, 106 in 1906, 104.3 in 1907, 107.2 in 1908, 104.7 in 1909, 103.8 in 1910, 105.5 in 1911, and 106.9 in 1912).

Birth-rate.—The birth-rate of living children for the State was 20.89 for each 1,000 of population.

Table No. 12 shows the number of births in each city with the birth-rate of each. The average birth-rate in the cities per 1,000 population was 20.82 as compared with 20.93, the birth-rate of the rest of the State.

The birth-rate of the different counties varied widely. As it invariably has been every year since the registration began, it was the highest in Aroostook, 32.39, and the lowest in Knox, 15.57. In four counties, Aroostook, Franklin, Oxford, and Washington, the birth-rate was above that of the whole State. The birth-rate in each county is shown in Tables No. 3 and 7.

Parentage.—Of the total births in the State, 61.17 per cent. were of native parents, 19.04 per cent. were of foreign parentage; 18.65 per cent. were of parents one of whom was foreign; while in 1.14 per cent., the nationality was not stated.

Waldo county had the largest percentage of native-born parents, to wit, 89.84 per cent., and only 2.35 per cent. in which both parents were foreign-born. Hancock followed with 88.32 per cent. of native parentage, and only 3.52 per cent. in which both parents were foreign-born.

In Lincoln county in 86.69 per cent. of the births the parents were native-born, and in 2.05 per cent., foreign-born.

In Knox county the percentage of native-born parents was 80.90; in Sagadahoc, 73.42; in Washington, 68.49; in Franklin, 67.55; in Piscataquis, 66.58; and in Somerset, 64.42.

Comparatively high percentages of foreign-born parents are found in Androscoggin county, 34.59; in Oxford, 30.92; in York, 30.17; and in Cumberland, 25.59.

The percentages of parentage, whether American-born or foreign-born, may be found for the other counties in Table No. 13.

Comparing the percentage of the births in our twenty cities with that of the rest of the State, we find that in the cities 47.92 per cent. of the births were of American parentage, while in the rural parts of the State the percentage of American-born children was 67.82.

The largest percentage of foreign-born parents was in Biddeford, 54.17, and in Lewiston, 45.76.

There were no births in Ellsworth in which both parents were foreign-born. For further comparisons see Table No. 14.

Seasons and Births.—The largest number of births in any one month in 1913 was 1,467 in March; the smallest was 1,131 in November; the largest quarterly total was 4,203 in the second quarter; the smallest 3,604 in the last quarter. The three consecutive months in which the largest number of births occurred were March, April and May, 4,292.

The following is a tabular statement of the number of births in each month of the twenty-two years, 1892-1913.

	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892	1,016	1,113	1,345	1,275	1,323	1,176	1,222	1,191	1,144	1,047	1,002	1,111	63	14,028
1893	1,151	1,082	1,162	1,259	1,273	1,162	1,176	1,213	1,115	1,126	1,032	1,109	48	13,908
1894	962	980	1,335	1,324	1,255	1,200	1,286	1,213	1,168	1,064	980	1,164	9	13,940
1895	1,182	1,082	1,329	1,287	1,308	1,236	1,290	1,312	1,233	1,189	1,115	1,193	6	14,762
1896	1,149	1,227	1,320	1,318	1,379	1,190	1,207	1,246	1,257	1,220	1,091	1,069	10	14,693
1897	1,126	1,123	1,390	1,260	1,288	1,250	1,274	1,303	1,205	1,138	984	1,077	12	14,430
1898	1,148	1,176	1,323	1,269	1,322	1,229	1,226	1,219	1,182	1,196	1,028	1,149	6	14,473
1899	1,093	1,104	1,237	1,295	1,224	1,201	1,239	1,197	1,163	1,058	979	1,098	7	13,895
1900	1,167	1,083	1,260	1,245	1,276	1,146	1,284	1,255	1,213	1,070	1,055	1,035	6	14,905
1901	1,123	1,128	1,303	1,270	1,290	1,190	1,178	1,199	1,252	1,051	983	1,048	6	14,021
1902	1,143	1,111	1,401	1,250	1,333	1,244	1,237	1,252	1,207	1,137	1,064	1,119	10	14,508
1903	1,210	1,151	1,353	1,304	1,326	1,247	1,215	1,223	1,205	1,134	1,026	990	9	14,453
1904	1,219	1,207	1,367	1,325	1,336	1,186	1,297	1,216	1,208	1,217	1,037	1,057	6	14,473
1905	1,178	1,180	1,463	1,340	1,365	1,375	1,439	1,328	1,259	1,163	1,057	1,143	4	15,294
1906	1,173	1,206	1,333	1,385	1,335	1,310	1,454	1,450	1,364	1,280	1,260	1,325	3	15,878
1907	1,301	1,288	1,431	1,397	1,455	1,424	1,360	1,293	1,336	1,264	1,129	1,231	5	15,914
1908	1,296	1,312	1,551	1,345	1,464	1,430	1,361	1,438	1,246	1,216	1,212	1,299	3	16,173
1909	1,306	1,276	1,475	1,392	1,453	1,308	1,349	1,434	1,347	1,249	1,218	1,229	5	16,041
1910	1,308	1,252	1,506	1,424	1,393	1,379	1,330	1,348	1,263	1,256	1,131	1,207	1	15,798
1911	1,261	1,224	1,463	1,426	1,371	1,355	1,380	1,331	1,294	1,172	1,153	1,202	3	15,635
1912	1,253	1,267	1,415	1,357	1,451	1,337	1,442	1,439	1,318	1,229	1,182	1,179	-	15,869
1913	1,299	1,185	1,467	1,425	1,400	1,378	1,397	1,316	1,245	1,264	1,131	1,210	1	15,719

Twin-births.—In 1913, 179 twin-births occurred; in 53 instances twins were both boys; in 54, both girls; and in 72, a boy and a girl. In 98 cases the parentage was American; in 41, foreign; in 37 instances the parentage was mixed; and in 3, it was not stated. Of the 358 children, 329 were born alive, and 29 stillborn.

Stillbirths.—Of the 689 stillborn children, 407 were males and 278 were females. In 4 the sex was not stated. With the exception of 1 stillbirth as to which the nativity of the mother was not stated 498 were of American mothers, and 190 of foreign mothers.

The largest number of stillbirths occurred in Aroostook county, 124; while the minimum number, 7, was reported in Lincoln county.

The largest number of stillbirths, 76, was returned in March; the smallest number, 47, in August. See Tables No. 17 and 18 for other details.

TABLE No. 19.
Marriages and Marriage-Rates by Counties for the Years 1906-1913.

COUNTIES.	1906.		1907.		1908.		1909.		1910.		1911.		1912.		1913.	
	Marriages	Rate.	Marriages	Rate.	Marriages	Rate.	Marriages	Rate.	Marriages	Rate.	Marriages	Rate.	Marriages	Rate.	Marriages	Rate.
State.....	6,498	9.04	6,380	8.83	5,904	8.12	6,011	8.22	5,900	7.95	5,878	7.85	6,550	8.71	6,022	8.74
Androscoggin.....	536	9.34	475	8.20	465	7.95	451	7.65	478	7.99	454	7.52	581	8.53	652	10.58
Aroostook.....	664	9.85	592	8.64	580	8.33	646	9.13	578	7.75	557	7.44	655	8.46	588	7.46
Cumberland.....	918	8.62	963	8.96	854	7.87	916	8.37	861	7.69	884	7.82	1,022	8.94	1,044	9.02
Franklin.....	184	9.54	194	10.00	183	9.36	179	9.09	160	8.37	166	8.66	198	10.28	169	8.23
Hancock.....	319	8.57	329	8.83	326	8.75	265	7.12	310	8.71	295	8.34	321	9.11	267	7.62
Kennebec.....	541	8.96	560	9.24	519	8.54	545	8.94	554	8.81	527	8.33	576	9.05	624	9.77
Knox.....	269	8.84	251	8.25	203	6.97	225	7.40	212	7.35	211	8.18	257	8.96	276	9.66
Lincoln.....	150	7.63	145	7.37	137	6.97	138	7.02	117	6.42	124	8.55	132	7.36	149	8.93
Oxford.....	366	11.01	367	10.99	326	10.42	323	9.61	310	8.55	324	8.84	330	9.44	333	8.92
Penobscot.....	812	10.37	809	10.29	761	9.63	718	9.05	751	8.81	712	8.29	740	8.49	768	8.73
Piscataquis.....	170	9.75	176	10.05	170	9.66	153	8.65	182	9.15	159	7.82	162	7.91	224	10.79
Sagadahoc.....	151	7.24	149	7.07	104	4.94	139	6.58	141	7.59	121	6.15	136	7.46	168	9.30
Somerset.....	331	9.57	354	10.20	326	9.36	323	9.24	306	8.43	320	8.77	353	9.59	309	8.32
Waldo.....	228	9.43	207	8.56	185	7.65	186	7.69	186	7.95	199	8.54	227	9.77	207	8.96
Washington.....	362	7.92	306	6.69	315	6.87	310	6.75	316	7.36	320	7.57	329	7.75	321	7.59
York.....	497	7.52	504	7.60	426	6.40	492	7.37	437	6.38	465	6.74	511	7.38	523	7.52

TABLE No. 20.
Marriages by Counties and Nativity, 1913.

COUNTIES.	Both American.	Both foreign.	Husband American.	Wife American.	Not stated.	Total.
Androscoggin.....	378	130	65	77	2	652
Aroostook.....	383	40	71	92	2	588
Cumberland.....	733	127	81	102	1	1,044
Franklin.....	145	5	11	8	-	169
Hancock.....	243	5	7	12	-	267
Kennebec.....	454	66	54	49	1	624
Knox.....	234	8	9	24	1	276
Lincoln.....	134	2	6	5	2	149
Oxford.....	233	47	28	25	-	333
Penobscot.....	555	69	54	87	3	768
Piscataquis.....	171	9	16	25	3	224
Sagadahoc.....	129	13	16	10	-	168
Somerset.....	225	28	27	28	1	309
Waldo.....	184	3	12	8	-	207
Washington.....	234	24	32	30	1	321
York.....	334	91	47	49	2	523
Total.....	4,769	667	536	631	19	6,622

TABLE No. 21.
Marriages by Months and Counties, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	58	29	29	47	57	97	57	61	67	59	59	32	652
Aroostook.....	39	30	36	64	23	68	45	51	44	67	74	47	588
Cumberland.....	75	48	56	83	57	153	62	91	128	127	115	55	1,044
Franklin.....	9	8	10	12	10	23	14	10	17	19	17	20	169
Hancock.....	21	10	13	26	19	20	19	21	23	27	32	36	267
Kennebec.....	47	23	34	44	56	87	41	58	69	57	71	43	624
Knox.....	15	12	17	20	21	34	18	16	42	28	25	28	276
Lincoln.....	16	13	8	10	11	13	11	14	14	15	7	17	149
Oxford.....	34	22	16	27	33	45	25	24	20	24	38	25	333
Penobscot.....	43	31	39	57	56	119	62	57	87	68	89	60	768
Piscataquis.....	13	10	15	16	14	33	14	26	17	24	25	17	224
Sagadahoc.....	12	9	12	13	14	15	18	8	15	23	18	11	168
Somerset.....	24	17	20	20	19	38	30	25	26	31	36	23	309
Waldo.....	10	19	12	15	17	20	17	20	26	11	23	17	207
Washington.....	21	11	23	23	29	38	25	32	39	22	28	30	321
York.....	35	24	36	39	41	79	24	37	56	64	58	30	523
Total.....	472	316	370	516	471	882	482	551	690	666	715	491	6,622

TABLE No. 22.
Number of Marriages in Each Month of 1906-1913, with Monthly Ratio Compared with a
Standard of 100.

Months.	1906.		1907.		1908.		1909.		1910.		1911.		1912.		1913.	
	Marriages	Ratio. *	Marriages	Ratio.	Marriages	Ratio.	Marriages	Ratio.	Marriages	Ratio.	Marriages	Ratio.	Marriages	Ratio.	Marriages	Ratio.
January.....	487	87.9	409	75.6	437	86.7	383	71.5	427	85.2	381	76.4	445	79.9	472	83.6
February.....	394	78.8	382	78.1	366	80.8	361	78.3	284	62.7	318	70.5	407	81.0	316	62.2
March.....	336	66.7	282	52.1	332	65.9	286	56.0	332	66.3	271	54.3	309	55.6	376	65.5
April.....	450	84.0	503	96.0	405	83.5	451	91.3	456	94.0	399	82.6	551	102.4	516	94.8
May.....	453	81.8	411	76.	398	79.0	420	82.3	405	80.8	402	80.6	438	78.7	471	84.9
June.....	873	163.5	866	165.3	779	160.6	789	159.8	803	165.6	734	152.0	820	152.4	882	162.5
July.....	467	84.3	497	91.9	405	80.4	456	89.3	413	82.4	468	93.8	479	86.1	482	85.4
August.....	494	89.2	471	87.1	474	94.0	489	95.8	473	94.4	433	90.8	489	87.9	551	97.6
September.....	665	124.1	668	127.5	589	121.4	619	125.3	585	120.6	589	121.9	641	119.1	690	126.7
October.....	696	125.7	706	130.5	641	127.2	625	122.4	673	134.3	714	143.1	714	128.3	666	118.7
November.....	646	120.5	663	126.5	591	121.9	637	128.9	576	118.8	635	131.5	744	138.2	715	131.3
December.....	537	97.3	520	96.1	487	96.6	495	97.0	473	94.4	514	103.0	512	92.0	491	87.0
Unknown.....	-	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-

*In this column the inaccuracies due to the unequal lengths of the months are eliminated.

TABLE No. 23.
Marriages by Ages and Counties, 1913.

COUNTIES.		Under 15.	15 to 20.	20 to 25.	25 to 30.	30 to 35.	35 to 40.	40 to 45.	45 to 50.	50 to 55.	55 to 60.	60 to 70.	70 to 80.	80 and over.	Not stated.	Total.
Androscoggin.....	males..	-	39	268	162	54	50	18	23	9	7	16	6	-	-	652
	females	-	166	236	121	42	25	19	15	12	8	6	2	-	-	652
Aroostook.....	males..	-	36	248	164	59	33	16	7	12	1	10	1	-	1	588
	females	1	236	211	67	30	13	3	8	8	3	7	-	-	1	588
Cumberland.....	males..	-	41	406	276	134	71	50	21	17	7	19	2	-	-	1,044
	females	2	235	386	203	102	58	26	14	7	4	5	-	-	2	1,044
Franklin.....	males..	-	16	50	39	23	17	7	6	3	2	6	-	-	-	169
	females	-	66	50	24	10	6	4	3	3	1	2	-	-	-	169
Hancock.....	males..	-	15	107	59	31	22	8	7	8	2	7	1	-	-	267
	females	1	82	102	35	19	11	5	4	5	2	1	-	-	-	267
Kennebec.....	males..	-	33	237	162	80	23	23	21	16	8	14	5	2	-	624
	females	1	154	224	100	45	33	21	14	12	8	9	2	-	1	624
Knox.....	males..	-	17	111	64	37	17	7	5	11	4	3	-	-	-	276
	females	-	82	90	46	27	10	5	6	7	2	1	-	-	-	276
Lincoln.....	males..	-	9	53	34	19	11	6	4	2	-	8	3	-	-	149
	females	1	44	50	25	8	6	7	2	2	-	2	2	-	-	149
Oxford.....	males..	-	16	112	92	36	27	12	15	8	8	4	2	1	-	333
	females	1	95	105	60	28	14	11	8	4	7	-	-	-	-	333
Penobscot.....	males..	-	33	270	209	111	50	29	28	17	11	6	3	1	-	768
	females	1	209	273	124	61	46	16	13	13	5	3	2	-	2	768
Piscataquis.....	males..	-	11	78	56	28	20	8	5	7	3	6	-	-	2	224
	females	3	59	76	32	20	13	6	5	3	3	2	-	-	2	224
Sagadahoc.....	males..	-	11	45	39	21	12	16	4	8	3	6	3	-	-	168
	females	-	36	52	37	13	6	8	6	4	4	2	-	-	-	168
Somerset.....	males..	-	13	117	83	32	22	13	10	6	4	6	3	-	-	309
	females	2	108	99	37	17	18	11	4	3	3	4	2	-	1	309
Waldo.....	males..	-	15	61	52	27	14	12	4	14	4	4	-	-	-	207
	females	1	66	66	30	14	8	2	6	10	2	2	-	-	-	207
Washington.....	males..	-	24	129	71	29	28	11	13	5	6	2	2	1	-	321
	females	-	117	108	51	17	5	6	11	2	-	4	-	-	-	321
York.....	males..	-	31	238	104	45	32	20	18	9	10	14	2	-	-	523
	females	-	122	206	97	30	26	21	6	6	2	5	2	-	-	523
Total.....	males..	-	360	2,530	1,666	766	449	256	191	152	80	131	33	5	3	6,622
	females	14	1,877	2,334	1,089	483	298	171	125	101	54	55	12	-	9	6,622
Grand total.....		14	2,237	4,864	2,755	1,249	747	427	316	253	134	186	45	5	12	13,244

TABLE
Some Interesting Facts in

COUNTIES.	Instances in which the age of the bride exceeds that of the groom.	Widowers.	Widows.	Divorced.		First marriage.		Second marriage.		Third marriage.	
				M.	F.	M.	F.	M.	F.	M.	F.
Androscoggin..	92	70	58	34	48	546	547	95	94	10	11
Aroostook.....	79	52	50	18	12	514	524	68	59	6	5
Cumberland...	196	86	60	66	35	892	909	139	126	13	8
Franklin.....	18	18	12	16	23	134	134	26	29	8	6
Hancock.....	45	28	20	15	17	222	229	43	33	2	5
Kennebec.....	118	86	71	48	66	487	484	119	125	17	14
Knox.....	50	25	20	26	29	224	227	48	39	4	9
Lincoln.....	23	22	10	10	12	117	125	25	19	4	5
Oxford.....	45	36	30	22	38	277	263	47	59	7	9
Penobscot.....	105	87	71	39	57	639	637	117	122	10	7
Piscataquis....	40	34	24	14	22	175	177	42	43	6	3
Sagadahoc....	28	28	17	12	23	127	128	40	37	1	3
Somerset.....	50	33	25	28	26	248	255	57	44	3	7
Waldo.....	29	22	16	18	22	166	167	34	33	7	4
Washington...	43	41	19	19	17	261	285	58	34	2	2
York.....	114	62	27	25	30	435	465	80	51	7	6
Total.....	1,075	730	530	410	477	5,464	5,556	1,038	947	107	104

No. 24.

Relation to Marriages.

Fourth marriage.		Fifth marriage.		Number of marriages not stated.		Total number of persons married.	Oldest.		Youngest.		Oldest couple.		Youngest couple.	
M.	F.	M.	F.	M.	F.		M.	F.	M.	F.	M.	F.	M.	F.
-	-	1	-	-	-	1,304	78	76	17	15	75	70	17	15
-	-	-	-	-	-	1,176	71	67	17	15	67	67	17	17
-	-	-	1	-	-	2,088	73	63	16	15	68	63	16	17
1	-	-	-	-	-	338	69	65	18	15	68	65	18	16
-	-	-	-	-	-	534	75	63	17	16	75	53	17	16
-	1	1	-	-	-	1,248	82	79	17	15	70	79	17	16
-	1	-	-	-	-	552	63	62	18	15	63	62	19	15
2	-	1	-	-	-	298	77	72	17	13	77	72	17	18
2	1	-	1	-	-	666	85	59	17	14	85	47	18	16
1	1	-	-	1	1	1,536	80	77	17	14	80	72	17	17
-	-	-	-	1	1	448	69	66	17	13	69	63	19	13
-	-	-	-	-	-	336	73	66	18	16	72	66	18	18
1	3	-	-	-	-	618	75	72	17	15	75	70	17	15
-	3	-	-	-	-	414	67	69	18	15	65	68	18	17
-	-	-	-	-	-	642	81	64	17	15	81	64	17	17
-	-	-	-	-	-	1,046	76	73	17	15	76	71	17	17
7	10	3	2	2	2	13,244								

NOTES ON MARRIAGES.

The number of marriages registered in the State during the year 1913 was 6,622 (5,726 in 1892, 5,795 in 1893, 5,594 in 1894, 5,729 in 1895, 5,579 in 1896, 5,331 in 1897, 5,144 in 1898, 5,329 in 1899, 5,482 in 1900, 5,735 in 1901, 5,905 in 1902, 6,200 in 1903, 6,208 in 1904, 6,264 in 1905, 6,498 in 1906, 6,380 in 1907, 5,904 in 1908, 6,011 in 1909, 5,900 in 1910, 5,878 in 1911, and 6,550 in 1912). We have therefore for the year 1913 a marriage-rate of 17.48 (persons married) to every 1,000 of population, or at the rate of 8.74 marriages per 1,000 persons.

Marriage-rates.—The marriage-rate was higher in Piscataquis county than elsewhere in the State, it being for that county 10.79 per 1,000. The lowest marriage-rate, that of 7.46 per 1,000, was in Aroostook county. See Table No. 3.

Nativity.—Of the 6,602 records of marriage in which there was a statement of birthplace, in 72.02 per cent. the groom and bride were both American; in 10.07 per cent. both were of foreign birth; in 8.09 per cent. the groom was American and the bride of foreign birth; while in 9.80 per cent. a foreign groom and American bride were united.

Seasons.—The largest number of marriages, 882, was solemnized in June, while the smallest number in any one month, 316, occurred in February. See Table No. 21.

Ages of the Married.—The largest number, both of grooms and brides, was between 20 and 25 years of age. While still under 15 years of age, 14 brides were married; in the age-period, 15-20 years, there were 360 grooms and 1,877 brides; in the period 20-25 years 2,530 men and 2,334 women were married; from 25-30 1,666 men and 1,089 women; from 30-35, 766 men and 483 women; from 35-40, 449 men and 298 women; from 40-45, 256 men and 171 women; from 45-50, 191 men and 125 women; from 50-55, 152 men and 101 women; from 55-60, 80 men and 54 women; from 60-70, 131 men and 55 women; from 70-80, 33 men and 12 women; 80 and over, 5 men. The

ages of 3 grooms and 9 brides were not stated. See Table No. 23. In 5,547 marriages the groom was older than the bride; while in 1,075 the bride was the older; 730 widowers and 530 widows were remarried; 410 men and 477 women were remarried after having been divorced from a former marriage.

Table No. 24 exhibits the fact that 5,464 men and 5,556 women were married for the first time; that 1,038 men and 947 women were married for the second time; that 107 men and 104 women were united in the third marriage; that 7 men and 10 women contracted marriage a fourth time, and 3 men and 2 women were married for the fifth time. The oldest groom was 85 years of age, and the oldest bride was 79. The youngest groom was 16 years of age, and the youngest bride was 13.

At the age of 16 years 1 groom was married; at 17 years, 22; at 18 years, 107; and at 19 years, 231. At the age of 13, 3 brides were married; at 14 years, 11; at 15 years, 59; at 16 years, 228; at 17 years, 341, at 18 years, 678; and at 19 years, 564.

At 17 years of age, 1 bride was married for a second time; 3 at 18 years, and 4 at 19. One bride was married for the third at 29, and one for the fourth time at 34.

Two men contracted marriage for the first time at the ages of 77 and 75. One groom contracted marriage for the fourth time at 85.

TABLE

Divorces Decreed by the Supreme Court of Maine for the

COUNTIES.	Libellant wife.	Libellant husband.	Adultery.	Cruel and abusive treatment.	Cruel and abusive treatment and extreme cruelty.	Cruel and abusive treatment and intoxication.	Cruelty.	Cruel treatment, intoxication and nonsupport.	Extreme cruelty.	Extreme cruelty and intoxication.	Desertion.	Utter desertion.	Utter desertion and gross and confirmed habits of intoxication.	Intoxication.
Androscoggin..	70	21	8	40	-	-	-	-	-	-	25	-	-	-
Aroostook.....	50	17	5	28	-	6	-	-	-	-	22	-	-	2
Cumberland...	122	53	29	59	-	-	-	-	3	-	-	67	1	-
Franklin.....	19	15	5	17	1	2	-	-	-	-	3	2	-	4
Hancock.....	31	13	9	6	-	-	-	-	5	-	-	21	-	3
Kennebec.....	82	25	14	-	-	-	34	-	-	-	18	1	-	23
Knox.....	50	16	5	28	1	1	-	1	4	-	1	19	-	-
Lincoln.....	17	4	-	12	-	-	-	-	1	1	7	-	-	-
Oxford.....	36	19	6	27	-	-	-	-	-	-	-	16	-	-
Penobscot.....	87	28	21	13	2	4	-	-	2	-	-	44	-	16
Piscataquis....	23	6	1	12	-	-	-	-	-	-	-	9	-	-
Sagadahoc.....	20	10	5	13	1	-	-	-	-	-	-	6	-	-
Somerset.....	49	18	13	16	9	-	-	-	-	-	-	18	-	-
Waldo.....	35	9	4	18	-	-	-	-	1	-	-	12	-	4
Washington...	45	23	16	15	-	-	-	-	1	-	22	-	-	-
York.....	52	27	6	29	-	-	-	-	1	-	33	-	-	5
Total.....	788	304	147	333	14	13	34	1	18	1	131	215	1	57

No. 25.

Year 1913, as Returned by Clerks of the Several Counties.

Gross and confirmed habits of intoxication.	Habits of intoxication.	Gross and confirmed habits of intoxication and cruel and abusive treatment.	Gross and confirmed habits of intoxication and extreme cruelty.	Gross and confirmed habits of intoxication ; nonsupport.	Nonsupport and cruel and abusive treatment.	Adultery and utter desertion.	Nonsupport.	Nonsupport and intoxication.	Impotence.	Insanity.	Marriage annulled.	Total.
17	1	-	-	-	-	-	-	-	-	-	-	91
-	-	-	-	-	-	-	3	1	-	-	-	67
7	-	4	-	1	1	-	2	-	1	-	-	175
-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	1	-	-	-	16	-	-	-	-	107
3	-	1	-	-	-	-	1	-	-	-	1	66
1	-	-	-	-	-	-	-	-	-	-	-	21
5	-	-	-	-	-	-	1	-	-	-	-	55
1	-	-	-	-	4	-	7	-	-	-	-	115
5	-	-	-	-	-	-	2	-	-	-	-	29
4	-	-	-	-	-	-	-	-	-	1	-	30
7	-	-	-	-	1	1	2	-	-	-	-	67
-	-	-	-	-	-	-	4	-	1	-	-	44
2	-	2	-	1	3	-	6	-	-	-	-	68
-	-	-	-	-	-	-	4	-	-	-	1	79
62	1	7	1	2	9	1	48	1	2	1	2	1,092

TABLE No. 26.

Divorces by Causes, Sex of Libellants, and the Number of Years Married, 1913.

CAUSES.	LIBELLANTS.		NUMBER OF YEARS MARRIED.							
	Number.	SEX.	Under 6 months.	Under 1 year.	1 to 5.	5 to 10.	10 to 20.	20 to 30.	Over 30.	Unknown.
Adultery.....	147	Males... 95 Females... 52	- 3	24 14	21 16	39 19	7 1	1 2	-	-
Cruel and abusive treatment.....	333	Males... 65 Females... 268	1 6	16 69	24 74	11 75	8 36	2 4	-	4
Cruel and abusive treatment and extreme cruelty.....	14	Males... 1 Females... 13	- 1	- 2	- 2	- 5	- 1	- 1	- 1	-
Cruel and abusive treatment and intoxication.....	13	Males... 1 Females... 12	- -	- 4	- 5	- 2	- -	- -	- 1	-
Cruelty.....	34	Males... 6 Females... 28	- 2	- 7	- 11	- 7	- 2	- 1	- -	-
Cruel treatment, intoxication and non-support.....	1	Males... - Females... 1	- -	- -	- -	- -	- 1	- -	- -	-
Extreme cruelty.....	18	Males... - Females... 18	- -	- 9	- 4	- 4	- 1	- -	- -	-
Extreme cruelty and intoxication.....	1	Males... - Females... 1	- -	- -	- 1	- -	- -	- -	- -	-
Desertion.....	131	Males... 43 Females... 88	- 1	4 14	14 31	14 29	3 9	8 4	-	-
Utter desertion.....	215	Males... 81 Females... 134	- -	11 14	35 46	19 47	13 23	3 4	-	-
Utter desertion and gross and confirmed habits of intoxication.....	1	Males... - Females... 1	- -	- -	- -	- 1	- -	- -	- -	-
Intoxication.....	57	Males... 3 Females... 54	- -	- 8	- 18	- 22	- 5	- 1	- -	-
Gross and confirmed habits of intoxication.....	52	Males... 3 Females... 49	- -	- 2	- 10	- 13	- 12	- 1	- -	-
Habits of intoxication.....	1	Males... - Females... 1	- -	- 1	- -	- -	- -	- -	- -	-
Gross and confirmed habits of intoxication and cruel and abusive treatment.....	7	Males... - Females... 7	- -	- 2	- 4	- 1	- -	- -	- -	-
Gross and confirmed habits of intoxication and extreme cruelty.....	1	Males... - Females... 1	- -	- -	- -	- 1	- -	- -	- -	-
Gross and confirmed habits of intoxication; nonsupport.....	2	Males... - Females... 2	- -	- -	- 1	- 1	- -	- -	- -	-
Nonsupport and cruel and abusive treatment.....	9	Males... - Females... 9	- -	- 2	- 4	- 1	- 1	- 1	- -	-
Adultery and utter desertion.....	1	Males... - Females... -	- -	- -	- -	- -	- 1	- -	- -	-
Nonsupport.....	48	Males... - Females... 48	- -	- 15	- 18	- 6	- 8	- 1	- -	-
Nonsupport and intoxication.....	1	Males... 1 Females... 1	- -	- -	- -	- 1	- -	- -	- -	-
Impotence.....	2	Males... 1 Females... 1	- -	- 1	- -	- 1	- -	- -	- -	-
Insanity.....	1	Males... - Females... 2	- -	- -	- 1	- -	- -	- -	- 1	-
Marriage annulled.....	2	Males... - Females... -	- -	- -	- -	- -	- -	- -	- -	-
Total.....	1,092	Males... 304 Females... 788	1 6	63 174	99 245	88 235	32 100	14 19	1 7	-

NOTES ON DIVORCES.

One thousand and ninety-two divorces were decreed in the year 1913 (552 in 1892, 627 in 1893, 674 in 1894, 681 in 1895, 668 in 1896, 722 in 1897, 764 in 1898, 790 in 1899, 801 in 1900, 808 in 1901, 905 in 1902, 946 in 1903, 906 in 1904, 848 in 1905, 787 in 1906, 887 in 1907, 904 in 1908, 957 in 1909, 911 in 1910, 985 in 1911, and 1,081 in 1912). In 1913 there was decreed in Maine one divorce for every 6 marriages solemnized.

Some of the causes for which divorces were granted are: Adultery, 147, or 13.5 per cent. of the whole number; cruelty, 34, or 3.1 per cent.; desertion, 131, or 12.0 per cent.; intoxication, 57, or 5.2 per cent.; cruel and abusive treatment, 333 or 30.5 per cent.; nonsupport, 48, or 4.4 per cent. The other divorces were granted for multiple or associated causes.

The wife was the libellant in 788 divorces, and the husband in 304.

In the divorces granted for adultery, the husband was the libellant 95 times, and the wife 52 times.

On account of cruelty, the wife was the libellant in 28 cases, and the husband in 6 cases.

For desertion, the husband was the libellant 43 times, and the wife 88.

For intoxication, the husband was the libellant in 3 cases, and the wife in 54.

For cruel and abusive treatment, the husband was the libellant in 65 instances, and the wife in 268.

For nonsupport, the wife was the libellant in the 48 divorces decreed for that cause.

One divorce was granted before the marriage life had lasted six months; 14 before one year's marriage; 237 after from 1 to 5 years' marriage; 344 after 5 to 10 years; 323 after 10 to 20 years; 132 after 20 to 30 years; 33 after more than 30 years of married life; while in 8 cases it was not stated how many years they had been married. Tables No. 25 and No. 26 may be consulted for more detailed statements.

TABLE No. 27.
Deaths and Death Rates by Counties for the Years 1906-1913.

COUNTIES.	1906.		1907.		1908.		1909.		1910.		1911.		1912.		1913.	
	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.	Deaths.	Rate.
State.....	11,427	15.90	11,802	16.23	11,664	16.05	11,295	15.45	12,439	16.62	11,731	15.68	11,390	15.27	11,552	15.35
Androscoggin.....	1,054	18.36	1,046	18.06	952	16.29	899	15.24	1,132	18.92	951	15.76	999	16.39	1,016	16.47
Aroostook.....	1,013	15.02	840	12.25	975	14.00	926	13.08	1,037	13.89	881	11.73	807	10.69	978	12.59
Cumberland.....	1,702	15.98	1,884	17.52	1,781	16.42	1,790	16.35	1,937	17.29	1,858	16.44	1,820	15.93	1,908	16.49
Franklin.....	293	15.20	316	16.27	337	17.23	272	13.81	256	13.39	248	13.20	280	14.83	292	15.41
Hancock.....	469	12.66	545	14.63	555	14.90	529	14.21	547	15.38	537	15.27	535	15.41	526	15.15
Kennebec.....	965	15.98	1,136	18.75	1,144	18.82	1,088	17.83	1,172	18.64	1,094	17.30	1,167	18.33	1,099	17.17
Knox.....	460	15.19	489	16.08	473	15.56	464	15.26	479	16.53	554	18.86	475	16.57	508	17.77
Lincoln.....	249	12.66	288	14.64	340	17.29	303	15.40	306	16.80	342	18.88	257	14.32	226	12.67
Oxford.....	580	17.45	573	17.16	561	16.72	540	16.01	585	16.17	582	15.91	510	13.76	544	14.55
Penobscot.....	1,397	17.85	1,430	18.19	1,283	16.24	1,307	16.50	1,401	16.43	1,435	16.82	1,379	16.10	1,306	16.07
Piscataquis.....	237	13.59	218	12.45	250	14.21	272	15.39	275	13.82	269	13.76	255	12.99	292	13.17
Sagadahoc.....	296	14.10	288	13.75	335	15.93	290	13.73	326	17.55	297	15.10	303	16.97	315	17.41
Somerset.....	471	13.62	532	15.33	524	15.05	471	13.48	589	16.23	526	14.77	537	14.84	505	13.71
Waldo.....	395	16.33	392	16.82	368	15.92	386	15.96	421	18.00	431	18.50	380	16.42	374	16.18
Washington.....	653	14.29	604	13.20	643	14.03	630	13.72	642	14.96	586	14.17	559	13.24	556	13.25
York.....	1,193	18.04	1,228	18.51	1,143	17.17	1,126	16.87	1,334	19.47	1,130	16.39	1,127	16.27	1,137	16.37

TABLE No. 28.

Number of Deaths in Each Month of 1906-1913, with Monthly Ratio Compared with a Standard of 100.

MONTHS.	1906.		1907.		1908.		1909.		1910.		1911.		1912.		1913.	
	Deaths.	Ratio. *	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.	Deaths.	Ratio.
January.....	822	84.7	1,118	111.5	1,128	113.8	985	102.6	1,101	104.2	1,094	109.7	1,052	109.9	1,099	112.2
February.....	853	97.2	1,128	124.6	985	106.4	887	102.0	1,036	108.5	1,085	120.6	1,030	114.3	1,064	120.0
March.....	1,060	109.2	1,177	117.3	1,001	101.0	1,178	122.8	1,149	108.7	1,223	122.8	1,047	109.0	1,180	120.5
April.....	985	104.8	1,069	110.2	1,045	109.1	1,022	110.1	1,103	108.0	1,057	109.6	1,014	108.7	982	103.4
May.....	961	99.0	973	97.0	954	96.3	960	101.1	1,015	96.1	1,025	102.9	980	102.4	991	101.2
June.....	848	90.2	947	97.6	818	85.4	838	90.3	844	82.5	791	82.0	841	90.1	827	87.1
July.....	885	91.2	844	84.1	820	82.7	831	86.6	913	86.4	951	95.4	881	92.1	791	80.8
August.....	1,133	116.8	898	89.5	1,033	104.2	886	92.4	1,120	106.0	964	96.7	873	91.2	1,030	105.2
September.....	1,117	118.9	855	88.1	1,079	112.6	912	98.2	1,084	106.0	886	91.9	903	96.8	976	102.7
October.....	920	94.8	931	92.8	990	99.9	979	102.1	1,034	97.9	890	89.3	970	94.8	857	87.5
November.....	885	94.2	875	90.2	890	92.9	872	93.9	1,013	99.1	823	85.4	836	84.2	823	86.6
December.....	942	97.2	978	97.6	919	92.7	945	98.5	1,027	97.2	938	94.1	1,022	106.7	931	95.1
Unknown.....	16	-	9	-	2	-	1	-	-	-	4	-	2	-	1	-

*In this column the inaccuracies due to the unequal length of the months are eliminated.

TABLE

Showing the Number of Deaths in the State, and in

CAUSES OF DEATH.	State.	Androstoggin.	Aroostook.
All causes (including premature birth)	11,810	1,033	1,017
I. General diseases	2,761	234	259
II. Diseases of the nervous system and the organs of special sense	1,411	118	67
III. Diseases of the circulatory system	1,826	108	70
IV. Diseases of the respiratory system	1,443	145	94
V. Diseases of the digestive system	1,192	120	234
VI. Nonvenereal diseases of the genitourinary system and its annexa	898	90	40
VII. The puerperal state	96	16	8
VIII. Diseases of the skin and cellular tissue	50	11	2
IX. Diseases of the bones and of the organs of locomotion	12	-	-
X. Malformation	87	8	5
XI. Diseases of early infancy	654	64	94
XII. Old age	534	49	49
XIII. Affections produced by external causes	672	60	43
XIV. Ill defined diseases	174	10	52

No. 29.

Each County Arranged by Classes and Counties.

Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
1,952	294	533	1,128	516	229	553	1,330	272	318	522	383	570	1,160
437	57	117	263	108	62	119	326	63	70	127	101	142	266
204	55	77	139	76	35	67	153	39	45	63	54	64	155
336	30	105	217	91	55	92	186	39	69	75	62	113	178
256	38	55	156	46	13	51	208	24	41	55	43	67	151
164	27	39	96	27	12	64	123	16	20	60	24	36	130
170	33	46	65	52	21	43	94	21	22	29	44	33	95
21	1	1	6	6	-	5	11	6	-	9	-	4	2
8	1	-	3	2	-	-	9	1	2	5	1	2	3
5	-	-	2	2	-	1	1	-	1	-	-	-	-
14	1	6	10	1	1	8	10	4	1	6	-	3	9
108	17	22	50	22	5	33	52	20	10	32	20	32	73
97	19	27	38	30	12	23	54	9	17	25	14	40	31
119	9	30	71	36	8	39	80	28	17	31	17	25	59
13	6	8	12	7	5	8	23	2	3	5	3	9	8

TABLE No. 29—Continued.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
I.—General diseases.	2,760	234	258	437	57	117	263	118	62	119	326	63	70	127	101	142	266
Typhoid fever.	93	6	5	15	1	4	8	6	—	3	20	3	2	8	5	1	6
Malaria.	4	—	—	—	—	—	—	—	1	—	—	—	—	—	1	—	—
Smallpox.	2	—	1	—	—	—	—	1	—	—	—	1	—	—	—	—	—
Measles.	65	1	24	22	—	—	1	—	1	2	5	—	—	2	—	4	3
Scarlet fever.	17	2	4	—	—	2	—	—	—	—	3	—	—	2	—	—	4
Whooping cough.	35	5	9	1	—	1	6	—	—	5	1	1	2	1	2	1	—
Diphtheria and croup.	89	11	28	14	—	—	11	1	—	3	3	1	2	2	—	2	11
Influenza.	186	13	24	21	10	11	15	7	3	7	18	5	6	14	10	7	15
Cholera nostras.	11	2	2	1	—	1	—	—	—	1	2	—	—	—	1	1	1
Dysentery.	22	5	1	—	4	1	1	1	—	3	4	1	—	2	1	1	—
Erysipelas.	15	—	—	1	—	—	3	—	1	1	3	2	—	1	—	—	3
Other epidemic diseases.	1	1	—	—	—	—	—	—	—	—	—	2	—	—	—	—	—
Purulent infection and septicemia.	27	3	—	5	—	1	2	1	3	—	2	1	2	—	2	3	2
Tetanus.	3	1	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—
Pellagra.	10	—	1	—	—	—	4	—	—	1	—	1	—	—	—	2	1
Tuberculosis of the lungs.	736	70	67	109	11	26	76	39	14	36	78	13	18	31	31	52	65
Acute miliary tuberculosis.	10	1	—	1	—	1	—	—	—	—	4	—	—	—	1	2	—
Tuberculosis meningitis.	89	6	5	18	1	9	7	3	3	4	14	3	1	4	1	4	6
Abdominal tuberculosis.	61	9	11	5	1	4	4	1	2	3	4	1	1	1	1	2	8
Pott's disease.	15	—	—	3	1	2	4	—	1	—	1	—	—	—	1	1	1
White swellings.	4	—	—	1	—	—	—	1	—	—	—	1	—	—	—	—	1
Tuberculosis of other organs.	21	3	2	3	—	1	3	—	—	—	4	—	—	—	—	2	3
Disseminated tuberculosis.	41	5	2	8	—	3	2	2	1	3	7	3	—	—	—	2	3
Rickets.	10	—	1	5	—	—	1	—	—	—	—	—	—	1	—	1	1
Syphilis.	23	4	—	4	—	2	2	2	—	—	5	—	1	—	—	2	1
Gonococcus infection.	3	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	—
Cancer and other malignant tumors of the buccal cavity.	20	3	1	4	—	—	2	1	—	1	3	—	—	—	1	2	2
Cancer and other malignant tumors of the stomach and liver.	280	21	21	39	9	11	29	9	8	9	36	8	9	13	8	14	36
Cancer and other malignant tumors of the peritoneum intestines and rectum.	178	12	7	43	2	9	14	5	5	9	17	3	6	10	4	11	21
Cancer and other malignant tumors of the female genital organs.	124	9	2	19	4	5	14	12	2	5	21	1	8	7	2	—	13
Cancer and other malignant tumors of the breast.	79	5	5	17	1	4	7	4	2	7	6	2	2	2	2	3	10
Cancer and other malignant tumors of the skin.	31	2	—	4	2	3	4	2	1	1	4	—	—	2	1	2	3
Cancer and other malignant tumors of other organs or of organs not specified.	126	10	9	21	5	9	12	7	5	1	12	2	1	6	10	6	10
Other tumors (tumors of the female genital organs excepted).	9	—	2	1	—	—	2	—	—	—	4	—	—	—	—	—	—
Acute articular rheumatism.	31	1	4	4	—	—	2	—	—	2	3	2	1	2	3	3	4
Chronic rheumatism and gout.	19	1	2	2	—	1	1	3	1	1	3	—	1	—	1	—	2
Scurvy.	2	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Diabetes.	128	5	9	21	3	6	9	7	7	9	9	4	4	8	7	5	15
Exophthalmic goitre.	7	1	1	—	—	—	2	—	—	1	—	1	—	—	—	—	1
Addison's disease.	5	1	—	2	—	—	—	—	—	—	1	1	—	—	—	—	—
Leucæmia.	8	—	—	—	1	—	2	—	1	—	2	—	—	—	—	2	—
Anæmia, chlorosis.	74	14	4	11	1	—	7	2	—	7	11	—	2	5	2	1	7
Other general diseases.	9	—	1	1	—	—	1	—	—	3	—	1	—	1	—	1	1
Alcoholism.	31	1	2	9	—	—	1	—	—	1	7	2	—	—	1	1	5
Chronic lead poisoning.	4	—	—	2	—	—	—	—	—	1	1	—	—	—	—	—	—
Other chronic poisonings.	3	—	—	—	—	—	1	—	—	—	1	—	—	1	—	—	—

TABLE No. 29—Continued.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
II.—Diseases of the nervous system and of the organs of special sense.	1,411	118	67	204	55	77	139	76	35	67	153	39	45	63	54	64	155
Encephalitis.	15	1	3	1	—	2	—	—	—	1	2	—	1	2	1	—	1
Simple meningitis.	92	12	7	17	6	2	8	—	1	4	7	1	3	6	1	4	13
Locomotor ataxia.	22	5	1	4	—	1	1	—	—	2	1	1	—	—	—	2	4
Other diseases of the spinal cord.	67	8	4	10	1	3	2	1	4	3	13	1	1	2	2	2	10
Cerebral hemorrhage, apoplexy.	851	67	35	116	37	55	78	55	23	49	85	24	30	42	36	35	84
Softening of the brain.	29	2	—	7	—	—	4	—	3	1	3	3	1	—	—	—	5
Paralysis without specified cause.	160	8	10	27	3	9	12	12	1	4	14	2	3	6	11	14	24
General paralysis of the insane.	18	—	1	1	—	1	6	2	—	1	3	—	—	1	—	—	2
Other forms of mental alienation.	32	4	1	4	2	—	8	1	—	—	5	1	—	—	2	2	2
Epilepsy.	26	2	1	4	2	1	4	1	2	—	—	—	—	—	—	—	5
Convulsions (nonpuerperal).	3	—	—	—	—	—	—	—	—	—	2	—	—	1	—	—	—
Convulsions of infants.	31	6	1	5	2	—	4	1	—	1	4	2	1	1	—	1	2
Chorea.	4	—	—	—	2	—	1	—	—	1	—	—	—	—	—	—	—
Neuralgia and neuritis.	8	—	—	2	—	—	1	—	—	—	4	—	1	—	—	—	—
Other diseases of the nervous system.	49	2	3	6	—	3	8	3	1	—	6	4	4	2	1	4	2
Diseases of the ear.	4	1	—	—	—	—	2	—	—	—	—	—	—	—	—	—	1
III.—Diseases of the circulatory system.	1,826	108	70	336	30	105	217	91	55	92	186	39	69	75	62	113	178
Pericarditis.	13	—	1	2	—	2	—	—	—	1	2	1	—	1	1	—	2
Acute endocarditis.	38	3	—	9	—	4	5	2	1	2	3	—	3	—	3	1	2
Organic diseases of the heart.	1,292	78	55	222	24	74	160	73	36	68	115	28	46	55	42	80	136
Angina pectoris.	99	8	3	20	1	3	9	7	1	6	12	3	5	2	3	4	12
Diseases of the arteries, atheroma, aneurysm, etc.	308	13	8	60	4	19	37	7	14	13	45	5	12	15	13	24	19
Embolism and thrombosis.	66	6	3	18	—	5	4	2	3	2	8	2	3	2	—	4	4
Diseases of the veins, (varices, hemorrhoids, phlebitis, etc.).	2	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	1
Diseases of the lymphatic system (lymphangitis, etc.).	3	—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—
Hemorrhage; other diseases of the circulatory system.	5	—	—	2	1	—	—	—	—	—	—	—	—	—	—	—	2
IV.—Diseases of the respiratory system.	1,443	145	94	256	38	55	156	46	13	51	208	24	41	55	43	67	151
Diseases of the larynx.	13	3	1	3	—	—	1	1	—	—	1	—	—	—	—	—	2
Diseases of the thyroid body.	1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—
Acute bronchitis.	114	9	3	16	1	8	14	4	2	4	15	2	1	7	10	3	15
Chronic bronchitis.	47	5	3	8	—	2	5	1	—	2	9	—	1	2	—	—	8
Bronchopneumonia.	275	36	13	54	3	9	60	3	3	7	33	6	6	5	2	13	22
Pneumonia.	871	84	68	153	28	35	68	28	6	34	126	14	32	37	24	45	89
Pleurisy.	23	1	2	1	2	—	2	5	—	1	3	—	1	—	—	1	4
Pulmonary congestion, pulmonary apoplexy.	63	2	3	14	2	—	4	3	1	2	17	1	—	2	6	1	5
Asthma.	20	4	1	3	1	1	—	—	—	1	1	1	—	—	—	3	4
Other diseases of the respiratory system (tuberculosis excepted).	16	1	—	4	1	—	1	1	1	—	3	—	—	1	1	—	2
V.—Diseases of the digestive system.	1,192	120	234	164	27	39	96	27	12	64	123	16	20	60	24	36	130
Diseases of the mouth and annexa.	4	—	1	1	—	—	—	—	—	—	2	—	—	—	—	—	—
Diseases of the pharynx.	12	1	—	4	—	—	1	—	—	—	—	1	—	1	1	—	3
Diseases of the oesophagus.	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—

TABLE No. 29—Continued.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Ulcer of the stomach.....	31	3	10	6	-	2	2	1	-	-	2	-	2	1	1	1	-
Other diseases of the stomach (cancer excepted)...	170	11	7	26	2	12	19	6	3	8	30	7	4	10	2	4	19
Diarrhea and enteritis (under 2 years).....	481	53	173	43	10	3	34	7	-	32	25	2	5	16	1	18	59
Diarrhea and enteritis (2 years and over).....	119	11	22	10	8	5	8	3	1	5	9	1	4	9	3	1	19
Intestinal parasites.....	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
Appendicitis and typhlitis.....	86	13	10	20	-	3	11	4	1	3	10	1	2	1	2	1	4
Hernia, intestinal obstruction.....	83	11	6	19	5	3	6	1	1	4	10	2	1	3	3	1	7
Other diseases of the intestines.....	28	1	-	8	-	2	4	-	1	2	8	-	-	1	1	-	-
Acute yellow atrophy of the liver.....	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-
Cirrhosis of the liver.....	57	3	-	8	-	3	4	-	-	4	9	1	1	7	3	6	8
Biliary calculi.....	29	2	2	6	-	4	4	1	1	1	1	-	-	4	2	-	1
Other diseases of the liver.....	56	7	2	11	2	2	2	1	-	5	6	1	1	5	1	1	9
Diseases of the spleen.....	6	2	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1
Simple peritonitis (non-puerperal).....	22	2	-	1	-	-	1	3	1	-	10	-	-	1	2	1	-
Other diseases of the digestive system (cancer and tuberculosis excepted)....	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-
VI.—Nonvenereal diseases of the genitourinary system and annexa.....	898	90	40	170	33	46	65	52	21	43	94	21	22	29	44	33	95
Acute nephritis.....	93	7	2	18	3	5	3	2	1	9	10	3	1	3	6	3	17
Bright's disease.....	685	62	34	137	24	37	50	44	17	30	69	17	18	18	31	25	72
Other diseases of the kidneys and annexa.....	16	3	1	3	-	-	2	-	-	2	-	2	-	2	1	-	-
Diseases of the bladder.....	32	2	-	6	1	1	4	1	1	2	4	1	1	2	-	3	3
Diseases of the urethra, urinary abscess, etc.....	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Diseases of the prostate.....	30	1	1	1	2	1	3	3	2	1	7	-	-	2	4	-	2
Uterine tumor (noncancerous).....	12	3	1	1	1	-	2	-	-	1	1	-	-	2	-	-	-
Other diseases of the uterus.....	14	7	-	-	2	1	2	-	-	-	-	-	-	1	-	1	-
Cysts and other tumors of the ovary.....	5	-	-	1	-	-	1	-	-	-	-	-	-	1	1	-	1
Salpingitis and other diseases of the female genital organs.....	10	5	1	3	-	-	-	-	-	-	1	-	-	-	-	-	-
VII.—The puerperal state.....	96	16	8	21	1	1	6	6	-	5	11	6	-	9	-	4	2
Accidents of pregnancy.....	19	4	-	3	1	-	-	1	-	-	3	1	-	4	-	2	-
Puerperal hemorrhage.....	16	1	2	3	-	1	1	-	-	2	2	-	-	2	-	1	1
Other accidents of labor.....	6	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	1
Puerperal septichæmia.....	24	4	3	7	-	1	1	1	-	2	2	1	-	1	-	1	-
Puerperal albuminuria and convulsions.....	23	4	2	5	-	3	1	-	2	4	1	-	1	1	-	-	-
Puerperal phlegmasia alba dolens, embolus, sudden death.....	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Following childbirth (not otherwise defined).....	6	2	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-
VIII.—Diseases of the skin and of the cellular tissue.....	50	11	2	8	1	-	3	2	-	9	1	2	5	1	1	2	3
Gangrene.....	27	4	1	3	1	3	2	-	-	5	-	1	3	1	2	1	-
Furuncle.....	7	3	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1
Acute abscess.....	10	2	1	1	-	-	-	-	-	3	1	1	-	-	-	-	1
Other diseases of the skin and annexa.....	6	2	-	1	-	-	-	-	-	1	-	-	2	-	-	-	-
IX.—Diseases of the bones and of the organs of locomotion.....	12	-	-	5	-	-	2	2	-	1	1	-	1	-	-	-	-
Diseases of the bones (tuberculosis excepted).....	10	-	-	5	-	-	2	2	-	-	-	-	1	-	-	-	-

TABLE No. 29—Concluded.

CAUSES OF DEATH.	State.	Androscoggin.	Aroostook.	Cumberland.	Franklin.	Hancock.	Kennebec.	Knox.	Lincoln.	Oxford.	Penobscot.	Piscataquis.	Sagadahoc.	Somerset.	Waldo.	Washington.	York.
Diseases of the joints (tuberculosis and rheumatism excepted).....	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
Amputations.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
X.—Malformations.....	87	8	5	14	1	6	10	1	1	8	10	4	1	6	-	3	9
Congenital malformations (stillbirths not included)	87	8	5	14	1	6	10	1	1	8	10	4	1	6	-	3	9
XI.—Early infancy.....	654	64	94	108	17	22	50	22	5	33	52	20	10	32	20	32	73
Congenital debility, icterus, and sclerema.....	566	50	85	93	15	20	46	21	4	28	46	17	9	27	18	26	61
Other causes peculiar to early infancy.....	88	14	9	15	2	2	4	1	1	5	6	3	1	5	2	6	12
XII.—Old age.....	534	49	49	97	19	27	38	30	12	23	54	9	17	25	14	40	31
Senility.....	534	49	49	97	19	27	38	30	12	23	54	9	17	25	14	40	31
XIII.—External causes.....	672	60	43	119	9	30	71	36	8	39	80	28	17	31	17	25	59
Suicide by poison.....	9	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
Suicide by asphyxia.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Suicide by hanging or strangulation.....	34	3	2	5	1	5	2	4	1	2	1	1	-	-	3	-	4
Suicide by drowning.....	18	1	-	5	-	-	1	2	-	1	2	1	2	-	1	-	2
Suicide by firearms.....	23	6	1	3	-	-	2	2	1	-	1	1	-	-	2	-	4
Suicide by cutting or piercing instruments.....	11	-	-	3	-	-	1	1	-	3	3	-	-	-	-	-	-
Suicide by jumping from high places.....	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Other suicides.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Poisoning by food.....	9	1	-	2	-	-	1	-	1	1	1	-	-	1	-	-	1
Other acute poisonings.....	32	4	-	5	-	3	4	1	-	2	3	1	1	4	-	1	3
Conflagration.....	4	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
Burns (conflagration excepted).....	53	3	6	8	-	1	10	5	1	3	6	2	-	1	1	2	4
Absorption of deleterious gases (conflagration excepted).....	8	-	1	3	-	-	1	-	-	1	-	-	-	-	-	-	2
Accidental drowning.....	110	14	3	18	1	12	13	3	2	3	12	3	1	7	1	8	9
Traumatism by firearms.....	36	2	8	2	1	-	-	1	-	2	8	4	1	2	1	3	1
Traumatism by cutting or piercing instruments.....	7	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	1
Traumatism by fall.....	116	13	6	21	1	4	13	7	2	6	10	4	5	6	5	3	10
Traumatism in mines and quarries.....	3	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-
Traumatism by machines.....	21	2	1	4	-	1	3	1	-	1	1	1	-	2	1	3	-
Traumatism by other crushing (vehicles, railways, landslides, etc.).....	109	6	8	21	3	-	9	3	-	7	20	8	1	5	-	4	14
Injuries by animals.....	5	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	1
Starvation.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Excessive cold.....	7	-	-	1	-	1	3	-	-	-	-	-	1	1	-	-	-
Effects of heat.....	8	1	-	2	-	-	2	-	-	1	1	-	-	-	-	-	1
Lightning.....	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Electricity (lightning excepted).....	6	-	-	-	-	1	2	1	-	1	-	-	-	-	-	-	1
Homicide by firearms.....	10	-	-	1	1	-	1	1	-	3	2	-	-	1	-	-	-
Homicide by cutting or piercing instruments.....	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Homicide by other means.....	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Fractures (cause not specified).....	7	3	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-
Other external violence.....	17	1	1	4	-	-	2	-	-	1	4	2	1	-	1	-	-
XIV.—Ill defined diseases.....	174	10	52	13	6	8	12	7	5	8	23	2	3	5	3	9	8
Ill defined organic diseases.....	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sudden death.....	30	6	-	2	1	4	1	-	-	2	9	-	2	-	-	1	2
Cause of death not specified or ill defined.....	143	4	51	11	5	4	11	7	5	6	14	2	1	5	3	8	6

TABLE
Deaths from all Causes

CAUSES OF DEATH.	Total.	January.	February.	March.
All causes (including premature births)	11,810	1,120	1,077	1,209
I. General diseases	2,761	252	248	303
II. Diseases of the nervous system and the organs of special sense	1,411	121	114	124
III. Diseases of the circulatory system	1,826	178	178	181
IV. Diseases of the respiratory system	1,443	202	231	230
V. Diseases of the digestive system	1,192	67	57	69
VI. Nonvenereal diseases of the genitourinary system and its annexa	898	94	65	90
VII. The puerperal state	96	7	5	11
VIII. Diseases of the skin and cellular tissue	50	5	6	7
IX. Diseases of the bones and of the organs of locomotion	12	-	1	1
X. Malformations	87	8	4	19
XI. Diseases of early infancy	654	63	49	63
XII. Old age	534	57	51	50
XIII. Affections produced by external causes	672	52	51	52
XIV. Ill defined diseases	174	14	17	9

No. 30.**by Months, 1913.**

April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
1,003	1,014	856	818	1,049	997	874	839	952	2
220	249	227	181	246	230	206	195	204	-
121	126	114	90	106	113	124	127	131	-
172	163	130	124	155	140	121	138	146	-
161	138	81	41	46	43	65	66	139	-
68	62	61	105	225	215	113	73	77	-
67	88	66	64	72	80	57	81	74	-
10	10	9	7	8	9	10	6	4	-
3	3	5	5	3	9	1	3	-	-
1	-	-	1	3	1	1	-	3	-
9	1	6	5	9	6	7	4	9	-
58	57	50	61	52	60	52	40	49	-
48	46	39	46	44	26	49	41	37	-
46	54	62	73	63	49	51	51	68	-
19	17	6	15	17	16	17	14	11	2

TABLE No. 30—Continued.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
I.—General diseases.....	2,760	252	248	303	220	249	227	181	245	230	206	195	204	-
Typhoid fever.....	93	6	4	8	6	10	10	4	2	15	12	13	3	-
Malaria.....	4	-	-	-	-	-	1	2	1	-	-	-	-	-
Smallpox.....	2	-	-	1	-	-	-	-	-	-	1	-	-	-
Measles.....	65	-	1	3	5	7	18	17	4	2	-	4	2	-
Scarlet fever.....	17	1	4	4	1	-	2	-	2	-	-	2	1	-
Whooping cough.....	35	3	6	2	1	4	4	-	5	6	-	4	-	-
Diphtheria and croup.....	89	9	9	7	2	12	3	7	10	2	6	11	11	-
Influenza.....	186	30	39	48	24	20	2	1	1	1	5	8	7	-
Cholera nostras.....	11	-	-	-	-	1	-	1	2	3	3	-	1	-
Dysentery.....	22	-	2	1	1	1	-	-	4	4	4	5	-	-
Erysipelas.....	15	2	-	1	1	2	2	1	1	2	1	1	1	-
Other epidemic diseases.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Purulent infection and septicaemia..	27	4	4	1	-	4	3	1	4	2	-	1	3	-
Tetanus.....	3	-	-	-	-	-	1	1	1	-	-	-	-	-
Pellagra.....	10	-	-	-	-	2	4	-	2	1	1	-	-	-
Tuberculosis of the lungs.....	736	73	69	79	72	69	59	48	66	62	48	42	49	-
Acute miliary tuberculosis.....	10	1	-	1	1	2	2	1	-	-	1	1	-	-
Tuberculous meningitis.....	89	6	8	9	4	13	6	7	10	6	5	6	9	-
Abdominal tuberculosis.....	61	3	4	4	7	7	6	3	5	3	5	5	9	-
Pott's disease.....	15	2	2	-	1	3	-	2	2	-	-	1	2	-
White swellings.....	4	-	-	1	-	-	-	-	2	-	1	-	-	-
Tuberculosis of other organs.....	21	2	1	2	3	3	-	1	2	1	2	1	3	-
Disseminated tuberculosis.....	41	2	3	5	4	4	3	2	3	4	2	5	4	-
Rickets.....	10	-	-	1	1	-	1	2	3	1	1	-	-	-
Syphilis.....	23	4	-	2	1	2	-	-	4	-	3	5	2	-
Gonococcus infection.....	3	1	-	-	-	1	-	-	-	-	-	1	-	-
Cancer and other malignant tumors of the buccal cavity.....	20	4	2	1	1	1	-	2	1	3	3	-	2	-
Cancer and other malignant tumors of the stomach and liver.....	280	26	22	22	18	21	29	19	29	29	21	20	24	-
Cancer and other malignant tumors of the peritoneum, intestines and rectum.....	178	11	9	20	11	14	16	12	23	19	19	11	13	-
Cancer and other malignant tumors of the female genital organs.....	124	12	8	17	11	7	9	8	11	10	15	8	8	-
Cancer and other malignant tumors of the breast.....	79	7	4	6	7	5	9	9	3	8	4	7	10	-
Cancer and other malignant tumors of the skin.....	31	4	2	4	3	3	3	2	3	2	3	1	1	-
Cancer and other malignant tumors of other organs or of organs not specified.....	126	5	12	16	9	7	12	8	15	10	15	6	11	-
Other tumors (tumors of the female genital organs excepted).....	9	1	-	2	1	2	-	-	-	1	-	-	2	-
Acute articular rheumatism.....	31	5	5	2	1	1	2	5	7	-	-	2	1	-
Chronic rheumatism and gout.....	19	5	1	3	2	1	3	1	1	1	-	-	1	-
Scurvy.....	2	-	-	-	-	1	-	-	-	-	-	1	-	-
Diabetes.....	128	11	13	14	12	8	8	5	6	20	11	10	10	-
Exophthalmic goitre.....	7	-	1	1	-	-	-	1	2	1	-	-	1	-
Addison's disease.....	5	-	1	4	-	-	-	-	-	-	-	-	-	-
Leuchaemia.....	8	-	1	1	1	-	2	1	-	-	2	-	-	-
Anaemia, chlorosis.....	74	9	6	5	3	8	4	3	8	8	6	8	6	-
Other general diseases.....	9	-	1	-	1	-	-	1	2	1	-	1	2	-
Alcoholism (acute or chronic).....	31	2	3	4	2	3	2	-	-	2	4	4	5	-
Chronic lead poisoning.....	4	1	1	-	1	-	-	-	-	1	-	-	-	-
Other chronic poisonings.....	3	-	-	1	1	-	-	1	-	-	-	-	-	-

TABLE No. 30—Continued.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
II.—Diseases of the nervous system and of the organs of special sense . . .	1,411	121	114	124	121	126	114	90	106	113	124	127	131	—
Encephalitis	15	3	—	2	1	3	—	1	2	—	1	1	1	—
Simple meningitis	92	4	7	7	9	8	11	7	9	7	13	7	3	—
Locomotor ataxia	22	3	2	1	2	3	3	2	—	3	1	1	1	—
Other diseases of the spinal cord	67	9	6	2	4	3	5	3	7	6	11	4	4	—
Cerebral hemorrhage, apoplexy	851	75	70	78	68	78	69	49	63	76	64	81	80	—
Softening of the brain	29	3	3	3	3	4	—	1	1	2	3	1	5	—
Paralysis without specified cause	160	15	5	17	13	16	15	11	16	6	17	14	15	—
General paralysis of the insane	18	—	5	—	3	—	2	1	—	—	1	4	2	—
Other forms of mental alienation	32	2	1	7	6	2	4	3	1	—	4	1	1	—
Epilepsy	26	1	3	3	2	1	1	3	2	2	1	2	5	—
Convulsions (nonpuerperal)	3	1	—	—	—	—	—	—	1	—	—	—	1	—
Convulsions of infants	31	1	4	3	4	2	1	2	2	4	2	2	4	—
Chorea	4	—	2	—	—	—	—	—	—	1	—	1	—	—
Neuralgia and neuritis	8	—	2	1	1	1	—	1	—	2	—	—	—	—
Other diseases of the nervous system	49	4	3	—	5	4	3	6	3	3	6	7	5	—
Diseases of the ears	4	—	1	—	—	1	—	—	—	—	1	1	—	—
III.—Diseases of the circulatory system	1,826	178	178	181	172	163	130	124	155	140	121	138	146	—
Pericarditis	13	—	—	2	1	2	—	—	1	3	—	—	2	—
Acute endocarditis	38	3	5	8	4	3	1	1	2	4	—	2	5	—
Organic diseases of the heart	1,292	126	135	124	120	113	91	85	117	92	91	101	97	—
Angina pectoris	99	4	6	13	12	6	5	7	9	10	10	10	7	—
Diseases of the arteries, atheroma, aneurysm, etc.	308	33	23	28	33	31	26	25	19	24	18	19	29	—
Embolism and thrombosis	66	9	7	5	2	6	5	6	6	6	2	6	6	—
Diseases of the veins, (varices, haemorrhoids, phlebitis, etc.)	2	—	1	1	—	—	—	—	—	—	—	—	—	—
Diseases of the lymphatic system (lymphangitis, etc.)	3	1	—	—	—	2	—	—	—	—	—	—	—	—
Hemorrhage; other diseases of the circulatory system	5	2	1	—	—	—	—	—	1	1	—	—	—	—
IV.—Diseases of the respiratory system	1,443	202	231	230	161	138	81	41	46	43	65	66	139	—
Diseases of the larynx	13	—	1	1	3	1	2	—	—	1	1	1	2	—
Diseases of the thyroid body	1	1	—	—	—	—	—	—	—	—	—	—	—	—
Acute bronchitis	114	25	17	17	9	12	5	3	2	2	10	6	6	—
Chronic bronchitis	47	7	8	4	4	1	4	4	6	2	—	3	4	—
Bronchopneumonia	275	25	43	42	36	28	19	14	12	11	10	15	20	—
Pneumonia	871	131	147	154	94	86	44	17	20	22	32	32	92	—
Pleurisy	23	—	4	2	2	2	3	1	1	—	3	2	3	—
Pulmonary congestion, pulmonary apoplexy	63	11	7	4	9	6	3	—	4	2	7	3	7	—
Asthma	20	2	3	4	2	1	1	1	1	—	—	4	1	—
Other diseases of the respiratory system (tuberculosis excepted)	16	—	1	2	2	1	—	1	—	3	2	—	4	—
V.—Diseases of the digestive system	1,192	67	57	69	68	62	61	105	225	215	113	73	77	—
Diseases of the mouth and annexa	4	—	—	1	—	—	—	—	—	—	1	1	1	—
Diseases of the pharynx	12	1	1	—	2	—	3	3	1	—	—	1	—	—
Diseases of the oesophagus	1	—	—	—	—	—	—	—	1	—	—	—	—	—
Ulcer of the stomach	31	4	—	3	3	2	3	3	2	2	4	2	3	—
Other diseases of the stomach (cancer excepted)	170	17	9	20	16	17	9	13	12	11	15	12	19	—
Diarrhea and enteritis (under 2 years)	481	10	7	5	14	13	9	41	161	148	43	18	12	—
Diarrhea and enteritis (2 years and over)	119	5	2	9	6	10	5	11	23	21	15	6	6	—
Intestinal parasites	2	—	—	—	—	—	1	—	—	—	—	—	1	—

TABLE No. 30—Continued.

CAUSES OF DEATH ^a	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
Appendicitis and typhlitis.	86	8	12	7	6	4	9	5	7	10	2	8	8	-
Hernia, intestinal obstruction.	83	6	8	6	5	7	7	8	6	7	8	4	11	-
Other diseases of the intestines.	28	3	1	3	4	1	2	5	1	-	2	4	2	-
Acute yellow atrophy of the liver.	3	1	-	-	2	-	-	-	-	-	-	-	-	-
Cirrhosis of the liver.	57	2	6	4	5	2	3	5	4	5	14	5	2	-
Biliary calculi.	29	2	3	3	-	-	3	3	2	3	1	6	3	-
Other diseases of the liver.	56	5	3	7	2	3	6	7	1	5	6	5	6	-
Diseases of the spleen.	6	-	2	1	-	1	-	-	-	1	-	1	-	-
Simple peritonitis (nonpuerperal).	22	2	3	1	2	2	1	1	4	1	2	-	3	-
Other diseases of the digestive system (cancer and tuberculosis excepted)	2	1	-	-	-	-	-	-	-	1	-	-	-	-
VI.—Nonvenereal diseases of the geni- tourinary system and annexa.	898	94	65	90	67	88	66	64	72	80	57	81	74	-
Acute nephritis.	93	5	9	11	3	11	7	7	4	13	4	10	9	-
Bright's disease.	685	76	48	70	57	62	49	50	58	57	43	62	53	-
Other diseases of the kidneys and an- nexa.	16	2	-	2	-	1	1	2	3	-	2	2	1	-
Diseases of the bladder.	32	3	3	1	2	5	-	1	3	2	3	3	6	-
Diseases of the urethra, urinary ab- scess, etc.	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Diseases of the prostate.	30	5	3	1	2	4	4	2	1	2	2	1	3	-
Uterine tumor (noncancerous).	12	1	1	1	1	-	1	2	1	2	1	1	-	-
Other diseases of the uterus.	14	1	-	3	-	2	2	-	1	2	2	1	-	-
Cysts and other tumors of the ovary	5	1	-	-	1	-	1	-	1	1	-	-	-	-
Salpingitis and other diseases of the female genital organs.	10	-	1	1	1	3	1	-	-	1	-	1	1	-
VII.—The puerperal state.	96	7	5	11	10	10	9	7	8	9	10	6	4	-
Accidents of pregnancy.	19	2	1	1	1	3	1	1	3	2	1	3	-	-
Puerperal hemorrhage.	16	-	-	3	3	1	-	-	1	2	3	3	-	-
Other accidents of labor.	6	2	-	-	-	2	1	1	-	-	-	-	-	-
Puerperal septicaemia.	24	2	2	3	3	3	2	2	1	3	2	-	1	-
Puerperal albuminuria and convul- sions.	23	-	-	4	3	2	3	2	1	1	2	-	3	-
Puerperal phlegmasia, alba dolens, em- bolus sudden death.	2	-	-	-	-	-	-	-	-	-	2	-	-	-
Following childbirth (not otherwise defined).	6	1	2	-	-	1	-	-	1	1	-	-	-	-
VIII.—Diseases of the skin and of the cellular tissue.	50	5	6	7	3	3	5	5	3	9	1	3	-	-
Gangrene.	27	2	3	5	3	2	4	1	3	1	1	2	-	-
Furuncle.	7	-	1	-	-	-	1	-	-	5	-	-	-	-
Acute abscess.	10	1	2	2	-	1	-	2	-	1	-	1	-	-
Other diseases of the skin and annexa	6	2	-	-	-	1	1	-	-	2	-	-	-	-
IX.—Diseases of the bones and of the organs of locomotion.	12	-	1	1	1	-	-	1	3	1	1	-	3	-
Diseases of the bones (tuberculosis excepted).	10	-	1	1	1	-	-	-	3	1	-	-	3	-
Diseases of the joints (tuberculosis and rheumatism excepted).	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Amputations.	1	-	-	-	-	-	-	1	-	-	-	-	-	-
X.—Malformations.	87	8	4	19	9	1	6	5	9	6	7	4	9	-
Congenital malformations (stillbirths not included).	87	8	4	19	9	1	6	5	9	6	7	4	9	-

TABLE No. 30—Concluded.

CAUSES OF DEATH.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.
XI.—Diseases of early infancy.....	654	63	49	63	58	57	50	61	52	60	52	40	49	-
Congenital debility, icterus and sclerema.....	566	53	40	55	51	49	45	53	47	54	42	34	43	-
Other diseases peculiar to early infancy.....	88	10	9	8	7	8	5	8	5	6	10	6	6	-
XII.—Old age.....	534	57	51	50	48	46	39	46	44	26	49	41	37	-
Senility.....	534	57	51	50	48	46	39	46	44	26	49	41	37	-
XIII.—External causes.....	672	52	51	52	46	54	62	73	63	49	51	51	68	-
Suicide by poison.....	9	1	1	1	1	1	1	1	1	1	1	2	1	-
Suicide by asphyxia.....	1	1	1	1	1	1	1	1	1	1	1	1	1	-
Suicide by hanging or strangulation.....	34	1	2	5	3	3	4	3	3	1	4	1	4	-
Suicide by drowning.....	18	-	2	2	4	3	2	4	-	1	1	-	2	-
Suicide by firearms.....	23	3	5	1	1	1	2	1	2	2	2	2	1	-
Suicide by cutting or piercing instruments.....	11	2	2	1	1	-	3	1	-	-	1	-	-	-
Suicide by jumping from high places.....	2	-	1	-	-	-	-	-	1	-	-	-	-	-
Other suicides.....	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Poisoning by food.....	9	2	1	-	1	-	-	2	1	-	-	1	1	-
Other acute poisonings.....	32	3	2	4	2	1	2	5	1	2	2	3	5	-
Conflagration.....	4	-	-	-	1	3	-	-	-	-	-	-	-	-
Burns (includes scalding).....	53	6	5	5	1	5	6	2	3	2	4	6	8	-
Absorption of deleterious gases (conflagration excepted).....	8	-	1	1	1	-	-	1	2	-	-	1	1	-
Accidental drowning.....	110	6	-	5	7	10	14	23	16	11	5	4	9	-
Traumatism by firearms.....	36	3	4	1	2	-	4	-	2	1	8	6	5	-
Traumatism by cutting or piercing instruments.....	7	1	1	-	1	3	-	-	-	-	-	-	1	-
Traumatism by fall.....	116	6	11	13	8	12	8	15	6	7	5	13	12	-
Traumatism in mines and quarries.....	3	-	1	-	1	-	-	-	-	-	-	1	-	-
Traumatism by machines.....	21	2	3	2	1	4	2	1	1	3	-	-	2	-
Traumatism by other crushing (vehicles, railways, landslides, etc.).....	109	8	5	4	12	7	9	9	12	11	12	9	11	-
Injuries by animals.....	5	-	2	-	1	-	-	-	-	2	-	-	-	-
Starvation.....	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Excessive cold.....	7	1	2	1	-	-	-	-	1	1	-	-	1	-
Effects of heat.....	8	-	-	-	-	-	-	6	2	-	-	-	-	-
Lightning.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Electricity (lightning excepted).....	6	1	1	-	1	1	-	-	-	2	-	-	-	-
Homicide by firearms.....	10	3	-	1	-	-	-	-	1	-	3	-	2	-
Homicide by cutting or piercing instruments.....	2	-	-	-	1	-	-	-	-	1	-	-	-	-
Homicide by other means.....	1	-	-	1	-	-	-	-	-	-	-	-	-	-
Fractures (cause not specified).....	7	-	1	1	-	-	-	3	-	1	1	-	-	-
Other external violence.....	17	1	-	3	-	1	1	-	3	1	2	2	3	-
XIV.—Ill defined diseases.....	174	14	17	9	19	17	6	15	17	16	17	14	11	2
Ill defined organic diseases.....	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Sudden death.....	30	6	3	-	5	1	-	3	1	3	3	4	1	-
Cause of death not specified or ill defined.....	143	8	14	9	14	16	5	12	16	13	14	10	10	2

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
All causes.....	Totals.....	48,160	7,279	1168	568	338	256	9,549
	Males.....	25,012	4,128	621	275	177	123	5,324
	Females.....	23,146	3,150	547	233	161	133	4,224
	Not stated.....	2	1	-	-	-	-	1
Typhoid.....	Totals.....	479	3	3	3	6	3	18
	Males.....	299	2	3	2	3	-	10
	Females.....	180	1	-	1	3	3	8
Malaria.....	Totals.....	9	-	-	-	-	-	-
	Males.....	9	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Smallpox.....	Totals.....	6	5	-	-	-	-	5
	Males.....	4	3	-	-	-	-	3
	Females.....	2	2	-	-	-	-	2
Measles.....	Totals.....	248	79	71	18	9	6	183
	Males.....	124	45	36	6	5	5	97
	Females.....	124	34	35	12	4	1	86
Scarlet fever.....	Totals.....	88	11	7	6	18	11	53
	Males.....	34	6	3	2	8	4	23
	Females.....	54	5	4	4	10	7	30
Whooping cough.....	Totals.....	270	163	63	23	6	7	262
	Males.....	130	82	28	10	2	3	125
	Females.....	140	81	35	13	4	4	137
Diphtheria and eroup.....	Totals.....	362	30	46	40	46	33	195
	Males.....	175	19	21	20	19	18	97
	Females.....	187	11	25	20	27	15	98
Influenza.....	Totals.....	604	59	15	8	2	2	86
	Males.....	257	28	6	3	2	-	39
	Females.....	347	31	9	5	-	2	47
Cholera nostras.....	Totals.....	21	4	-	1	-	1	6
	Males.....	12	2	-	1	-	1	4
	Females.....	9	2	-	-	-	-	2
Dysentery.....	Totals.....	102	21	4	6	4	3	38
	Males.....	55	14	2	4	2	1	23
	Females.....	47	7	2	2	2	2	15
Erysipelas.....	Totals.....	97	16	-	-	-	1	17
	Males.....	45	6	-	-	-	1	7
	Females.....	52	10	-	-	-	-	10
Other epidemic diseases.....	Totals.....	4	1	-	-	2	-	3
	Males.....	3	1	-	-	1	-	2
	Females.....	1	-	-	-	1	-	1
Purulent infection and septikemia.....	Totals.....	109	4	1	-	-	2	7
	Males.....	63	3	1	-	-	1	5
	Females.....	46	1	-	-	-	1	2
Glanders.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Anthrax.....	Totals.....	2	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-	-
Tetanus.....	Totals.....	25	3	-	2	1	-	6
	Males.....	17	3	-	1	1	-	5
	Females.....	8	-	-	1	-	-	1
Mycoses.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Pellagra.....	Totals.....	15	-	-	-	-	-	-
	Males.....	4	-	-	-	-	-	-
	Females.....	11	-	-	-	-	-	-
Tuberculosis of the lungs.....	Totals.....	3,247	37	18	12	2	9	78
	Males.....	1,661	27	13	5	2	3	50
	Females.....	1,586	10	5	7	-	6	28

No. 31.

by Age Groups, 1910-1913.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
813	630	1025	1310	1377	1334	1486	1476	1733	2163	2546	3024	3973	4375	4515	3619	2079	825	192	21	95
445	345	551	695	651	674	729	746	862	1199	1355	1636	2099	2242	2369	1696	978	330	74	3	75
368	285	474	614	726	669	757	730	871	964	1191	1394	1874	2133	2206	1923	1101	495	118	18	20
24	34	55	79	54	51	35	27	23	32	13	12	11	6	3	1	-	-	-	-	1
13	21	25	50	36	36	24	20	15	22	8	8	6	2	1	1	-	-	-	-	1
11	13	30	29	18	15	11	7	8	10	5	4	5	4	2	2	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	1	3	2	1	-	-	-	-	-
-	-	-	1	-	-	-	-	1	-	-	-	1	3	2	1	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
19	6	6	5	4	-	4	4	3	4	1	2	1	2	1	2	1	-	-	-	-
5	3	4	3	3	-	3	4	1	3	-	-	1	2	1	1	-	-	-	-	-
14	3	2	2	1	-	4	3	2	1	-	2	-	1	1	1	-	-	-	-	-
22	3	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	3	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
111	35	8	2	-	1	2	1	1	2	-	-	-	1	1	-	-	-	-	-	-
51	18	3	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
60	17	5	2	1	1	1	1	9	2	-	-	-	30	45	1	-	-	-	-	-
5	3	2	7	5	1	5	11	13	19	14	23	52	75	98	87	57	24	10	1	1
4	1	1	2	2	1	8	1	7	8	7	10	18	30	45	29	28	11	6	-	-
1	1	1	2	5	4	3	8	6	11	7	13	34	45	53	58	29	13	4	1	-
2	-	1	1	1	-	3	-	-	1	-	1	-	3	3	2	1	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	-	-	-	-
2	-	1	-	1	-	1	-	-	1	-	5	9	7	10	9	-	3	1	-	-
5	1	2	2	-	1	1	2	1	1	3	1	3	4	1	9	4	2	1	-	-
4	1	2	2	-	-	1	1	1	-	-	3	4	1	1	1	-	-	-	-	-
1	1	2	-	2	-	5	4	5	1	7	8	11	6	6	1	5	1	-	1	-
1	1	1	-	1	1	1	4	4	2	6	6	5	5	3	6	3	-	-	-	-
-	-	2	-	2	4	-	-	4	5	2	5	1	6	5	2	-	3	-	1	-
-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	1	9	8	7	6	6	5	6	8	4	2	8	7	6	3	3	3	1	-	-
4	1	6	3	2	4	4	4	4	5	3	1	3	5	1	3	2	1	-	-	-
3	-	3	-	-	1	-	-	-	-	-	-	5	2	-	5	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
16	64	272	419	435	347	318	241	214	182	167	142	133	104	62	40	10	2	-	-	3
7	19	121	208	209	181	142	125	113	122	95	83	70	55	37	19	8	-	-	-	3
9	45	151	211	226	166	176	116	101	60	72	59	63	49	25	21	-	-	-	-	3

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Acute miliary tuberculosis.....	Totals.....	42	3	1	-	-	-	4
	Males.....	21	2	1	-	-	-	3
	Females.....	21	1	-	-	-	-	1
Tuberculous meningitis.....	Totals.....	334	71	46	34	16	16	183
	Males.....	166	42	23	19	7	6	97
	Females.....	168	29	23	15	9	10	86
Abdominal tuberculosis.....	Totals.....	238	16	4	4	-	1	25
	Males.....	103	12	2	4	-	1	19
	Females.....	135	4	2	-	-	-	6
Pott's disease.....	Totals.....	41	1	-	-	1	-	2
	Males.....	19	-	-	-	-	-	-
	Females.....	22	1	-	-	1	-	2
White swellings.....	Totals.....	14	-	-	-	-	-	-
	Males.....	9	-	-	-	-	-	-
	Females.....	5	-	-	-	-	-	-
Tuberculosis of other organs.....	Totals.....	92	9	2	1	2	-	14
	Males.....	56	5	2	1	1	-	9
	Females.....	36	4	-	-	1	-	5
Disseminated tuberculosis.....	Totals.....	135	7	6	3	-	1	17
	Males.....	72	3	4	3	-	-	10
	Females.....	63	4	2	-	-	1	7
Rickets.....	Totals.....	30	15	10	1	2	1	29
	Males.....	15	7	5	1	1	1	15
	Females.....	15	8	5	-	1	-	14
Syphilis.....	Totals.....	64	30	1	-	-	-	31
	Males.....	38	20	1	-	-	-	21
	Females.....	26	10	-	-	-	-	10
Gonococcus infection.....	Totals.....	7	2	-	-	-	-	2
	Males.....	1	-	-	-	-	-	-
	Females.....	6	2	-	-	-	-	2
Cancer and other malignant tumors of the buccal cavity.....	Totals.....	98	-	-	-	-	-	-
	Males.....	83	-	-	-	-	-	-
	Females.....	15	-	-	-	-	-	-
Cancer and other malignant tumors of the stomach and liver.....	Totals.....	1,182	1	-	-	1	-	2
	Males.....	522	-	-	-	-	-	-
	Females.....	660	1	-	-	1	-	2
Cancer and other malignant tumors of the peritoneum, intestines and rectum.....	Totals.....	555	-	-	-	-	-	-
	Males.....	195	-	-	-	-	-	-
	Females.....	360	-	-	-	-	-	-
Cancer and other malignant tumors of the female genital organs.....	Totals.....	470	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	470	-	-	-	-	-	-
Cancer and other malignant tumors of the breast.....	Totals.....	282	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	282	-	-	-	-	-	-
Cancer and other malignant tumors of the skin.....	Totals.....	121	-	-	-	-	1	1
	Males.....	74	-	-	-	-	1	1
	Females.....	47	-	-	-	-	-	-
Cancer and other malignant tumors of other organs or of organs not specified.....	Totals.....	458	2	-	2	1	1	6
	Males.....	192	-	-	2	-	1	3
	Females.....	266	2	-	-	1	-	3
Other tumors (tumors of female genital organs excepted).....	Totals.....	39	1	-	-	-	-	1
	Males.....	9	1	-	-	-	-	1
	Females.....	30	-	-	-	-	-	-
Acute articular rheumatism.....	Totals.....	158	3	-	2	-	-	5
	Males.....	79	2	-	1	-	-	3
	Females.....	79	1	-	1	-	-	2
Chronic rheumatism and gout.....	Totals.....	71	-	-	-	-	-	-
	Males.....	26	-	-	-	-	-	-
	Females.....	45	-	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Scurvy	Totals	5	1	1	-	-	-	2
	Males	5	1	1	-	-	-	2
	Females	-	-	-	-	-	-	-
Diabetes	Totals	578	2	3	-	4	3	12
	Males	267	1	2	-	4	-	7
	Females	311	1	1	-	-	3	5
Exophthalmic goitre	Totals	30	-	-	-	-	-	-
	Males	2	-	-	-	-	-	-
	Females	28	-	-	-	-	-	-
Addison's disease	Totals	17	-	-	-	-	-	-
	Males	10	-	-	-	-	-	-
	Females	7	-	-	-	-	-	-
Leukemia	Totals	44	1	3	-	3	1	8
	Males	24	1	1	-	3	1	6
	Females	20	-	2	-	-	-	2
Anemia, chlorosis	Totals	261	22	4	-	1	-	27
	Males	97	8	2	-	-	-	10
	Females	164	14	2	-	1	-	17
Other general diseases	Totals	67	18	5	2	3	3	31
	Males	30	10	4	1	-	1	16
	Females	37	8	1	1	3	2	15
Alcoholism (acute or chronic)	Totals	136	-	-	-	-	-	-
	Males	127	-	-	-	-	-	-
	Females	9	-	-	-	-	-	-
Chronic lead poisoning	Totals	7	-	-	-	-	-	-
	Males	5	-	-	-	-	-	-
	Females	2	-	-	-	-	-	-
Other chronic poisonings	Totals	18	1	-	-	-	-	1
	Males	5	-	-	-	-	-	-
	Females	13	1	-	-	-	-	1
Encephalitis	Totals	71	6	3	1	2	2	14
	Males	38	4	1	-	-	1	6
	Females	33	2	2	1	2	1	8
Simple meningitis	Totals	363	132	46	29	13	10	230
	Males	185	68	29	16	8	3	124
	Females	178	64	17	13	5	7	106
Cerebrospinal meningitis	Totals	78	19	9	11	2	1	42
	Males	45	13	5	5	1	1	25
	Females	33	6	4	6	1	-	17
Infantile paralysis	Totals	74	11	6	5	7	3	32
	Males	44	6	3	4	4	2	19
	Females	30	5	3	1	3	1	13
Locomotor ataxia	Totals	95	-	-	-	-	-	-
	Males	64	-	-	-	-	-	-
	Females	31	-	-	-	-	-	-
Other diseases of the spinal cord	Totals	245	6	1	2	1	2	12
	Males	123	2	1	1	1	1	6
	Females	122	4	-	1	-	1	6
Cerebral hemorrhage, apoplexy	Totals	3,528	28	5	1	1	1	36
	Males	1,681	14	3	-	1	-	18
	Females	1,847	14	2	1	-	1	18
Softening of the brain	Totals	121	-	-	-	-	-	-
	Males	66	-	-	-	-	-	-
	Females	55	-	-	-	-	-	-
Paralysis without specified cause	Totals	675	3	2	-	1	-	6
	Males	300	1	-	-	1	-	2
	Females	375	2	2	-	-	-	4
General paralysis of the insane	Totals	119	-	-	-	-	-	-
	Males	76	-	-	-	-	-	-
	Females	43	-	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Other forms of mental alienation	Totals	259	-	-	-	-	-	-
	Males	91	-	-	-	-	-	-
	Females	168	-	-	-	-	-	-
Epilepsy	Totals	130	5	5	-	1	1	12
	Males	70	2	1	-	1	1	5
	Females	60	3	4	-	-	-	7
Convulsions (nonpuerperal)	Totals	12	-	-	-	-	-	-
	Males	7	-	-	-	-	-	-
	Females	5	-	-	-	-	-	-
Convulsions of infants	Totals	155	121	21	6	3	4	115
	Males	84	70	11	1	1	1	84
	Females	71	51	10	5	2	3	71
Chorea	Totals	12	2	-	-	-	-	2
	Males	3	1	-	-	-	-	1
	Females	9	1	-	-	-	-	1
Neuralgia and neuritis	Totals	41	-	-	-	-	-	-
	Males	21	-	-	-	-	-	-
	Females	20	-	-	-	-	-	-
Other diseases of the nervous system	Totals	163	7	-	1	-	-	8
	Males	66	3	-	1	-	-	4
	Females	97	4	-	-	-	-	4
Diseases of the eyes and their annexa	Totals	1	1	-	-	-	-	1
	Males	-	-	-	-	-	-	-
	Females	1	1	-	-	-	-	1
Diseases of the ears	Totals	29	9	1	1	1	-	12
	Males	15	7	-	-	-	-	7
	Females	14	2	1	1	1	-	5
Pericarditis	Totals	76	-	-	-	-	-	1
	Males	47	-	-	-	-	-	-
	Females	29	-	-	-	-	-	-
Acute endocarditis	Totals	144	6	-	1	1	1	9
	Males	86	4	-	1	1	1	7
	Females	58	2	-	-	-	-	2
Organic diseases of the heart	Totals	4,831	34	7	5	1	2	49
	Males	2,740	15	3	1	1	2	22
	Females	2,091	19	4	4	-	-	27
Angina pectoris	Totals	411	2	-	-	-	-	2
	Males	244	1	-	-	-	-	1
	Females	167	1	-	-	-	-	1
Diseases of the arteries, atheroma, aneurysm, etc	Totals	1,074	2	-	-	-	-	2
	Males	724	1	-	-	-	-	1
	Females	350	1	-	-	-	-	1
Embolism and thrombosis	Totals	238	6	1	-	-	-	7
	Males	106	4	-	-	-	-	4
	Females	132	2	1	-	-	-	3
Diseases of the veins, varices, hemorrhoids phlebitis, etc	Totals	11	-	-	-	-	-	-
	Males	7	-	-	-	-	-	-
	Females	4	-	-	-	-	-	-
Diseases of the lymphatic system	Totals	6	3	-	-	-	-	3
	Males	4	3	-	-	-	-	3
	Females	2	-	-	-	-	-	-
Hemorrhage, other diseases of the circulatory system	Totals	19	1	-	-	-	-	1
	Males	10	-	-	-	-	-	-
	Females	9	1	-	-	-	-	1
Diseases of the nasal fossae	Totals	5	3	-	-	1	-	4
	Males	2	1	-	-	-	-	1
	Females	3	2	-	-	1	-	3
Diseases of the larynx	Totals	51	10	7	8	3	3	31
	Males	31	7	4	7	1	1	20
	Females	20	3	3	1	2	2	11
Diseases of the thyroid body	Totals	12	1	-	-	-	-	1
	Males	1	-	-	-	-	-	-
	Females	11	1	-	-	-	-	1
Acute bronchitis	Totals	529	194	33	13	6	-	246
	Males	235	115	19	8	1	-	143
	Females	294	79	14	5	5	-	103

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Chronic bronchitis.....	Totals.....	270	5	-	1	-	-	6
	Males.....	119	3	-	1	-	-	4
	Females.....	151	2	-	-	-	-	2
Bronehopneumonia.....	Totals.....	1,063	351	101	34	20	13	519
	Males.....	492	203	47	19	9	4	282
	Females.....	571	148	54	15	11	9	237
Pneumonia.....	Totals.....	3,505	444	182	57	40	20	743
	Males.....	1,780	250	99	29	22	11	411
	Females.....	1,725	194	83	28	18	9	332
Pleurisy.....	Totals.....	93	2	1	1	3	1	8
	Males.....	55	2	-	1	3	1	7
	Females.....	38	-	1	-	-	-	1
Pulmonary eonjestion (pulmonary apoplexy).....	Totals.....	308	48	9	5	1	-	63
	Males.....	147	27	4	2	1	-	34
	Females.....	161	21	5	3	-	-	29
Gargrene of the lungs.....	Totals.....	4	-	1	-	-	-	1
	Males.....	1	-	-	-	-	-	-
	Females.....	3	-	1	-	-	-	1
Asthma.....	Totals.....	58	2	-	1	-	1	4
	Males.....	29	2	-	-	-	-	2
	Females.....	29	-	-	1	-	1	2
Pulmonary emphysema.....	Totals.....	10	-	-	-	-	-	-
	Males.....	5	-	-	-	-	-	-
	Females.....	5	-	-	-	-	-	-
Other diseases of the respiratory system (tuberculosis excepted).....	Totals.....	72	-	1	1	-	-	2
	Males.....	46	-	-	1	-	-	1
	Females.....	26	-	1	-	-	-	1
Diseases of the mouth and annexa.....	Totals.....	19	9	3	-	-	-	12
	Males.....	10	3	2	-	-	-	5
	Females.....	9	6	1	-	-	-	7
Diseases of the pharynx.....	Totals.....	43	5	1	1	2	4	13
	Males.....	21	3	1	1	1	2	8
	Females.....	22	2	-	-	1	2	5
Diseases of the esophagus.....	Totals.....	5	-	-	-	-	-	-
	Males.....	2	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Ulcer of the stomach.....	Totals.....	111	-	-	-	1	-	1
	Males.....	65	-	-	-	-	-	-
	Females.....	46	-	-	-	1	-	1
Other diseases of the stomach (caneer excepted).....	Totals.....	788	179	18	12	7	1	217
	Males.....	393	93	9	5	5	1	113
	Females.....	395	86	9	7	2	-	104
Diarrhea and enteritis (under 2 years)...	Totals.....	1,934	1,677	256	1	-	-	1,934
	Males.....	1,104	956	147	1	-	-	1,104
	Females.....	830	721	109	-	-	-	830
Diarrhea and enteritis (2 years and over)	Totals.....	417	-	-	65	31	23	119
	Males.....	212	-	-	37	19	12	68
	Females.....	205	-	-	28	12	11	51
Intestinal parasites.....	Totals.....	6	2	3	1	-	-	6
	Males.....	4	1	3	-	-	-	4
	Females.....	2	1	-	1	-	-	2
Appendicitis and typhlitis.....	Totals.....	361	1	3	5	4	3	16
	Males.....	213	1	3	2	3	1	10
	Females.....	148	-	-	3	1	2	6
Hernia, intestinal obstruction.....	Totals.....	345	38	10	4	-	2	54
	Males.....	172	22	5	3	-	1	31
	Females.....	173	16	5	1	-	1	23
Other diseases of the intestines.....	Totals.....	92	21	2	4	-	-	27
	Males.....	48	11	2	3	-	-	16
	Females.....	44	10	-	1	-	-	11
Aeute yellow atrophy of the liver.....	Totals.....	9	-	-	-	-	-	-
	Males.....	-	-	-	-	-	-	-
	Females.....	9	-	-	-	-	-	-

No. 31.—Continued.
by Age Groups, 1910-1913.

[illegible]

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Cirrhosis of the liver	Totals	203	-	-	-	-	-	-
	Males	122	-	-	-	-	-	-
	Females	81	-	-	-	-	-	-
Biliary calculi	Totals	94	-	-	1	-	-	1
	Males	22	-	-	1	-	-	1
	Females	72	-	-	-	-	-	-
Other diseases of the liver	Totals	199	21	2	-	-	-	23
	Males	79	10	-	-	-	-	10
	Females	120	11	2	-	-	-	13
Diseases of the spleen	Totals	11	-	1	-	-	1	2
	Males	2	-	-	-	-	-	-
	Females	9	-	1	-	-	1	2
Simple peritonitis (nonpuerperal)	Totals	156	7	4	1	-	3	15
	Males	84	6	3	-	-	1	10
	Females	72	1	1	1	-	2	5
Other diseases of the digestive system (cancer and tuberculosis excepted)	Totals	20	-	1	-	-	-	1
	Males	10	-	1	-	-	-	1
	Females	10	-	-	-	-	-	-
Acute nephritis	Totals	282	18	4	3	1	4	30
	Males	128	12	2	-	-	3	17
	Females	154	6	2	3	1	1	13
Bright's disease	Totals	2,861	13	2	3	4	1	23
	Males	1,664	8	2	3	3	-	16
	Females	1,197	5	-	-	1	1	7
Other diseases of the kidneys and annexa	Totals	72	4	-	1	-	-	5
	Males	41	3	-	1	-	-	4
	Females	31	1	-	-	-	-	1
Calculi of the urinary passages	Totals	11	-	-	-	-	-	-
	Males	7	-	-	-	-	-	-
	Females	4	-	-	-	-	-	-
Diseases of the bladder	Totals	146	-	1	-	-	-	1
	Males	120	-	-	-	-	-	-
	Females	26	1	-	-	-	-	1
Diseases of the urethra, urinary abscess, etc.	Totals	8	-	-	-	-	-	-
	Males	8	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Diseases of the prostate	Totals	124	-	-	-	-	-	-
	Males	124	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Nonvenereal diseases of the male genital organs	Totals	1	1	-	-	-	-	1
	Males	1	1	-	-	-	-	1
	Females	-	-	-	-	-	-	-
Uterine hemorrhage (nonpuerperal)	Totals	3	-	-	-	-	-	-
	Males	3	-	-	-	-	-	-
	Females	-	-	-	-	-	-	-
Uterine tumor (noneaneerous)	Totals	41	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	41	-	-	-	-	-	-
Other diseases of the uterus	Totals	70	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	70	-	-	-	-	-	-
Cysts and other tumors of the ovary	Totals	28	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	28	-	-	-	-	-	-
Salpingitis and other diseases of the female genital organs	Totals	35	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	35	-	-	-	-	-	-
Nonpuerperal diseases of the breast (can- cer excepted)	Totals	1	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	1	-	-	-	-	-	-
Accidents of pregnancy	Totals	65	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	65	-	-	-	-	-	-
Puerperal hemorrhage	Totals	49	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	49	-	-	-	-	-	-

No. 31.—Continued.
by Age Groups, 1910-1913.

[illegible]

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Other accidents of labor	Totals	42	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	42	-	-	-	-	-	-
Puerperal septicemia	Totals	111	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	111	-	-	-	-	-	-
Puerperal albuminuria and convulsions	Totals	92	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	92	-	-	-	-	-	-
Puerperal phlegmasia alba dolens, embolus, sudden death	Total	13	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	13	-	-	-	-	-	-
Following childbirth (not otherwise defined)	Totals	15	-	-	-	-	-	-
	Males	-	-	-	-	-	-	-
	Females	15	-	-	-	-	-	-
Gangrene	Totals	210	-	-	-	-	-	-
	Males	134	-	-	-	-	-	-
	Females	76	-	-	-	-	-	-
Furuncle	Totals	22	2	-	-	-	-	2
	Males	17	2	-	-	-	-	2
	Females	5	-	-	-	-	-	-
Acute abscess	Totals	34	8	1	-	-	-	9
	Males	16	2	-	-	-	-	2
	Females	18	6	1	-	-	-	7
Other diseases of the skin and annexa	Totals	36	12	-	1	-	-	13
	Males	16	5	-	1	-	-	6
	Females	20	7	-	-	-	-	7
Diseases of the bones (tuberculosis excepted)	Totals	42	8	2	1	-	-	11
	Males	30	6	-	1	-	-	7
	Females	12	2	2	-	-	-	4
Diseases of the joints (tuberculosis and rheumatism excepted)	Totals	7	-	1	-	-	-	1
	Males	4	-	-	-	-	-	-
	Females	3	-	1	-	-	-	1
Amputations	Totals	5	-	-	-	-	-	-
	Males	3	-	-	-	-	-	-
	Females	2	-	-	-	-	-	-
Congenital malformations (stillbirths not included)	Totals	282	264	7	3	-	1	275
	Males	176	165	4	1	-	1	171
	Females	106	99	3	2	-	-	104
Congenital debility, icterus and sclerema	Totals	1,930	1,924	2	-	-	-	1,926
	Males	1,108	1,105	-	-	-	-	1,105
	Females	821	818	2	-	-	-	820
	Not stated	1	1	-	-	-	-	1
Other causes peculiar to early infancy	Totals	417	417	-	-	-	-	417
	Males	235	235	-	-	-	-	235
	Females	182	182	-	-	-	-	182
Lack of care	Totals	12	12	-	-	-	-	12
	Males	9	9	-	-	-	-	9
	Females	3	3	-	-	-	-	3
Senility	Totals	2,384	-	-	-	-	-	-
	Males	1,046	-	-	-	-	-	-
	Females	1,338	-	-	-	-	-	-
Suicide by poison	Totals	54	-	-	-	-	-	-
	Males	31	-	-	-	-	-	-
	Females	23	-	-	-	-	-	-
Suicide by asphyxia	Totals	7	-	-	-	-	-	-
	Males	3	-	-	-	-	-	-
	Females	4	-	-	-	-	-	-
Suicide by hanging or strangulation	Totals	113	-	-	-	-	-	-
	Males	89	-	-	-	-	-	-
	Females	24	-	-	-	-	-	-
Suicide by drowning	Totals	50	-	-	-	-	-	-
	Males	27	-	-	-	-	-	-
	Females	23	-	-	-	-	-	-

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Suicide by firearms.....	Totals.....	116	-	-	-	-	-	-
	Males.....	108	-	-	-	-	-	-
	Females.....	8	-	-	-	-	-	-
Suicide by cutting or piercing instruments	Totals.....	36	-	-	-	-	-	-
	Males.....	31	-	-	-	-	-	-
	Females.....	5	-	-	-	-	-	-
Suicide by jumping from high places....	Totals.....	4	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Suicide by crushing.....	Totals.....	1	-	-	-	-	-	-
	Males.....	1	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-	-
Other suicides.....	Totals.....	7	-	-	-	-	-	-
	Males.....	6	-	-	-	-	-	-
	Females.....	1	-	-	-	-	-	-
Poisoning by food.....	Totals.....	17	1	-	1	1	1	4
	Males.....	8	-	-	1	1	-	1
	Females.....	9	1	-	-	-	1	3
Other acute poisonings.....	Totals.....	89	3	13	6	5	2	29
	Males.....	49	2	4	3	3	-	12
	Females.....	40	1	9	3	2	2	17
Conflagration.....	Totals.....	44	1	1	3	1	2	8
	Males.....	26	-	1	2	-	-	4
	Females.....	18	1	-	1	1	1	4
Burns (includes scalding).....	Totals.....	167	3	15	14	9	13	54
	Males.....	64	1	7	12	3	5	28
	Females.....	103	2	8	2	6	8	26
Absorption of deleterious gases (conflagration excepted.).....	Totals.....	47	21	-	-	1	-	22
	Males.....	24	8	-	-	-	-	8
	Females.....	23	13	-	-	1	-	14
Accidental drowning.....	Totals.....	479	1	3	5	8	3	20
	Males.....	432	-	3	3	7	3	16
	Females.....	46	1	-	2	1	-	4
	Not stated.....	1	-	-	-	-	-	-
Traumatism by firearms.....	Totals.....	112	-	-	1	2	1	4
	Males.....	104	-	-	-	1	1	2
	Females.....	8	-	-	1	1	-	2
Traumatism by cutting or piercing instruments.....	Totals.....	23	-	1	-	2	-	3
	Males.....	17	-	-	-	-	-	-
	Females.....	6	-	1	-	2	-	3
Traumatism by fall.....	Totals.....	399	3	6	1	4	2	16
	Males.....	221	1	2	-	2	-	5
	Females.....	178	2	4	1	2	2	11
Traumatism in mines and quarries.....	Totals.....	11	-	-	-	-	-	-
	Males.....	11	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Traumatism by machines.....	Totals.....	71	-	-	-	-	-	-
	Males.....	71	-	-	-	-	-	-
	Females.....	-	-	-	-	-	-	-
Traumatism by other crushing (vehicles, railways, landslides, etc.).....	Totals.....	439	1	4	3	4	5	17
	Males.....	393	-	4	3	2	4	13
	Females.....	46	1	-	-	2	1	4
Injuries by animals.....	Totals.....	22	-	1	-	1	1	3
	Males.....	16	-	1	-	1	1	3
	Females.....	6	-	-	-	-	-	-
Inanition.....	Totals.....	124	104	7	-	-	-	111
	Males.....	52	43	4	-	-	-	47
	Females.....	72	61	3	-	-	-	64
Excessive cold.....	Totals.....	26	1	-	-	-	1	2
	Males.....	22	-	-	-	-	1	1
	Females.....	4	1	-	-	-	-	1
Effects of heat.....	Totals.....	63	9	3	2	-	-	14
	Males.....	36	5	2	2	-	-	9
	Females.....	27	4	1	-	-	-	5

TABLE
Deaths from all Causes

CAUSES OF DEATH.	SEX.	Totals.	Under 1.	1 and under 2.	2.	3.	4.	Total under 5.
Lightning.....	Totals.....	5	-	-	1	-	-	1
	Males.....	4	-	-	-	-	-	-
	Females.....	1	-	-	1	-	-	1
Electricity (lightning excepted).....	Totals.....	25	-	-	-	-	-	-
	Males.....	21	-	-	-	-	-	-
	Females.....	4	-	-	-	-	-	-
Homicide by firearms.....	Totals.....	30	-	-	-	-	-	-
	Males.....	20	-	-	-	-	-	-
	Females.....	10	-	-	-	-	-	-
Homicide by cutting or piercing instruments.....	Totals.....	10	-	-	-	-	-	-
	Males.....	7	-	-	-	-	-	-
	Females.....	3	-	-	-	-	-	-
Homicide by other means.....	Totals.....	13	1	-	2	-	1	4
	Males.....	8	1	-	1	-	1	3
	Females.....	5	-	-	1	-	-	1
Fractures (cause not specified).....	Totals.....	40	-	1	-	-	-	1
	Males.....	25	-	-	-	-	-	-
	Females.....	15	-	1	-	-	-	1
Other external violence.....	Totals.....	59	4	4	4	-	3	15
	Males.....	51	4	3	2	-	2	11
	Females.....	8	-	1	2	-	1	4
Ill-defined organic disease.....	Totals.....	34	4	-	-	-	-	4
	Males.....	15	3	-	-	-	-	3
	Females.....	19	1	-	-	-	-	1
Sudden death.....	Totals.....	132	21	3	1	-	1	26
	Males.....	90	15	1	-	-	-	16
	Females.....	42	6	2	1	-	1	10
Cause of death not specified or ill-defined	Totals.....	781	351	27	5	12	6	401
	Males.....	441	201	14	3	8	3	229
	Females.....	340	150	13	2	4	3	172

No. 31.—Concluded.
by Age Groups, 1910-1913.

5-9.	10-14.	15-19.	20-24.	25-29.	30-34.	35-39.	40-44.	45-49.	50-54.	55-59.	60-64.	65-69.	70-74.	75-79.	80-84.	85-89.	90-94.	95-99.	100 and over.	Unknown.
-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
2	2	3	4	4	4	1	1	2	-	1	-	-	-	-	1	-	-	-	-	-
1	2	3	4	4	3	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-
-	1	2	3	2	4	5	4	2	1	2	-	-	-	-	1	-	-	-	-	-
-	1	1	1	1	3	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-
-	-	-	-	2	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	1	-	-	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2	1	1	-	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
1	-	-	1	-	2	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
1	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
1	1	1	1	3	-	3	3	1	2	2	2	1	3	3	4	5	3	3	-	1
-	-	-	-	-	-	2	2	1	2	2	2	1	2	1	3	1	4	-	-	-
1	2	2	6	3	4	2	4	6	4	1	1	3	1	1	2	-	-	-	-	-
1	1	2	5	3	4	2	4	6	4	1	1	3	1	2	2	-	-	-	-	-
-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	6	7	-	2	6	1	3	1	-	-
-	-	-	-	-	-	-	-	-	-	-	2	3	-	3	3	-	1	-	-	-
-	-	-	-	-	-	-	-	-	-	-	4	4	2	3	1	1	1	-	-	-
-	1	-	1	1	-	-	-	2	1	-	4	4	2	4	6	4	1	-	-	-
-	-	-	2	7	2	8	3	12	6	16	9	12	15	8	2	2	1	-	-	2
-	-	-	2	3	3	6	3	12	4	13	7	8	9	4	1	-	-	-	-	1
-	1	-	-	-	-	2	-	-	2	3	2	4	6	4	1	-	-	-	-	-
10	12	10	11	14	12	19	21	21	25	28	28	49	38	37	19	13	7	1	-	7
6	6	5	4	6	7	10	12	12	9	14	17	30	28	21	12	8	1	-	-	3
4	6	5	7	8	5	9	9	9	16	12	11	19	10	16	7	5	6	1	-	4

TABLE

Deaths in Each Town from Special

THE STATE AND COUNTIES.		Estimated popula- tion in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
MAINE.....		757,315	2	65	17	89
Androscoggin.....		61,631	-	1	2	11
Aroostook.....		78,840	1	24	4	28
Cumberland.....		115,680	-	22	-	14
Franklin.....		19,320	-	-	-	-
Hancock.....		35,075	-	-	2	-
Kennebec.....		64,003	-	1	-	11
Knox.....		28,580	1	-	-	1
Lincoln.....		17,835	-	1	-	-
Oxford.....		37,462	-	2	-	3
Penobscot.....		87,991	-	5	3	3
Piscataquis.....		20,763	-	-	-	1
Sagadahoc.....		18,063	-	-	-	2
Somerset.....		37,144	-	2	2	2
Waldo.....		23,111	-	-	-	-
Washington.....		42,306	-	4	-	2
York.....		69,511	-	3	4	11
ANDROSCOGGIN COUNTY.....		61,631	-	1	2	11
Auburn.....		15,751	-	-	1	6
Durham.....		1,744	-	-	-	-
East Livermore.....		2,796	-	-	-	-
Greene.....		778	-	-	-	-
Leeds.....		969	-	-	-	-
Lewiston.....		27,053	-	1	1	3
Lisbon.....		4,269	-	-	-	-
Livermore.....		1,098	-	-	-	-
Mechanic Falls.....		1,678	-	-	-	-
Minot.....		780	-	-	-	1
Poland.....		1,304	-	-	-	1
Turner.....		1,669	-	-	-	-
Wales.....		505	-	-	-	-
Webster.....		1,237	-	-	-	-
AROOSTOOK COUNTY.....		*77,679	1	24	4	28
Amity.....		366	-	-	-	-
Ashland.....		2,500	-	-	-	-
Bancroft.....		344	-	-	-	-
Benedicta.....		274	-	-	-	-
Blaine.....		1,031	-	-	-	-
Bridgewater.....		1,256	-	-	-	-
Caribou.....		5,563	-	1	-	2
Castle Hill.....		517	-	-	-	-
Crystal.....		541	-	-	-	-
Dyer Brook.....		281	-	-	-	-
Eagle Lake.....		1,821	-	2	1	1
Easton.....		1,325	-	-	-	-
Fort Fairfield.....		4,461	-	-	-	-
Fort Kent.....		4,164	-	8	-	13
Frenchville.....		1,444	-	-	-	-

*Population of county omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 32.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Cholera nostras.	Diarrhea and enteritis (2 years and over.)	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
35	93	15	24	27	186	22	11	119	481	736	241
5	6	-	4	3	13	5	2	11	53	70	24
9	5	-	3	-	24	1	2	22	173	67	20
1	15	1	7	5	21	-	1	10	43	109	39
-	1	-	-	-	10	4	-	8	10	11	3
1	4	-	1	1	11	1	1	5	3	26	20
6	8	3	1	2	15	1	-	8	34	76	20
-	6	-	1	1	7	1	-	3	7	39	7
-	-	1	-	3	3	-	-	1	-	14	7
-	3	1	2	-	7	-	1	5	32	36	10
5	20	3	2	2	18	4	2	9	25	78	34
1	3	2	1	1	5	1	-	1	2	13	8
1	2	-	-	2	6	-	-	4	5	18	2
2	8	1	1	-	14	2	-	9	16	31	5
1	5	-	-	2	10	1	-	3	1	31	7
2	1	-	-	3	7	-	1	1	18	52	13
1	6	3	-	2	15	-	1	19	59	65	22
5	6	-	4	3	13	5	2	11	53	70	24
2	1	-	-	-	3	2	-	-	9	16	6
-	1	-	-	-	-	1	-	-	-	4	1
-	-	-	-	-	-	-	2	-	3	2	1
1	-	-	-	-	1	-	-	1	-	1	-
1	4	-	3	3	3	2	-	8	37	39	14
-	-	-	1	-	3	-	-	1	-	2	1
1	-	-	-	-	-	-	-	1	1	2	-
-	-	-	-	-	1	-	-	-	1	2	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	1	-	-	-	1	1	-
9	5	-	3	-	24	1	2	22	173	67	20
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	1	-	-	1	-
-	-	-	-	-	-	-	-	-	-	2	1
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-
2	-	-	-	-	-	1	1	2	13	6	2
-	-	-	-	-	-	-	-	-	3	1	-
-	-	-	-	-	-	-	-	1	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-
1	-	-	1	-	-	2	-	1	7	-	-
-	-	-	-	-	-	-	-	-	-	3	-
-	-	-	-	-	1	-	-	2	12	4	1
-	-	-	-	-	3	-	-	4	11	1	1

TABLE

Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Grand Isle	1,380	-	-	-	-
Haynesville	256	-	-	-	-
Hersey	185	-	-	-	-
Hodgdon	1,159	-	-	-	-
Houlton	6,193	-	-	-	-
Island Falls	1,872	-	1	-	-
Limestone	1,341	-	-	-	-
Linneus	802	-	-	-	-
Littleton	1,054	-	-	-	-
Ludlow	418	-	-	-	-
Madawaska	1,870	-	-	1	-
Mapleton	1,199	-	-	-	-
Mars Hill	1,610	-	-	-	-
Masardis	713	-	-	-	-
Merrill	422	-	-	-	-
Monticello	1,293	-	-	-	-
New Limerick	433	-	-	-	-
New Sweden	920	-	-	-	-
Oakfield	956	-	-	-	-
Orient	179	-	-	-	-
Perham	845	-	-	-	-
Portage	578	-	-	-	-
Presque Isle	5,596	-	-	1	-
St. Agatha	1,587	1	1	-	-
Sherman	1,074	-	-	-	-
Smyrna	411	-	-	-	-
Stockholm	871	-	-	-	1
Van Buren	3,420	-	-	-	2
Washburn	1,689	-	-	-	2
Westfield	861	-	-	-	-
Weston	396	-	-	-	-
Woodland	1,179	-	-	-	-
Cary Pl.	340	-	-	-	-
Caswell Pl.	577	-	-	-	-
Chapman Pl.	468	-	-	-	-
Connor Pl.	657	-	-	-	-
Cyr Pl.	540	-	-	-	-
E Pl.	126	-	-	-	-
Garfield Pl.	123	-	-	-	-
Glenwood Pl.	113	-	-	-	-
Hamlin Pl.	681	-	-	-	-
Hammond Pl.	115	-	-	-	-
Macwahoc Pl.	147	-	-	-	-
Moro Pl.	215	-	-	-	-
New Canada Pl.	641	-	2	-	3
Oxbow Pl.	192	-	-	-	-
Reed Pl.	579	-	-	-	-
St. Francis Pl.	1,023	-	1	1	4
St. John Pl.	631	-	-	-	-
Silver Ridge Pl.	151	-	-	-	-
Wade Pl.	333	-	-	-	-
Wallagrass Pl.	1,070	-	7	-	-
Westmanland Pl.	104	-	-	-	-
Winterville Pl.	309	-	1	-	-
CUMBERLAND COUNTY	115,680	-	22	-	14
Baldwin	779	-	-	-	-
Bridgton	2,600	-	-	-	-
Brunswick	6,567	-	-	-	2
Cape Elizabeth	2,148	-	-	-	-

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated population in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Casco.....	662	-	-	-	-
Cumberland.....	1,403	-	-	-	-
Falmouth.....	1,480	-	-	-	-
Freeport.....	2,496	-	-	-	-
Gorham.....	2,906	-	-	-	1
Gray.....	1,225	-	1	-	-
Harpwell.....	1,610	-	-	-	-
Harrison.....	967	-	-	-	-
Naples.....	708	-	-	-	-
New Gloucester.....	1,254	-	-	-	1
North Yarmouth.....	698	-	-	-	-
Otisfield.....	625	-	-	-	-
Portland.....	61,308	-	17	-	6
Pownal.....	634	-	-	-	-
Raymord.....	662	-	-	-	-
Scarboro.....	1,977	-	-	-	-
Sebago.....	520	-	-	-	-
South Portland.....	7,825	-	4	-	1
Standish.....	1,679	-	-	-	-
Westbrook.....	8,605	-	-	-	2
Windham.....	1,952	-	-	-	-
Yarmouth.....	2,390	-	-	-	1
FRANKLIN COUNTY.....	*18,951	-	-	-	-
Avon.....	354	-	-	-	-
Carthage.....	278	-	-	-	-
Chester ville.....	604	-	-	-	-
Eustis.....	529	-	-	-	-
Farmington.....	3,189	-	-	-	-
Freeman.....	319	-	-	-	-
Industry.....	441	-	-	-	-
Jay.....	3,056	-	-	-	-
Kingfield.....	999	-	-	-	-
Madrid.....	246	-	-	-	-
New Sharon.....	955	-	-	-	-
New Vineyard.....	531	-	-	-	-
Phillips.....	1,431	-	-	-	-
Rangeley.....	1,211	-	-	-	-
Salem.....	181	-	-	-	-
Strong.....	744	-	-	-	-
Temple.....	403	-	-	-	-
Weld.....	526	-	-	-	-
Wilton.....	2,292	-	-	-	-
Coplin Pl.....	83	-	-	-	-
Dallas Pl.....	166	-	-	-	-
Lang Pl.....	60	-	-	-	-
Perkins Pl.....	67	-	-	-	-
Rangeley Pl.....	208	-	-	-	-
Sandy River Pl.....	78	-	-	-	-
HANCOCK COUNTY.....	*34,718	-	-	2	-
Amherst.....	239	-	-	-	-
Aurora.....	96	-	-	-	-
Bluehill.....	1,388	-	-	-	-
Brooklin.....	936	-	-	-	-

*Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table "State and Counties."

No. 32—Continued.

Causes, Mostly Infectious Diseases.

[illegible]

TABLE

Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Brooksville.....	1,176	-	-	-	-
Bucksport.....	2,180	-	-	-	-
Castine.....	933	-	-	-	-
Cranberry Isles.....	405	-	-	-	-
Dedham.....	359	-	-	-	-
Deer Isle.....	1,916	-	-	-	-
Eastbrook.....	204	-	-	-	-
Eden.....	4,459	-	-	2	-
Ellsworth.....	3,325	-	-	-	-
Franklin.....	1,149	-	-	-	-
Gouldsboro.....	1,376	-	-	-	-
Hancock.....	825	-	-	-	-
Isle au Haut.....	154	-	-	-	-
Lamoine.....	449	-	-	-	-
Mariaville.....	159	-	-	-	-
Mount Desert.....	1,560	-	-	-	-
Orland.....	1,215	-	-	-	-
Otis.....	103	-	-	-	-
Penobscot.....	934	-	-	-	-
Sedgwick.....	909	-	-	-	-
Sorrento.....	156	-	-	-	-
Southwest Harbor.....	888	-	-	-	-
Stonington.....	2,116	-	-	-	-
Sullivan.....	1,162	-	-	-	-
Surry.....	686	-	-	-	-
Swan's Island.....	749	-	-	-	-
Tremont.....	849	-	-	-	-
Trenton.....	314	-	-	-	-
Verona.....	229	-	-	-	-
Waltham.....	182	-	-	-	-
Winter Harbor.....	595	-	-	-	-
Long Island Pl.....	203	-	-	-	-
No. 8 Pl.....	19	-	-	-	-
No. 21 Pl.....	39	-	-	-	-
No. 33 Pl.....	82	-	-	-	-
K ENNEBEC COUNTY.....	64,003	-	1	-	11
Albion.....	940	-	-	-	-
Augusta.....	13,705	-	1	-	1
Belgrade.....	1,035	-	-	-	-
Benton.....	1,225	-	-	-	1
Chelsea.....	3,253	-	-	-	-
China.....	1,265	-	-	-	1
Clinton.....	1,229	-	-	-	-
Farmingdale.....	817	-	-	-	-
Fayette.....	527	-	-	-	-
Gardiner.....	5,235	-	-	-	3
Hallowell.....	2,894	-	-	-	-
Litchfield.....	937	-	-	-	-
Manchester.....	617	-	-	-	-
Monmouth.....	1,431	-	-	-	-
Mount Vernon.....	898	-	-	-	-
Oakland.....	2,325	-	-	-	1
Pittston.....	888	-	-	-	-
Randolph.....	999	-	-	-	-
Readfield.....	996	-	-	-	-
Rome.....	446	-	-	-	-
Sidney.....	886	-	-	-	-
Vassalboro.....	2,077	-	-	-	2

No. 32—Continued.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Cholera nostras.	Diarrhea and enteritis (2 years and over.)	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
-	-	-	-	-	1	-	-	-	1	-	2
-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	3	-	-	-	-	3	-
-	2	-	1	1	2	-	1	1	1	2	2
1	-	-	-	-	1	-	-	1	1	4	3
-	-	-	-	-	-	-	-	-	-	4	-
-	-	-	-	-	1	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	1	1	-	-	-	1	-
-	-	-	-	-	2	-	-	-	-	1	1
-	-	-	-	-	1	-	-	1	-	1	2
-	-	-	-	-	-	-	-	-	-	2	-
-	1	-	-	-	-	-	-	-	-	2	1
-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	1
-	1	-	-	-	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-
6	8	3	1	2	15	1	-	8	34	76	20
-	-	-	-	-	-	-	-	1	-	-	1
1	1	2	1	1	1	-	-	3	18	24	6
-	1	-	-	-	1	-	-	-	-	2	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	3	-	-	-	1	2	-
1	-	-	-	1	-	-	-	-	-	1	-
1	-	-	-	-	-	-	-	-	-	1	1
-	-	-	-	-	-	-	-	2	1	6	3
-	-	-	-	-	-	-	-	-	2	4	2
-	-	-	-	-	1	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	1	-	-	1	2	1
1	-	-	-	-	-	-	-	1	-	-	-
-	-	-	-	-	2	-	-	-	-	2	-
-	-	-	-	-	1	-	-	-	-	1	-
-	-	1	-	-	-	-	-	-	1	-	1
-	-	-	-	-	-	-	-	-	-	3	-

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated population in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Vienna.....	403	-	-	-	-
Waterville.....	12,100	-	-	-	2
Wayne.....	562	-	-	-	-
West Gardiner.....	611	-	-	-	-
Windsor.....	686	-	-	-	-
Winslow.....	2,838	-	-	-	-
Winthrop.....	2,122	-	-	-	-
Unity Pl.....	56	-	-	-	-
KNOX COUNTY.....	28,580	1	-	-	1
Appleton.....	803	-	-	-	-
Camden.....	3,072	-	-	-	-
Cushing.....	528	-	-	-	-
Friendship.....	764	-	-	-	-
Hope.....	469	-	-	-	-
Hurricane Isle.....	256	-	-	-	-
North Haven.....	535	-	-	-	-
Rockland.....	8,180	-	-	-	1
Rockport.....	1,935	-	-	-	-
St. George.....	2,201	1	-	-	-
South Thomaston.....	1,441	-	-	-	-
Thomaston.....	2,061	-	-	-	-
Union.....	1,229	-	-	-	-
Vinalhaven.....	2,328	-	-	-	-
Warren.....	1,734	-	-	-	-
Washington.....	754	-	-	-	-
Matineus Pl.....	179	-	-	-	-
Muscle Ridge Pl.....	67	-	-	-	-
LINCOLN COUNTY.....	17,835	-	1	-	-
Alna.....	458	-	-	-	-
Boothbay.....	1,682	-	-	-	-
Boothbay Harbor.....	2,030	-	-	-	-
Bremen.....	520	-	-	-	-
Bristol.....	2,368	-	1	-	-
Damariscotta.....	741	-	-	-	-
Dresden.....	808	-	-	-	-
Edgecomb.....	486	-	-	-	-
Jefferson.....	1,018	-	-	-	-
Newcastle.....	1,066	-	-	-	-
Nobleboro.....	775	-	-	-	-
Somerville.....	267	-	-	-	-
Southport.....	383	-	-	-	-
Waldoboro.....	2,509	-	-	-	-
Westport.....	270	-	-	-	-
Whitefield.....	1,026	-	-	-	-
Wiscasset.....	1,302	-	-	-	-
Monhegan Pl.....	126	-	-	-	-

TABLE

Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
OXFORD COUNTY.....	*37,396	-	2	-	3
Albany.....	371	-	-	-	-
Andover.....	766	-	-	-	-
Bethel.....	1,957	-	1	-	-
Brownfield.....	903	-	-	-	-
Buckfield.....	1,067	-	-	-	-
Byron.....	181	-	-	-	-
Canton.....	1,033	-	-	-	-
Denmark.....	584	-	-	-	-
Dixfield.....	1,656	-	-	-	-
Fryeburg.....	1,253	-	-	-	-
Gilead.....	203	-	-	-	-
Grafton.....	60	-	-	-	-
Greenwood.....	641	-	-	-	-
Hanover.....	189	-	-	-	-
Hartford.....	572	-	-	-	-
Hebron.....	633	-	-	-	-
Hiram.....	924	-	-	-	-
Lovell.....	660	-	-	-	-
Mason.....	60	-	-	-	-
Mexico.....	2,440	-	-	-	1
Newry.....	268	-	-	-	-
Norway.....	3,032	-	-	-	-
Oxford.....	1,188	-	-	-	-
Paris.....	3,499	-	-	-	1
Peru.....	737	-	-	-	-
Porter.....	858	-	-	-	-
Roxbury.....	325	-	-	-	-
Rumford.....	7,680	-	-	-	1
Stoneham.....	244	-	-	-	-
Stow.....	209	-	-	-	-
Sumner.....	750	-	1	-	-
Sweden.....	261	-	-	-	-
Upton.....	324	-	-	-	-
Waterford.....	939	-	-	-	-
Woodstock.....	808	-	-	-	-
Lincoln Pl.....	376	-	-	-	-
Magalloway Pl.....	103	-	-	-	-
Milton Pl.....	206	-	-	-	-
Batchelder's Grant.....	36	-	-	-	-
PENOBSCOT COUNTY.....	*86,648	-	5	3	3
Alton.....	243	-	-	-	-
Argyle.....	216	-	-	-	-
Bangor.....	25,762	-	3	-	-
Bradford.....	924	-	-	-	-
Bradley.....	626	-	-	1	-
Brewer.....	5,915	-	-	-	-
Burlington.....	364	-	-	-	-
Carmel.....	1,074	-	-	-	-
Carroll.....	466	-	-	-	-
Charleston.....	872	-	-	-	-
Chester.....	346	-	-	-	-
Clifton.....	211	-	-	-	-

*Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table "State and Counties."

No. 32—Continued.

Causes, Mostly Infectious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery	Cholera nostras.	Diarrhea and enteritis (2 years and over.)	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
-	3	1	2	-	7	-	1	5	32	36	10
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	2	-
-	-	-	-	-	-	-	-	1	1	1	-
-	-	-	-	-	1	-	-	-	-	-	1
-	-	-	1	-	-	-	-	-	-	2	-
-	-	-	1	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	1	8	2
-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	6	3	-
-	1	-	-	-	2	-	1	-	1	2	-
-	-	-	-	-	1	-	-	2	3	3	-
-	-	-	-	-	-	-	-	-	2	-	-
-	1	1	-	-	1	-	-	2	16	7	3
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	1	-	-	-	-	-	1
-	1	-	-	-	1	-	-	-	-	1	1
-	-	-	-	-	1	-	-	-	-	-	-
5	20	3	2	2	18	4	2	9	25	78	34
-	-	-	-	-	-	-	-	-	-	1	-
-	10	1	-	-	3	2	-	4	8	32	13
-	-	1	-	-	1	-	-	-	-	1	-
1	1	-	-	1	-	1	-	1	2	4	4
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	1	1
-	-	-	-	-	1	-	-	-	-	-	1

TABLE

Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Corinna.....	1,255	-	2	-	-
Corinth.....	1,034	-	-	-	-
Dexter.....	3,707	-	-	-	-
Dixmont.....	735	-	-	-	-
East Millinocket.....	923	-	-	-	-
Eddington.....	607	-	-	-	-
Edinburg.....	41	-	-	-	-
Enfield.....	949	-	-	-	1
Etna.....	523	-	-	-	-
Exeter.....	888	-	-	-	-
Garland.....	805	-	-	-	-
Glenburn.....	457	-	-	-	-
Greenbush.....	455	-	-	-	-
Greenfield.....	195	-	-	-	-
Hampden.....	2,440	-	-	-	-
Hermont.....	1,218	-	-	-	-
Holden.....	609	-	-	-	-
Howland.....	488	-	-	-	-
Hudson.....	397	-	-	-	-
Kenduskeag.....	499	-	-	-	-
Kingman.....	721	-	-	-	-
Lagrange.....	598	-	-	-	-
Lee.....	743	-	-	-	-
Levant.....	683	-	-	-	-
Lincoln.....	2,065	-	-	-	-
Lowell.....	247	-	-	-	-
Mattawamkeag.....	513	-	-	-	-
Maxfield.....	70	-	-	-	-
Medway.....	548	-	-	-	-
Milford.....	1,005	-	-	-	1
Millinocket.....	3,368	-	-	-	-
Mt. Chase.....	206	-	-	-	-
Newburg.....	682	-	-	-	-
Newport.....	1,810	-	-	-	-
Old Town.....	6,581	-	-	-	1
Orono.....	3,645	-	-	1	-
Orrington.....	1,213	-	-	-	-
Passadumkeag.....	454	-	-	-	-
Patten.....	1,452	-	-	-	-
Plymouth.....	572	-	-	-	-
Prentiss.....	463	-	-	-	-
Springfield.....	441	-	-	-	-
Stetson.....	474	-	-	-	-
Veazie.....	557	-	-	-	-
Winn.....	646	-	-	-	-
Woodville.....	116	-	-	1	-
Drew Pl.....	271	-	-	-	-
Grand Falls Pl.....	52	-	-	-	-
Lakeville Pl.....	88	-	-	-	-
Sebocis Pl.....	85	-	-	-	-
Stacyville Pl.....	646	-	-	-	-
Webster Pl.....	97	-	-	-	-
Indian Twp. No. 3.....	44	-	-	-	-
No. 1, R 7.....	40	-	-	-	-
No. 2, R 6.....	208	-	-	-	-
PISCATAQUIS COUNTY.....	*19,888	-	-	-	1
Abbott.....	703	-	-	-	-
Atkinson.....	534	-	-	-	-
Blanchard.....	154	-	-	-	- 1

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Bowerbank.....	76	-	-	-	-
Brownville.....	1,879	-	-	-	-
Dover.....	2,151	-	-	-	-
Foxcroft.....	1,938	-	-	-	-
Greenville.....	1,581	-	-	-	-
Guilford.....	1,721	-	-	-	-
Medford.....	256	-	-	-	-
Milo.....	2,976	-	-	-	-
Monson.....	1,269	-	-	-	-
Orneville.....	357	-	-	-	-
Parkman.....	628	-	-	-	-
Sangerville.....	1,325	-	-	-	-
Sebec.....	537	-	-	-	-
Shirley.....	359	-	-	-	-
Wellington.....	387	-	-	-	-
Williamsburg.....	144	-	-	-	-
Willimantic.....	256	-	-	-	-
Barnard Pl.....	101	-	-	-	-
Elliottsville Pl.....	126	-	-	-	-
Kingsbury Pl.....	108	-	-	-	-
Lake View Pl.....	259	-	-	-	-
Katahdin Iron Works.....	63	-	-	-	-
SAGADAHOC COUNTY.....	18,063	-	-	-	2
Arrowsic.....	144	-	-	-	-
Bath.....	9,072	-	-	-	1
Bowdoin.....	778	-	-	-	-
Bowdoinham.....	1,409	-	-	-	-
Georgetown.....	724	-	-	-	-
Perkins.....	38	-	-	-	-
Phippsburg.....	1,028	-	-	-	-
Richmond.....	1,801	-	-	-	-
Topsham.....	1,992	-	-	-	1
West Bath.....	212	-	-	-	-
Woolwich.....	865	-	-	-	-
SOMERSET COUNTY.....	*36,839	-	2	2	2
Anson.....	2,323	-	-	-	-
Athens.....	918	-	-	-	-
Bingham.....	757	-	-	-	-
Cambridge.....	369	-	-	-	-
Canaan.....	844	-	-	-	-
Concord.....	244	-	-	-	-
Cornville.....	729	-	-	-	-
Detroit.....	515	-	-	-	-
Embden.....	517	-	-	-	-
Fairfield.....	5,000	-	-	-	-
Harmony.....	778	-	-	-	-
Hartland.....	1,194	-	-	-	-
Madison.....	3,562	-	-	-	-
Mercer.....	426	-	-	-	-
Moscow.....	560	-	-	-	-
New Portland.....	873	-	-	-	-
Norridgewock.....	1,641	-	-	-	-

*Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table "State and Counties."

TABLE

Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
Palmyra.....	972	-	-	-	-
Pittsfield.....	2,891	-	-	1	-
Ripley.....	431	-	-	-	1
St. Albans.....	1,017	-	2	-	-
Skowhegan.....	5,389	-	-	-	-
Smithfield.....	419	-	-	-	-
Solon.....	1,046	-	-	1	-
Stark.....	523	-	-	-	-
Bigelow Pl.....	54	-	-	-	-
Brighton Pl.....	247	-	-	-	-
Caratunk Pl.....	241	-	-	-	-
Dead River Pl.....	94	-	-	-	-
Dennistown Pl.....	99	-	-	-	-
Flagstaff Pl.....	158	-	-	-	-
Highland Pl.....	68	-	-	-	-
Jackman Pl.....	760	-	-	-	1
Lexington Pl.....	237	-	-	-	-
Long Pond Pl.....	240	-	-	-	-
Mayfield Pl.....	61	-	-	-	-
Moose River Pl.....	254	-	-	-	-
Pleasant Ridge Pl.....	86	-	-	-	-
The Forks Pl.....	172	-	-	-	-
West Forks Pl.....	130	-	-	-	-
WALDO COUNTY.....	23,111	-	-	-	-
Belfast.....	4,618	-	-	-	-
Belmont.....	331	-	-	-	-
Brooks.....	660	-	-	-	-
Burnham.....	727	-	-	-	-
Frankfort.....	1,147	-	-	-	-
Freedom.....	480	-	-	-	-
Islesboro.....	859	-	-	-	-
Jackson.....	410	-	-	-	-
Knox.....	499	-	-	-	-
Liberty.....	626	-	-	-	-
Lincolnvile.....	960	-	-	-	-
Monroe.....	856	-	-	-	-
Montville.....	811	-	-	-	-
Morrill.....	332	-	-	-	-
Northport.....	509	-	-	-	-
Palermo.....	669	-	-	-	-
Prospect.....	587	-	-	-	-
Searsmont.....	796	-	-	-	-
Searsport.....	1,471	-	-	-	-
Stockton Springs.....	1,169	-	-	-	-
Swanville.....	455	-	-	-	-
Thorncliffe.....	534	-	-	-	-
Troy.....	768	-	-	-	-
Unity.....	905	-	-	-	-
Waldo.....	362	-	-	-	-
Winterport.....	1,570	-	-	-	-

TABLE
Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
WASHINGTON COUNTY.....	*41,967	-	4	-	2
Addison.....	961	-	-	-	-
Alexander.....	386	-	-	-	-
Baileyville.....	1,410	-	3	-	-
Baring.....	228	-	-	-	-
Beddington.....	86	-	-	-	-
Brookton.....	222	-	-	-	-
Calais.....	5,654	-	-	-	-
Centerville.....	91	-	-	-	-
Charlotte.....	284	-	-	-	-
Cherryfield.....	1,367	-	-	-	-
Columbia.....	573	-	-	-	-
Columbia Falls.....	691	-	-	-	-
Cooper.....	184	-	-	-	-
Crawford.....	114	-	-	-	-
Cutler.....	591	-	-	-	1
Danforth.....	1,355	-	-	-	-
Deblois.....	69	-	-	-	-
Dennysville.....	453	-	-	-	-
East Machias.....	1,353	-	-	-	-
Eastport.....	4,926	-	-	-	1
Edmunds.....	652	-	-	-	-
Forest City.....	60	-	-	-	-
Harrington.....	978	-	-	-	-
Jonesboro.....	498	-	-	-	-
Jonesport.....	2,059	-	-	-	-
Lubec.....	3,441	-	1	-	-
Machias.....	2,089	-	-	-	-
Machiasport.....	1,218	-	-	-	-
Marion.....	120	-	-	-	-
Marshfield.....	163	-	-	-	-
Meddybemps.....	115	-	-	-	-
Milbridge.....	1,439	-	-	-	-
Northfield.....	69	-	-	-	-
Pembroke.....	1,297	-	-	-	-
Perry.....	1,130	-	-	-	-
Princeton.....	1,091	-	-	-	-
Robbinston.....	631	-	-	-	-
Roque Bluffs.....	87	-	-	-	-
Steuben.....	890	-	-	-	-
Talmadge.....	100	-	-	-	-
Topsfield.....	253	-	-	-	-
Trescott.....	461	-	-	-	-
Vanceboro.....	644	-	-	-	-
Waite.....	170	-	-	-	-
Wesley.....	166	-	-	-	-
Whiting.....	359	-	-	-	-
Whitneyville.....	210	-	-	-	-
Codyville Pl.....	69	-	-	-	-
Grand Lake Stream Pl.....	303	-	-	-	-
No. 14 Pl.....	82	-	-	-	-
No. 21 Pl.....	81	-	-	-	-
Kossuth.....	44	-	-	-	-

*Population of county, omitting that of unorganized townships, and other places not represented in this tabulation. See Table "State and Counties."

TABLE

Deaths in Each Town from Special

TOWNS AND COUNTIES.	Estimated popula- tion in 1913.	Smallpox.	Measles.	Scarlet fever.	Diphtheria and croup.
YORK COUNTY.....	69,511	-	3	4	11
Acton.....	580	-	-	-	-
Alfred.....	880	-	-	-	-
Berwick.....	2,042	-	-	3	-
Biddeford.....	17,381	-	-	-	3
Buxton.....	1,627	-	-	1	-
Cornish.....	945	-	1	-	-
Dayton.....	372	-	-	-	-
Eliot.....	1,558	-	-	-	-
Hollis.....	1,284	-	-	-	-
Kennebunk.....	3,061	-	-	-	2
Kennebunkport.....	2,130	-	-	-	-
Kittery.....	3,732	-	1	-	-
Lebanon.....	1,320	-	-	-	-
Limerick.....	992	-	-	-	-
Limington.....	972	-	-	-	-
Lyman.....	594	-	-	-	-
Newfield.....	605	-	-	-	-
North Berwick.....	1,786	-	-	-	-
Old Orchard.....	961	-	1	-	-
Parsonsfield.....	1,046	-	-	-	-
Saco.....	6,721	-	-	-	5
Sanford.....	9,643	-	-	-	-
Shapleigh.....	675	-	-	-	-
South Berwick.....	2,885	-	-	-	1
Waterboro.....	980	-	-	-	-
Wells.....	1,898	-	-	-	-
York.....	2,841	-	-	-	-

No. 32—Concluded.

Causes, Mostly Contagious Diseases.

Whooping cough.	Typhoid fever.	Erysipelas.	Puerperal septicemia.	Septicemia.	Influenza.	Dysentery.	Cholera nostras.	Diarrhea and enteritis (2 years and over.)	Diarrhea and enteritis (under 2 years.)	Tuberculosis of the lungs.	Tuberculosis, other forms.
1	6	3	-	2	15	-	1	19	59	65	22
-	-	-	-	-	-	-	-	-	1	1	-
-	-	-	-	-	-	-	-	-	2	-	-
-	1	1	-	-	3	-	-	7	29	27	9
-	-	-	-	-	-	-	-	-	1	2	-
-	-	-	-	-	-	-	-	-	-	2	2
-	-	-	-	-	-	-	-	1	-	2	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	-	3	-	-	-	1	3	1
-	-	-	-	-	2	-	-	1	-	-	1
-	-	-	-	-	1	-	-	2	-	2	-
-	-	-	-	-	-	-	-	1	1	-	-
-	1	-	-	-	-	-	1	1	1	-	-
-	-	-	-	-	-	-	-	-	-	1	-
-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	2	-	-	1	1	1	2
-	-	-	-	-	-	-	-	1	2	-	2
-	-	-	-	-	1	-	-	1	5	3	2
-	-	-	-	1	-	-	-	2	7	7	1
-	-	-	-	-	1	-	-	-	1	-	-
-	-	-	-	-	1	-	-	-	3	3	-
-	1	-	-	-	-	-	-	-	1	-	-
-	-	-	-	-	-	-	-	-	-	1	1
-	-	1	-	1	1	-	-	1	1	2	1

TABLE

Deaths in Each Town from Certain

THE STATE AND COUNTIES.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
MAINE.....	757,315	31	50	838	128	397	534
Androscoggin.....	61,631	1	2	62	5	47	49
Aroostook.....	78,840	2	6	45	9	56	49
Cumberland.....	115,680	9	6	147	21	64	97
Franklin.....	19,320	-	-	23	3	15	19
Hancock.....	35,075	-	1	41	6	15	27
Kennebec.....	64,003	1	3	82	9	21	38
Knox.....	28,580	-	3	40	7	14	30
Lincoln.....	17,835	-	1	23	7	2	12
Oxford.....	37,462	1	3	33	9	24	23
Penobscot.....	87,991	7	6	99	9	28	54
Piscataquis.....	20,763	2	2	16	4	10	9
Sagadahoc.....	18,063	-	2	26	4	7	17
Somerset.....	37,144	1	2	40	8	15	25
Waldo.....	23,111	1	4	28	7	11	14
Washington.....	42,306	1	3	38	5	18	40
York.....	69,511	5	6	95	15	50	31
ANDROSCOGGIN COUNTY.....	61,631	1	2	62	5	47	49
Auburn.....	15,751	-	-	10	2	12	18
Durham.....	1,744	-	-	2	-	1	1
East Livermore.....	2,796	-	-	2	-	5	-
Greene.....	778	-	1	1	-	1	-
Leeds.....	969	-	-	2	-	-	2
Lewiston.....	27,053	1	1	32	1	25	13
Lisbon.....	4,269	-	-	8	-	-	8
Livermore.....	1,098	-	-	1	1	1	-
Mechanic Falls.....	1,678	-	-	2	-	-	1
Minot.....	780	-	-	-	-	-	2
Poland.....	1,304	-	-	-	1	-	1
Turner.....	1,669	-	-	2	-	-	2
Wales.....	505	-	-	-	-	1	-
Webster.....	1,237	-	-	-	-	1	1
AROOSTOOK COUNTY.....	*77,679	2	6	45	9	56	49
Amity.....	366	-	-	-	-	-	1
Ashland.....	2,500	-	-	-	-	-	-
Bancroft.....	344	-	-	-	-	1	-
Benedicta.....	274	-	-	1	-	-	-
Blaine.....	1,031	-	-	-	-	1	2
Bridgewater.....	1,256	-	-	1	-	1	-
Caribou.....	5,563	-	-	3	1	8	7
Castle Hill.....	517	-	-	-	-	-	-
Crystal.....	541	-	-	-	-	-	-
Dyer Brook.....	281	-	-	1	-	-	1
Eagle Lake.....	1,821	-	-	2	1	1	-
Easton.....	1,325	-	-	-	1	1	-
Fort Fairfield.....	4,461	-	-	1	-	-	1
Fort Kent.....	4,064	-	1	1	-	-	1
Frenchville.....	1,444	-	1	-	-	-	3
Grand Isle.....	1,380	-	-	-	-	-	2

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

No. 33.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of reproduction.	Suicide.	Accidents and other external causes.
107	17	851	432	1,442	1,146	161	136	592	93	685	72	99	573
13	1	67	36	89	120	14	11	56	7	62	12	10	50
10	-	35	22	59	81	6	7	39	2	34	5	3	40
18	-	116	70	253	207	24	25	111	18	137	14	19	100
6	-	37	12	25	31	1	6	9	3	24	1	1	8
4	-	55	18	81	44	10	1	31	5	37	-	5	25
8	2	78	49	176	128	19	9	54	3	50	5	7	64
-	-	23	21	82	31	5	10	17	2	44	5	10	26
1	-	55	11	38	9	2	2	11	1	17	-	2	6
5	1	49	12	77	41	6	4	27	9	30	3	6	33
9	8	85	51	132	159	24	25	89	10	69	9	11	69
1	-	24	14	32	20	2	2	13	3	17	5	3	25
4	-	30	11	54	38	2	1	11	1	18	-	5	12
8	1	42	12	58	42	9	4	35	3	18	8	-	31
2	-	36	16	49	26	10	7	20	6	31	-	6	11
4	-	35	25	85	58	4	5	17	3	25	3	-	25
14	4	84	52	152	111	23	17	52	17	72	2	11	48
13	1	67	36	89	120	14	11	56	7	62	12	10	50
3	1	17	9	27	15	5	1	5	-	20	2	5	8
-	-	2	-	3	4	-	1	-	-	1	-	-	1
-	-	4	1	2	4	-	-	-	-	1	1	-	-
-	-	1	2	1	5	-	-	2	-	1	-	-	1
-	-	2	3	-	-	-	-	1	-	-	-	-	2
8	-	30	18	30	73	7	8	42	-	28	9	2	30
1	-	1	3	5	6	1	-	-	6	3	-	-	1
-	-	-	-	2	2	-	-	-	-	2	-	-	-
-	-	2	1	8	2	-	-	1	-	-	-	-	1
1	-	1	1	1	2	-	-	-	-	2	-	-	-
-	-	1	3	4	4	-	-	2	-	1	-	-	5
-	-	4	-	2	2	-	1	1	-	3	-	1	1
-	-	-	2	-	-	-	-	1	-	-	-	-	-
-	-	2	-	1	1	1	-	1	1	-	-	1	-
10	-	35	22	59	81	6	7	39	2	34	5	3	40
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	1	-	1	2	-	-	-	-	1	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	1	1	5	-	-	-	1	-	1	-	-	-
-	-	-	2	9	-	-	-	2	-	-	-	-	-
-	-	-	4	1	1	-	-	-	-	-	-	-	-
-	-	-	1	1	1	-	-	-	-	-	-	-	-
-	-	-	-	1	1	-	-	-	-	-	-	-	-
-	-	-	-	1	4	-	-	1	-	1	1	-	4
2	-	-	-	-	-	1	-	-	-	-	-	-	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	2	1	3	1	-	-	-	-	-	2	-	-
-	-	-	-	2	2	-	2	1	-	-	-	-	-
1	-	-	-	-	1	-	-	1	-	-	-	-	-
-	-	-	-	-	1	-	-	1	-	-	-	-	1

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Haynesville	256	-	1	-	-	-	-
Hersey	185	-	-	-	-	-	-
Hodgdon	1,159	-	-	2	-	-	1
Houlton	6,193	2	2	4	-	3	1
Island Falls	1,872	-	-	1	1	1	-
Limestone	1,341	-	-	2	-	-	-
Linneus	802	-	-	2	-	-	-
Littleton	1,054	-	-	2	-	-	-
Ludlow	418	-	-	-	-	1	1
Madawaska	1,870	-	-	-	-	5	3
Mapleton	1,199	-	-	-	1	-	-
Mars Hill	1,610	-	-	3	-	-	2
Masardis	713	-	-	-	-	-	1
Merrill	422	-	-	-	-	1	-
Monticello	1,293	-	-	-	-	2	1
New Limerick	433	-	-	-	1	-	1
New Sweden	920	-	-	1	-	-	2
Oakfield	956	-	-	-	2	1	1
Orient	179	-	-	-	-	-	1
Perham	845	-	-	1	-	-	-
Portage Lake	578	-	-	-	-	-	-
Presque Isle	5,590	-	-	5	-	6	2
St. Agatha	1,587	-	-	-	-	-	3
Sherman	1,074	-	-	2	-	-	-
Smyrna	411	-	-	-	-	-	1
Stockholm	871	-	-	1	-	-	2
Van Buren	3,420	-	-	-	-	10	-
Washburn	1,689	-	-	2	-	-	-
Westfield	861	-	-	1	-	-	-
Weston	396	-	-	-	-	2	-
Woodland	1,179	-	-	2	1	1	2
Cary Pl.	340	-	-	-	-	-	2
Caswell Pl.	577	-	-	-	-	-	-
Chapman Pl.	468	-	-	-	-	-	-
Connor Pl.	657	-	1	-	-	-	-
Cyr Pl.	540	-	-	-	-	1	1
E Pl.	126	-	-	-	-	-	-
Garfield Pl.	123	-	-	-	-	-	-
Glenwood Pl.	113	-	-	-	-	-	-
Hamlin Pl.	681	-	-	1	-	-	-
Hammond Pl.	115	-	-	1	-	-	-
Macwahoc Pl.	147	-	-	-	-	-	-
Moro Pl.	215	-	-	-	-	1	-
New Canada Pl.	641	-	-	-	-	6	-
Oxbow Pl.	192	-	-	-	-	-	-
Reed Pl.	579	-	-	2	-	-	-
St. Francis Pl.	1,023	-	-	-	-	-	2
St. John Pl.	631	-	-	-	-	-	1
Silver Ridge Pl.	151	-	-	-	-	-	-
Wade Pl.	333	-	-	-	-	-	-
Wallagrass Pl.	1,070	-	-	-	-	-	-
Westmanland Pl.	104	-	-	-	-	1	-
Winterville Pl.	309	-	-	-	-	1	-

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
CUMBERLAND COUNTY.....	115,680	9	6	147	21	64	97
Baldwin.....	779	-	-	-	1	-	2
Bridgton.....	2,600	-	-	8	-	-	5
Brunswick.....	6,567	2	-	8	-	-	9
Cape Elizabeth.....	2,148	-	1	-	-	1	1
Casco.....	662	-	-	1	-	-	1
Cumberland.....	1,403	-	-	1	-	1	3
Falmouth.....	1,480	-	-	1	1	-	1
Freeport.....	2,496	-	-	3	-	-	3
Gorham.....	2,906	-	-	-	1	1	5
Gray.....	1,225	-	-	3	-	1	2
Harpwell.....	1,610	-	-	1	-	-	1
Harrison.....	967	-	-	4	-	1	1
Naples.....	708	-	-	-	-	1	-
New Gloucester.....	1,254	-	-	2	-	-	-
North Yarmouth.....	698	-	-	1	1	-	1
Otisfield.....	625	-	-	2	-	-	1
Portland.....	61,308	7	4	80	11	47	22
Pownal.....	634	-	-	1	-	-	1
Raymond.....	662	-	-	3	-	-	3
Scarboro.....	1,977	-	-	-	1	-	4
Sebago.....	520	-	-	-	-	-	1
South Portland.....	7,825	-	-	11	2	8	11
Standish.....	1,679	-	-	2	-	-	3
Westbrook.....	8,605	-	1	10	2	1	11
Windham.....	1,952	-	-	2	1	1	-
Yarmouth.....	2,390	-	-	3	-	1	5
FRANKLIN COUNTY.....	*18,951	-	-	23	3	15	19
Avon.....	354	-	-	1	-	-	-
Carthage.....	278	-	-	1	-	-	1
Chester ville.....	604	-	-	1	-	1	1
Eustis.....	529	-	-	-	-	-	-
Farmington.....	3,189	-	-	6	-	4	6
Freeman.....	319	-	-	1	-	-	-
Industry.....	441	-	-	-	-	-	-
Jay.....	3,056	-	-	-	-	8	2
Kingfield.....	999	-	-	1	1	-	-
Madrid.....	246	-	-	1	-	-	1
New Sharon.....	955	-	-	1	-	1	-
New Vineyard.....	531	-	-	1	-	-	1
Phillips.....	1,431	-	-	2	1	-	-
Rangeley.....	1,211	-	-	3	-	-	-
Salem.....	181	-	-	-	-	-	-
Strong.....	744	-	-	2	-	-	-
Temple.....	403	-	-	-	-	-	2
Weld.....	526	-	-	1	-	-	-
Wilton.....	2,292	-	-	1	1	1	5
Coplin Pl.....	83	-	-	-	-	-	-
Dallas Pl.....	166	-	-	-	-	-	-
Lang Pl.....	60	-	-	-	-	-	-
Perkins Pl.....	67	-	-	-	-	-	-
Rangeley Pl.....	208	-	-	-	-	-	-
Sandy River Pl.....	78	-	-	-	-	-	-

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
HANCOCK COUNTY.....	*34,718	-	1	41	6	15	27
Amherst.....	239	-	-	-	-	-	-
Aurora.....	96	-	-	-	-	-	-
Bluehill.....	1,388	-	-	-	-	-	-
Brooklin.....	936	-	-	4	-	-	-
Brooksville.....	1,176	-	-	2	1	-	1
Bucksport.....	2,180	-	-	1	-	-	1
Castine.....	933	-	-	-	1	-	1
Cranberry Isles.....	405	-	-	2	-	1	-
Dedham.....	359	-	-	-	-	-	-
Deer Isle.....	1,916	-	-	2	-	1	1
Eastbrook.....	204	-	-	-	-	-	1
Eden.....	4,459	-	-	1	-	-	3
Ellsworth.....	3,325	-	-	4	1	5	4
Franklin.....	1,149	-	-	2	-	-	2
Gouldsboro.....	1,376	-	1	1	-	-	2
Hancock.....	825	-	-	1	-	1	-
Isle au Haut.....	154	-	-	-	-	-	-
Lamoine.....	449	-	-	3	-	-	-
Mariaville.....	159	-	-	-	-	-	1
Mount Desert.....	1,560	-	-	1	-	1	2
Orland.....	1,215	-	-	2	2	2	2
Otis.....	103	-	-	-	-	-	-
Penobscot.....	934	-	-	1	-	1	2
Sedgwick.....	909	-	-	2	-	1	-
Sorrento.....	156	-	-	-	-	-	-
Southwest Harbor.....	888	-	-	5	-	1	-
Stonington.....	2,116	-	-	-	-	-	2
Sullivan.....	1,162	-	-	1	1	1	-
Surry.....	686	-	-	1	-	-	1
Swan's Island.....	749	-	-	-	-	-	-
Tremont.....	849	-	-	1	-	-	-
Trenton.....	314	-	-	3	-	-	-
Verona.....	229	-	-	-	-	-	-
Waltham.....	182	-	-	-	-	-	-
Winter Harbor.....	595	-	-	1	-	-	1
Long Island Pl.....	203	-	-	-	-	-	-
No. 8 Pl.....	19	-	-	-	-	-	-
No. 21 Pl.....	39	-	-	-	-	-	-
No. 33 Pl.....	82	-	-	-	-	-	-
KENNEBEC COUNTY.....	64,003	1	3	82	9	21	38
Albion.....	940	-	-	3	-	-	-
Augusta.....	13,705	-	-	14	3	4	10
Belgrade.....	1,035	-	-	-	-	1	1
Benton.....	1,225	-	-	1	2	-	-
Chelsea.....	3,253	-	-	3	-	-	-
China.....	1,265	-	-	2	-	-	-
Clinton.....	1,229	-	-	2	-	2	3
Farmingdale.....	817	-	-	1	-	-	2
Fayette.....	527	-	-	2	-	1	1
Gardiner.....	5,235	-	1	10	1	2	2
Hallowell.....	2,894	-	-	3	-	1	-
Litchfield.....	937	-	-	6	-	-	-

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Manchester.....	617	-	-	-	-	-	-
Monmouth.....	1,431	-	-	1	-	-	-
Mount Vernon.....	898	-	-	1	1	-	-
Oakland.....	2,325	-	-	5	-	-	1
Pittston.....	888	-	-	2	-	-	3
Randolph.....	999	-	-	-	-	1	-
Readfield.....	996	-	1	3	-	1	-
Rome.....	446	-	-	1	-	-	-
Sidney.....	886	-	-	-	-	-	3
Vassalboro.....	2,077	-	-	4	-	1	5
Vienna.....	403	-	-	1	-	-	1
Waterville.....	12,100	1	-	9	-	5	1
Wayne.....	562	-	1	1	-	-	-
West Gardiner.....	611	-	-	1	-	-	1
Windsor.....	686	-	-	-	-	-	-
Winslow.....	2,838	-	-	1	1	2	2
Winthrop.....	2,122	-	-	2	1	-	2
Unity Pl.....	56	-	-	-	-	-	-
Togus.....	-	-	-	3	-	-	-
KNOX COUNTY.....	28,580	-	3	40	7	14	30
Appleton.....	803	-	-	1	-	-	-
Camden.....	3,072	-	-	-	-	-	1
Cushing.....	528	-	-	1	-	-	-
Friendship.....	764	-	-	2	-	-	-
Hope.....	469	-	-	1	-	-	1
Hurricane Isle.....	256	-	-	-	-	-	-
North Haven.....	535	-	-	2	1	-	2
Rockland.....	8,180	-	-	10	2	6	12
Rockport.....	1,935	-	-	3	-	5	2
St. George.....	2,201	-	-	5	-	-	1
South Thomaston.....	1,441	-	1	1	1	3	2
Thomaston.....	2,061	-	-	3	-	-	2
Union.....	1,229	-	1	3	1	-	-
Vinalhaven.....	2,328	-	1	5	1	-	2
Warren.....	1,734	-	-	3	-	-	3
Washington.....	754	-	-	-	1	-	1
Matineus Isle Pl.....	179	-	-	-	-	-	1
Muscle Ridge Pl.....	67	-	-	-	-	-	-
LINCOLN COUNTY.....	17,835	-	1	23	7	2	12
Alna.....	458	-	-	1	-	-	1
Boothbay.....	1,682	-	-	1	2	1	1
Boothbay Harbor.....	2,030	-	-	3	-	-	1
Bremen.....	520	-	-	-	-	-	2
Bristol.....	2,368	-	-	4	1	-	3
Damariscotta.....	741	-	-	2	-	-	-
Dresden.....	808	-	-	1	-	-	-
Edgecomb.....	486	-	-	-	-	-	-
Jefferson.....	1,018	-	-	1	-	-	-
Newcastle.....	1,066	-	-	-	2	-	-

No. 33—Continued.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of repro- duction.	Suicide.	Accidents and other external causes.
-	-	1	-	-	1	-	-	-	-	-	-	-	1
-	-	4	-	3	3	-	-	-	-	3	-	-	2
-	-	-	-	3	3	-	-	-	-	1	-	-	2
-	-	1	1	6	2	1	1	1	-	5	-	-	-
1	-	-	-	4	3	-	-	2	-	-	-	-	-
-	-	3	-	2	1	-	-	1	-	-	-	-	-
-	-	1	-	1	3	-	-	1	-	-	-	-	1
-	1	5	-	2	1	-	-	-	-	-	-	-	-
-	-	2	-	4	4	-	-	1	-	1	-	-	2
-	4	-	-	1	16	18	-	8	-	1	-	-	14
-	-	10	3	3	2	-	-	-	-	5	2	2	-
-	-	2	1	1	1	-	-	-	-	1	-	-	-
-	-	1	-	4	-	-	1	-	-	-	-	-	4
-	-	1	-	4	-	6	-	1	-	1	-	-	5
-	-	2	1	4	-	-	-	2	-	4	-	-	2
-	-	3	-	3	-	-	3	-	-	-	-	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	55	21	82	31	5	10	17	2	44	5	10	26
-	-	1	-	2	-	-	-	-	-	1	-	-	-
-	-	2	-	8	-	1	-	1	-	5	-	-	3
-	-	-	1	2	3	-	-	-	-	1	2	-	-
-	-	-	-	3	-	-	-	-	-	1	-	-	1
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	21	3	16	3	3	2	4	-	16	1	1	16
-	-	4	6	11	3	1	2	2	-	5	-	1	2
-	-	1	1	5	1	-	2	1	-	2	1	1	1
-	-	1	-	2	1	-	-	-	-	-	-	1	-
-	-	5	3	9	5	-	2	-	-	4	-	1	1
-	-	5	2	5	-	-	-	1	-	2	-	-	-
-	-	6	1	4	-	-	-	-	1	5	-	-	-
-	-	4	2	12	3	-	1	2	1	1	-	2	2
-	-	4	-	2	3	-	-	5	-	1	1	-	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-
1	-	23	11	38	9	2	2	11	1	17	-	2	6
-	-	-	-	-	-	-	-	-	-	-	-	-	-
-	-	3	1	2	1	-	-	-	-	1	-	1	-
-	-	-	1	2	-	-	-	2	-	2	-	-	-
-	-	1	-	2	-	-	-	-	-	1	-	-	-
-	-	1	-	1	-	-	-	4	-	-	-	-	1
1	-	4	-	4	1	-	-	-	-	1	-	1	-
-	-	-	-	1	-	-	-	-	-	1	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	1	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	-	-	-	-	-	-	-	-
-	-	-	-	2	-	2	-	-	-	-	-	-	-

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Nobleboro.....	775	-	-	2	-	-	-
Somerville.....	267	-	-	-	-	-	1
Southport.....	383	-	-	1	1	-	-
Waldoboro.....	2,509	-	-	5	1	1	2
Westport.....	270	-	-	-	-	-	-
Whitefield.....	1,026	-	1	1	-	-	-
Wiscasset.....	1,302	-	-	1	-	-	1
Monhegan Pl.....	126	-	-	-	-	-	-
OXFORD COUNTY.....	*37,396	1	3	33	9	24	23
Albany.....	371	-	-	-	-	1	-
Andover.....	766	-	-	1	1	-	2
Bethel.....	1,957	-	-	2	-	1	-
Brownfield.....	903	-	-	2	-	-	-
Buckfield.....	1,067	-	-	1	1	-	1
Byron.....	181	-	-	1	-	-	-
Canton.....	1,033	-	1	-	1	1	-
Denmark.....	584	-	-	2	-	-	-
Dixfield.....	1,056	-	-	-	-	-	-
Fryeburg.....	1,253	-	-	2	1	-	3
Gilead.....	203	-	-	-	-	-	-
Grafton.....	60	-	-	-	-	-	-
Greenwood.....	641	-	-	1	-	2	-
Hanover.....	189	-	-	1	1	-	-
Hartford.....	572	-	-	-	-	1	-
Hebron.....	633	1	-	-	-	-	-
Hiram.....	924	-	1	2	-	-	-
Lovell.....	660	-	-	2	1	-	-
Mason.....	60	-	-	1	-	-	-
Mexico.....	2,440	-	-	3	1	4	-
Newry.....	268	-	-	-	-	-	1
Norway.....	3,032	-	-	3	-	3	4
Oxford.....	1,188	-	-	1	-	1	-
Paris.....	3,499	-	-	2	2	-	4
Peru.....	737	-	-	1	-	-	-
Porter.....	858	-	-	-	-	-	-
Roxbury.....	325	-	-	-	-	-	1
Rumford.....	7,680	-	1	4	-	6	4
Stoneham.....	244	-	-	-	-	-	-
Stow.....	209	-	-	-	-	-	-
Sumner.....	750	-	-	-	-	-	2
Sweden.....	261	-	-	-	-	1	1
Upton.....	324	-	-	-	-	-	-
Waterford.....	939	-	-	-	-	1	-
Woodstock.....	808	-	-	1	-	-	-
Lincoln Pl.....	376	-	-	-	-	-	-
Magalloway Pl.....	103	-	-	-	-	-	-
Milton Pl.....	206	-	-	-	-	-	-
Batchelder's Grant.....	36	-	-	-	-	-	-
PENOBSCOT COUNTY.....	*86,648	7	6	99	9	28	54
Alton.....	243	-	-	-	-	-	-
Argyle.....	216	-	-	-	-	-	2

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Bangor.....	25,762	6	3	43	2	6	12
Bradford.....	924	-	-	2	1	-	-
Bradley.....	626	-	-	2	-	1	-
Brewer.....	5,915	-	-	6	2	2	1
Burlington.....	364	1	1	-	-	-	-
Carmel.....	1,074	-	-	2	-	-	1
Carroll.....	466	-	-	-	-	-	-
Charleston.....	872	-	-	-	-	-	1
Chester.....	346	-	-	-	-	-	-
Clifton.....	211	-	-	-	-	-	-
Corinna.....	1,255	-	-	2	-	-	-
Corinth.....	1,034	-	-	1	-	-	2
Dexter.....	3,707	-	1	2	-	-	2
Dixmont.....	735	-	-	-	-	-	2
East Millinocket.....	923	-	-	2	-	1	-
Eddington.....	607	-	-	-	-	-	-
Edinburg.....	41	-	-	-	-	-	-
Enfield.....	949	-	-	1	-	1	-
Etna.....	523	-	-	1	-	-	-
Exeter.....	888	-	-	2	-	-	-
Garland.....	805	-	-	-	-	-	1
Glenburn.....	457	-	-	1	1	-	-
Greenbush.....	455	-	-	-	-	-	2
Greenfield.....	195	-	-	-	-	-	-
Hampden.....	2,440	-	1	4	-	-	3
Hermon.....	1,218	-	-	4	-	-	-
Holden.....	609	-	-	-	-	-	1
Howland.....	488	-	-	-	-	-	-
Hudson.....	397	-	-	-	-	-	1
Kenduskeag.....	499	-	-	1	1	-	-
Kingman.....	721	-	-	1	-	-	-
Lagrange.....	598	-	-	1	-	-	-
Lee.....	743	-	-	1	-	-	-
Levant.....	683	-	-	1	-	1	6
Lincoln.....	2,065	-	-	-	1	1	2
Lowell.....	247	-	-	-	1	-	-
Mattawamkeag.....	513	-	-	-	-	-	-
Maxfield.....	70	-	-	-	-	-	-
Medway.....	548	-	-	-	-	-	-
Millford.....	1,005	-	-	-	-	-	3
Millinocket.....	3,368	-	-	-	-	6	-
Mt. Chase.....	206	-	-	-	-	-	-
Newburg.....	682	-	-	-	-	-	2
Newport.....	1,810	-	-	2	-	-	1
Old Town.....	6,581	-	-	5	-	-	1
Orono.....	3,645	-	-	3	1	1	3
Orrington.....	1,213	-	-	3	-	-	1
Passadumkeag.....	454	-	-	1	-	-	-
Patten.....	1,452	-	-	1	-	-	2
Plymouth.....	572	-	-	-	-	-	-
Prentiss.....	463	-	-	-	-	-	-
Springfield.....	441	-	-	-	-	-	-
Stetson.....	474	-	-	1	-	-	1
Veazie.....	557	-	-	-	-	-	-
Winn.....	646	-	-	2	-	-	-
Woodville.....	116	-	-	-	-	-	-
Drew Pl.....	271	-	-	1	-	-	-
Grand Falls Pl.....	52	-	-	-	-	-	-
Lakeville Pl.....	88	-	-	-	-	-	-
Sebecis Pl.....	85	-	-	-	-	-	-

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Stacyville Pl.	646	-	-	-	-	-	-
Webster Pl.	97	-	-	-	-	-	-
Indian Twp. No. 3.	44	-	-	-	-	-	-
No. 1, R 7.	40	-	-	-	-	-	-
No. 2, R 6.	208	-	-	-	-	-	-
PISCATAQUIS COUNTY.	*19,888	2	2	16	4	10	9
Abbot.	703	-	-	2	1	-	1
Atkinson.	534	-	-	-	-	-	-
Blanchard.	154	-	-	-	-	-	-
Bowerbark.	76	-	-	-	-	-	1
Brownville.	1,879	1	-	-	-	-	-
Dover.	2,151	-	-	2	-	1	-
Foxcroft.	1,938	-	-	2	2	2	2
Greenville.	1,581	1	-	1	-	1	2
Guilford.	1,721	-	-	2	-	-	-
Medford.	256	-	-	-	-	-	-
Milo.	2,976	-	-	1	-	3	-
Monson.	1,268	-	-	1	-	-	-
Orneville.	357	-	-	1	-	-	1
Parkman.	628	-	1	-	1	2	-
Sangerville.	1,325	-	-	2	-	1	-
Sebec.	537	-	-	-	-	-	1
Shirley.	359	-	-	1	-	-	-
Wellington.	387	-	-	1	-	-	1
Williamsburg.	144	-	1	-	-	-	-
Willimantic.	256	-	-	-	-	-	-
Barnard Pl.	101	-	-	-	-	-	-
Elliottsville Pl.	126	-	-	-	-	-	-
Kingsbury Pl.	168	-	-	-	-	-	-
Lake View Pl.	259	-	-	-	-	-	-
Katahdin Iron Works.	63	-	-	-	-	-	-
SAGADAHOC COUNTY.	18,063	-	2	26	4	7	17
Arrowsic.	144	-	-	-	-	-	-
Bath.	9,072	-	1	11	3	5	3
Bowdoin.	778	-	-	-	-	-	4
Bowdoinham.	1,409	-	-	-	1	-	2
Georgetown.	724	-	-	2	-	-	1
Perkins.	38	-	-	-	-	-	-
Phippsburg.	1,028	-	-	5	-	1	2
Richmond.	1,801	-	-	2	-	1	1
Topsham.	1,992	-	1	4	-	-	3
West Bath.	212	-	-	1	-	-	-
Woolwich.	865	-	-	1	-	-	1
SOMERSET COUNTY.	*36,839	1	2	40	8	15	25
Anson.	2,323	-	-	3	-	1	1
Athens.	918	-	-	2	1	1	-
Bingham.	757	-	-	-	-	-	-
Cambridge.	369	-	-	1	1	1	-
Canaan.	844	-	-	3	-	1	2

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
Concord.....	244	-	-	-	-	-	-
Cornville.....	729	-	-	-	1	-	-
Detroit.....	515	-	-	-	-	-	-
Embsen.....	517	-	-	1	-	1	-
Fairfield.....	5,000	-	-	5	1	4	5
Harmony.....	778	-	-	2	-	-	-
Hartland.....	1,194	-	-	-	1	-	1
Madison.....	3,562	-	-	2	-	2	-
Mercer.....	426	-	-	-	-	-	-
Moscow.....	560	-	-	-	-	-	1
New Portland.....	873	-	-	2	-	-	-
Norridgewock.....	1,641	-	-	1	1	-	1
Palmyra.....	972	-	-	2	1	-	-
Pittsfield.....	2,891	1	-	2	-	1	4
Ripley.....	431	-	-	-	-	-	-
St. Albans.....	1,017	-	-	3	-	-	-
Skowhegan.....	5,389	-	2	7	1	1	7
Smithfield.....	419	-	-	-	-	-	-
Solon.....	1,046	-	-	1	-	-	-
Stark.....	523	-	-	-	-	-	-
Bigelow Pl.....	54	-	-	-	-	-	-
Brighton Pl.....	247	-	-	-	-	-	-
Caratunk Pl.....	241	-	-	-	-	-	-
Dead River Pl.....	94	-	-	1	-	-	-
Dennistown Pl.....	99	-	-	-	-	-	-
Flagstaff Pl.....	158	-	-	-	-	-	-
Highland Pl.....	68	-	-	-	-	-	-
Jackman Pl.....	760	-	-	1	-	2	-
Lexington Pl.....	237	-	-	-	-	-	1
Long Pond Pl.....	240	-	-	-	-	-	-
Mayfield Pl.....	61	-	-	-	-	-	-
Moose River Pl.....	254	-	-	1	-	-	-
Pleasant Ridge Pl.....	86	-	-	-	-	-	1
The Forks Pl.....	172	-	-	-	-	-	-
West Forks Pl.....	130	-	-	-	-	-	-
WALDO COUNTY.....	23,111	1	4	28	7	11	14
Belfast.....	4,618	1	-	9	1	5	3
Belmont.....	331	-	-	-	-	-	-
Brooks.....	660	-	-	2	-	-	-
Burnham.....	727	-	-	-	-	-	-
Frankfort.....	1,147	-	-	-	-	-	1
Freedom.....	480	-	1	1	1	-	-
Islesboro.....	859	-	-	-	-	-	-
Jackson.....	410	-	-	-	-	-	-
Knox.....	499	-	-	1	1	-	-
Liberty.....	626	-	-	1	-	1	2
Lincolnville.....	960	-	-	3	1	1	-
Monroe.....	856	-	-	1	1	-	1
Montville.....	811	-	1	1	-	-	2
Morrill.....	332	-	-	-	-	-	-
Northport.....	509	-	-	-	-	2	-
Palermo.....	669	-	-	-	-	-	-
Prospect.....	587	-	-	-	-	-	-
Searsmont.....	796	-	-	-	1	1	-
Searsport.....	1,471	-	-	4	-	1	-
Stockton Springs.....	1,169	-	-	1	-	-	-
Swanville.....	455	-	-	2	-	-	-
Thorndike.....	534	-	-	1	-	-	-
Troy.....	768	-	-	1	-	-	1
Unity.....	905	-	-	-	-	-	-
Waldo.....	362	-	2	-	-	-	1
Winterport.....	1,570	-	-	-	1	-	3

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
WASHINGTON COUNTY.....	*41,967	1	3	38	5	18	40
Addisor.....	961	-	-	2	-	-	2
Alexander.....	386	-	1	-	-	-	-
Baileyville.....	1,410	-	-	1	-	-	-
Baring.....	228	-	-	-	-	-	-
Beddington.....	86	-	-	-	-	-	-
Brookton.....	222	-	-	-	-	-	1
Calais.....	5,654	1	1	5	-	6	6
Centerville.....	91	-	-	-	-	-	-
Charlotte.....	284	-	-	1	-	-	-
Cherryfield.....	1,367	-	-	1	-	-	-
Columbia.....	573	-	-	1	-	-	-
Columbia Falls.....	(91)	-	-	-	1	-	1
Cooper.....	184	-	-	-	-	-	2
Crawford.....	114	-	-	-	-	-	-
Cutler.....	591	-	-	-	-	1	2
Danforth.....	1,355	-	1	-	-	-	3
Deblois.....	69	-	-	-	-	-	-
Dennysville.....	453	-	-	-	-	-	-
East Machias.....	1,353	-	-	1	-	1	1
Eastport.....	4,926	-	-	6	-	3	4
Edmunds.....	652	-	-	-	-	-	-
Forest City.....	60	-	-	-	-	-	-
Harrington.....	978	-	-	-	-	-	1
Jonesboro.....	498	-	-	-	-	-	-
Jonesport.....	2,059	-	-	4	-	2	2
Lubec.....	3,441	-	-	5	-	2	2
Machias.....	2,089	-	-	-	-	1	-
Machiasport.....	1,218	-	-	-	2	-	1
Marion.....	120	-	-	1	-	-	-
Marshfield.....	163	-	-	-	-	-	-
Meddybemps.....	115	-	-	-	-	-	1
Milbridge.....	1,439	-	-	2	-	-	-
Northfield.....	69	-	-	-	-	-	-
Pembroke.....	1,297	-	-	1	-	1	2
Perry.....	1,130	-	-	2	-	-	-
Princeton.....	1,091	-	-	-	-	-	4
Robbinston.....	631	-	-	-	-	-	-
Roque Bluffs.....	87	-	-	-	-	-	-
Steuben.....	890	-	-	2	-	-	-
Talmadge.....	100	-	-	-	-	-	-
Topsfield.....	253	-	-	-	1	1	-
Trescott.....	461	-	-	1	-	-	-
Vanceboro.....	644	-	-	-	1	-	5
Waite.....	170	-	-	-	-	-	-
Wesley.....	166	-	-	-	-	-	-
Whiting.....	359	-	-	1	-	-	-
Whitneyville.....	210	-	-	-	-	-	-
Codyville Pl.....	69	-	-	-	-	-	-
Grand Lake Stream Pl.....	303	-	-	-	-	-	-
No. 14 Pl.....	82	-	-	-	-	-	-
No. 21 Pl.....	81	-	-	1	-	-	-
Kossuth.....	44	-	-	-	-	-	-

*Population of county, omitting that of unorganized townships and other places not represented in this tabulation. See Table "State and Counties."

TABLE

Deaths in Each Town from Certain

COUNTY AND TOWNS.	Estimated popu- lation in 1913.	Alcoholism.	Rheumatism.	Cancer.	Diabetes.	Diseases of early infancy.	Old age.
YORK COUNTY.....	69,511	5	6	95	15	50	31
Acton.....	580	-	-	-	-	-	-
Alfred.....	880	-	-	1	-	-	-
Berwick.....	2,042	-	1	4	2	1	-
Biddeford.....	17,381	3	-	23	3	22	7
Buxton.....	1,027	-	-	3	-	-	-
Cornish.....	945	-	-	2	-	1	1
Dayton.....	372	-	-	2	-	-	1
Eliot.....	1,558	-	1	1	-	1	-
Hollis.....	1,284	-	1	3	1	-	1
Kennebunk.....	3,061	-	-	7	1	1	-
Kennebunkport.....	2,130	-	-	4	1	2	4
Kittery.....	3,732	-	1	3	-	2	-
Lebanon.....	1,320	-	-	1	-	1	1
Limerick.....	992	1	-	1	-	-	-
Limington.....	972	-	-	3	-	1	-
Lyman.....	594	-	-	2	-	-	1
Newfield.....	605	-	-	2	-	-	-
North Berwick.....	1,786	-	-	3	-	-	1
Old Orchard.....	961	-	1	4	-	-	1
Parsonsfield.....	1,046	-	-	-	3	-	1
Saco.....	6,721	1	-	5	-	2	8
Sanford.....	9,643	-	1	11	3	13	-
Shapleigh.....	675	-	-	1	-	-	-
South Berwick.....	2,885	-	-	3	1	-	1
Waterboro.....	980	-	-	1	-	1	1
Wells.....	1,898	-	-	1	-	-	1
York.....	2,841	-	-	4	-	2	1

No. 33—Concluded.

Diseases and Groups of Diseases.

Encephalitis and simple meningitis.	Infantile paralysis.	Cerebral hemorrhage, apoplexy.	Other diseases of nervous system.	Diseases of heart.	Pneumonia.	Bronchitis.	Other diseases of respiratory system.	Diseases of digestive system.	Acute nephritis.	Bright's disease.	Fatalities of repro- duction.	Suicide.	Accidents and other external causes.
14	4	84	52	152	111	23	17	52	17	22	2	11	48
-	-	1	1	1	2	-	-	1	-	-	-	1	-
-	-	3	1	2	1	-	-	1	-	1	-	-	3
3	1	13	5	24	42	3	6	20	1	2	-	-	21
-	-	2	2	5	2	2	-	1	5	12	1	-	-
-	-	1	1	2	-	1	-	1	2	7	-	-	1
-	-	1	-	-	-	-	-	-	-	-	-	-	-
-	-	6	1	3	1	1	-	2	-	1	-	-	-
-	-	1	2	4	-	1	-	-	-	-	-	-	1
-	-	7	4	7	4	2	-	1	2	6	-	-	5
-	-	4	1	7	2	1	-	4	-	-	-	-	1
-	-	2	3	10	3	1	2	-	1	9	-	-	3
-	-	1	-	-	2	-	-	1	-	-	-	1	-
-	-	2	2	1	2	-	-	2	-	1	-	-	-
-	-	1	2	4	1	3	-	1	-	3	-	-	3
-	-	1	4	3	2	-	-	1	-	1	-	-	1
-	-	3	-	1	3	-	-	-	-	1	-	-	-
-	-	1	1	5	1	-	1	1	1	-	-	-	-
-	-	4	8	3	2	-	-	-	-	3	-	-	1
-	-	12	6	15	5	1	-	1	1	2	-	-	1
3	-	8	6	12	18	2	2	4	3	9	-	5	1
7	1	-	6	1	1	-	-	3	-	-	-	1	-
-	-	4	1	13	5	1	-	2	1	2	-	-	1
-	-	-	2	1	1	-	-	3	-	1	-	1	-
-	-	4	4	7	3	2	-	2	-	1	-	1	2
-	2	1	2	5	1	1	3	1	-	2	-	-	3

TABLE
Deaths by Ages, Sex and

CO UNTIES.	Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Androscoggin, males.....	99	30	10	20	33	24	45	55	74	80	56	3	-	-
females.....	64	29	14	18	30	34	45	45	75	75	47	10	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Aroostook, males.....	179	58	19	19	25	27	28	39	42	67	32	9	-	4
females.....	138	48	13	20	30	19	24	19	36	45	32	5	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Cumberland, males.....	112	43	16	33	57	64	72	110	150	168	89	14	-	2
females.....	117	32	20	28	42	57	74	110	154	187	133	24	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Franklin, males.....	28	5	4	4	7	4	5	15	17	30	28	1	-	1
females.....	12	8	2	8	5	8	11	9	20	28	23	9	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock, males.....	21	8	2	11	14	6	15	32	42	54	34	5	-	1
females.....	27	8	2	13	12	9	12	23	54	67	47	7	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec, males.....	59	26	12	14	21	38	39	67	101	133	55	8	-	-
females.....	51	30	6	14	32	44	44	54	71	105	54	21	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Knox, males.....	25	3	3	9	7	15	18	29	57	57	36	3	-	-
females.....	17	6	3	7	14	12	11	38	41	55	35	7	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lincoln, males.....	4	-	3	3	6	4	-	12	22	44	24	5	-	-
females.....	3	-	-	2	5	2	7	10	21	19	27	3	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford, males.....	43	14	2	10	15	19	18	26	45	55	44	6	-	2
females.....	36	4	1	6	16	17	12	28	25	50	43	7	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Penobscot, males.....	80	23	17	26	47	53	68	74	101	119	77	12	-	5
females.....	58	19	10	24	28	49	45	76	85	115	77	18	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Piscataquis, males.....	25	5	-	6	15	5	9	17	25	27	16	2	-	2
females.....	10	3	3	4	10	11	5	11	9	31	10	-	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Sagadahoc, males.....	13	5	1	6	11	10	11	20	30	38	18	4	-	-
females.....	10	2	2	6	8	9	12	21	36	34	6	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Somerset, males.....	40	14	4	11	12	7	14	12	43	52	32	8	-	2
females.....	25	11	6	7	12	21	24	28	26	47	38	7	-	2
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waldo, males.....	15	-	3	4	7	8	12	21	37	54	26	3	-	1
females.....	10	1	-	3	13	15	7	22	36	43	25	6	1	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington, males.....	40	14	5	11	13	19	14	35	53	53	40	8	-	1
females.....	28	11	5	15	13	13	15	11	38	53	39	9	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
York, males.....	80	40	8	18	25	28	27	69	87	122	61	5	-	-
females.....	65	26	12	17	24	38	38	60	98	114	63	12	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males.....	863	288	109	205	315	331	395	633	926	1153	668	96	-	21
females.....	671	238	99	188	292	357	383	556	810	1070	727	151	1	6
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand total.....	1534	526	208	393	607	688	778	1189	1736	2223	1395	247	1	27

No. 34.

Months by Counties, 1913.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
52	45	55	51	42	36	34	53	49	38	38	36	-	529	-
51	38	48	38	42	39	43	46	28	44	29	41	-	487	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,016
28	46	38	47	39	39	42	75	69	45	37	43	-	548	-
33	35	27	31	30	38	42	61	51	29	28	25	-	430	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	978
101	85	86	85	89	65	68	86	70	62	57	76	-	930	-
87	100	105	84	69	88	76	81	81	60	74	73	-	978	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,908
17	14	19	13	17	8	8	14	10	10	13	6	-	149	-
12	9	17	11	16	11	13	14	9	9	12	10	-	143	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	292
23	22	31	29	26	25	10	10	16	14	16	23	-	245	-
26	29	23	31	25	23	14	23	24	25	15	23	-	281	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	526
57	66	61	42	45	47	46	43	45	38	35	48	-	573	-
57	53	54	52	40	35	41	35	39	39	35	46	-	526	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,099
21	30	28	21	25	18	14	26	22	17	15	25	-	262	-
25	22	22	21	21	29	15	21	17	18	18	17	-	246	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	508
18	7	9	13	8	16	8	12	11	9	7	9	-	127	-
13	12	12	6	11	5	5	8	4	7	9	7	-	99	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	226
22	33	33	19	17	14	18	29	34	32	23	25	-	299	-
23	21	15	17	26	18	22	24	22	21	22	14	-	245	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	544
73	63	60	69	71	32	41	50	53	58	58	74	-	702	-
65	48	67	51	52	42	38	43	48	40	45	65	-	604	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,306
19	16	17	12	21	6	13	9	11	13	12	5	-	154	-
6	12	11	17	12	9	3	6	7	10	8	6	-	108	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	262
11	21	16	8	19	9	6	20	12	10	18	17	-	167	-
15	19	19	11	18	11	4	12	11	8	9	11	-	148	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	315
23	17	30	20	22	24	12	25	21	23	16	18	-	251	-
28	19	28	19	18	23	29	25	22	14	19	10	-	254	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	505
16	11	30	20	15	18	10	15	21	11	9	15	-	191	-
16	19	22	14	21	9	13	14	16	6	17	16	-	183	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	374
23	19	34	31	28	16	25	27	29	26	20	28	-	306	-
30	22	33	24	16	15	21	18	12	22	22	15	-	250	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	556
57	55	64	42	47	20	27	55	56	52	41	54	-	570	-
51	56	66	33	43	39	30	50	56	47	46	50	-	567	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,137
561	550	611	522	531	393	382	549	529	458	415	502	-	6,003	-
538	514	569	460	460	434	409	481	447	399	408	429	1	5,549	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
1,099	1,064	1,180	982	991	827	791	1,030	976	857	823	931	1	11,552	11,552

TABLE
Deaths by Ages, Sex and

CITIES.	Under 1.	1 to 4.	5 to 9.	10 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
Auburn, males.....	20	4	3	1	7	-	11	11	20	26	9	2	-	-
females.....	12	8	3	1	3	12	5	14	13	20	14	3	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Augusta, males.....	21	4	3	2	11	14	17	30	37	29	10	3	-	-
females.....	17	4	2	3	10	15	15	14	21	27	12	5	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bangor, males.....	19	7	5	11	15	37	39	48	38	35	23	5	-	-
females.....	16	6	2	11	13	23	19	38	30	38	24	7	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Bath, males.....	7	4	1	-	7	5	7	11	17	12	8	1	-	-
females.....	6	1	1	1	-	6	3	6	13	17	10	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Belfast, males.....	6	-	1	2	2	4	4	3	13	11	3	1	-	-
females.....	2	1	-	1	4	4	2	9	8	14	7	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Biddeford, males.....	37	16	1	9	12	9	9	23	15	22	8	-	-	-
females.....	22	10	3	5	8	18	11	14	20	19	10	3	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Brewer, males.....	6	2	1	2	3	2	6	3	7	5	4	-	-	-
females.....	2	2	-	1	-	1	5	2	2	9	5	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Calais, males.....	13	1	-	3	2	5	1	2	14	11	3	2	-	-
females.....	9	4	-	2	4	1	5	1	6	7	7	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Eastport, males.....	4	1	3	2	5	-	1	6	5	4	4	1	-	-
females.....	2	2	1	-	-	3	1	2	4	8	5	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ellsworth, males.....	5	1	-	2	3	3	3	5	9	13	4	-	-	-
females.....	2	1	1	-	2	2	2	6	6	8	3	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Gardiner, males.....	4	3	2	2	2	4	6	6	2	7	5	-	-	-
females.....	4	5	1	1	2	6	4	7	9	10	6	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hallowell, males.....	1	2	-	-	-	2	1	1	6	12	2	-	-	-
females.....	2	2	-	1	3	-	-	3	3	5	2	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lewiston, males.....	61	20	6	15	22	20	26	29	33	32	19	-	-	-
females.....	43	16	9	12	24	19	32	21	39	22	13	1	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Old Town, males.....	17	5	2	3	5	3	7	3	5	5	1	1	-	-
females.....	9	2	3	1	-	1	5	3	6	7	2	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Portland, males.....	77	28	11	23	43	42	56	67	88	83	29	3	-	-
females.....	79	23	6	16	31	35	48	64	83	98	55	11	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rockland, males.....	10	-	1	3	3	6	9	12	16	16	8	1	-	-
females.....	6	1	1	4	4	4	6	13	14	15	7	3	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Saco, males.....	6	3	1	1	-	1	1	10	9	9	5	-	-	-
females.....	6	4	2	3	1	1	3	2	4	10	12	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
South Portland, males.....	19	2	2	-	1	6	-	5	10	8	2	1	-	-
females.....	19	2	2	-	2	2	6	5	10	11	10	2	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Waterville, males.....	18	5	3	4	3	6	4	7	7	8	6	-	-	-
females.....	8	6	2	7	6	11	10	9	5	13	5	1	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Westbrook, males.....	4	4	1	2	5	-	3	8	11	9	7	-	-	-
females.....	3	1	1	1	-	5	3	9	7	13	5	-	-	-
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total, males.....	346	112	47	87	151	169	211	290	362	357	160	21	-	-
females.....	260	101	40	71	118	169	185	239	303	369	214	44	-	1
not stated.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Grand total.....	606	213	87	158	269	338	396	529	665	726	374	65	-	1

No. 35.
Months by Cities, 1912.

January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.	Grand total.
10	11	14	4	7	6	8	11	15	6	12	10	-	114	-
14	7	10	11	8	9	11	8	2	9	8	12	-	106	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	223
19	25	16	13	13	19	17	16	9	9	14	11	-	181	-
16	11	15	14	9	7	13	13	11	12	8	16	-	145	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	326
28	26	23	35	21	16	17	18	15	30	23	30	-	282	-
19	18	27	19	16	17	14	17	17	16	19	28	-	227	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	509
6	13	4	2	10	3	3	10	5	5	7	12	-	80	-
3	6	11	7	11	2	1	5	6	5	3	4	-	64	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	144
6	3	10	5	4	6	1	2	6	2	2	3	-	50	-
3	6	5	4	8	2	5	5	4	2	6	2	-	52	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	102
14	16	16	18	19	6	3	16	21	10	9	13	-	161	-
15	13	16	11	17	9	7	20	8	12	8	7	-	143	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	304
4	3	3	6	2	1	1	1	5	2	10	1	-	41	-
6	-	1	3	5	1	1	-	5	2	2	3	-	29	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	70
7	2	4	4	11	1	4	3	7	4	5	5	-	57	-
8	5	6	6	3	1	4	4	1	4	3	3	-	48	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	105
6	4	3	3	4	-	2	2	3	1	3	5	-	36	-
5	4	2	4	3	-	1	2	2	2	2	3	-	30	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	66
5	4	3	7	7	6	-	4	1	4	4	3	-	48	-
6	2	3	4	5	1	-	2	5	2	2	1	-	33	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	81
6	6	5	7	6	2	2	4	2	2	1	4	-	43	-
6	6	6	6	6	4	4	-	5	4	2	3	-	57	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	100
3	1	2	4	4	-	3	3	2	3	1	1	-	27	-
1	6	1	1	-	1	-	1	2	1	2	-	-	16	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
21	22	26	34	25	23	20	25	25	23	20	19	-	283	-
23	22	26	12	21	19	24	27	19	26	13	19	-	251	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	534
5	6	8	3	8	4	7	2	6	2	2	4	-	57	-
3	5	3	3	2	4	3	3	5	4	2	2	-	39	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
62	51	46	40	53	45	41	46	41	38	35	45	-	550	-
42	61	51	47	40	50	45	43	52	28	48	49	-	549	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1,099
5	7	9	9	9	3	4	8	12	6	7	6	-	85	-
6	7	7	5	9	6	4	6	9	6	8	5	-	78	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	163
5	4	7	4	2	1	2	3	4	8	2	4	-	46	-
5	4	2	3	7	6	3	2	4	3	3	8	-	50	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	96
4	6	-	5	4	3	3	6	6	3	5	1	-	47	-
4	4	8	5	3	2	5	10	4	7	6	4	-	62	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	109
4	8	7	4	5	8	3	7	8	6	5	6	-	71	-
9	8	8	8	11	11	2	3	3	7	7	6	-	83	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	154
5	9	9	6	6	-	5	3	5	1	1	4	-	54	-
6	4	5	4	4	1	3	8	4	3	4	2	-	49	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	103
225	227	215	217	224	155	146	186	198	165	168	187	-	2,313	-
200	202	213	169	188	153	150	183	168	155	156	177	-	2,114	-
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
425	429	428	386	412	308	296	369	366	320	324	364	-	4,427	4,427

TABLE No. 36.

Number of Deaths from Several Specified Causes of Each Sex, in Each Month, which were Registered during Twenty-two years, 1892-1913.

	Measles.	Scarlet fever.	Whooping cough.	Diphtheria and croup.	Typhoid fever.	Consumption.	Diarrhea and enteritis (under 2 years.)	Pneumonia.	Bronchitis.	Cerebral hemorrhage, apoplexy.
Totals.....	918	589	1,473	3,146	3,984	22,120	11,391	22,991	4,737	14,769
Males.....	436	275	699	1,569	2,287	10,015	-	11,364	2,169	7,168
Females.....	480	314	774	1,576	1,696	12,104	-	11,620	2,568	7,601
Not stated.....	2	-	-	1	1	1	-	7	-	-
January.....	81	49	148	339	304	1,920	170	3,293	588	1,373
February.....	81	52	121	272	255	1,863	141	3,160	566	1,300
March.....	94	78	129	207	331	2,232	173	3,419	638	1,306
April.....	106	60	119	201	293	2,162	177	2,849	533	1,239
May.....	117	48	109	226	269	2,143	192	2,229	436	1,280
June.....	94	47	122	181	218	1,851	290	1,220	310	1,152
July.....	95	25	120	172	197	1,754	1,463	574	212	1,080
August.....	52	25	146	183	316	1,670	3,695	509	147	1,158
September.....	31	38	141	223	499	1,547	3,245	716	199	1,181
October.....	53	48	90	337	544	1,670	1,346	1,208	322	1,204
November.....	63	69	107	407	404	1,546	305	1,573	342	1,192
December.....	51	50	118	398	347	1,746	191	2,230	438	1,300
Not stated.....	-	-	3	-	7	16	3	11	6	4

NOTES ON DEATHS AND THE CAUSES OF DEATHS.

The number of deaths registered in the year 1913, was 11,552. This was 162 more than for the preceding year, 1912. A glance at the following tabulation will show that the death-rate, based upon the estimated population of all but the census year, 1910, has, upon the whole, lessened considerably. In the year for which this report is made the death-rate, however, is higher than for the preceding year, namely, 15.35.

YEARS.	Total deaths.	Males.	Females.	Not stated.	Death-rate per 1,000.
1892.....	12,147	5,939	6,175	33	18.19
1893.....	11,134	5,557	5,551	26	16.59
1894.....	11,012	5,570	5,422	20	16.33
1895.....	10,464	5,226	5,228	10	15.44
1896.....	10,626	5,350	5,268	8	15.60
1897.....	11,236	5,624	5,606	6	16.42
1898.....	10,956	5,506	5,447	3	15.93
1899.....	11,370	5,676	5,686	8	16.45
1900.....	11,389	5,734	5,619	6	16.40
1901.....	11,133	5,604	5,523	6	15.94
1902.....	10,673	5,454	5,216	3	15.19
1903.....	11,009	5,629	5,378	2	15.58
1904.....	11,346	5,868	5,468	10	15.97
1905.....	11,381	5,835	5,545	1	15.92
1906.....	11,427	5,925	5,497	5	15.90
1907.....	11,803	6,100	5,700	3	16.33
1908.....	11,664	6,060	5,602	2	16.05
1909.....	11,295	5,743	5,551	1	15.45
1910.....	12,439	6,427	6,012	-	16.62
1911.....	11,731	6,119	5,612	-	15.68
1912.....	11,390	5,865	5,523	2	15.27
1913.....	11,552	6,003	5,549	-	15.35
Average.....	11,328	5,765	5,556	7	16.03

By referring to Table No. 3, it will be seen that the lowest death-rate was in Aroostook County, being only 12.59. The counties Hancock, Lincoln, Oxford, Penobscot, Piscataquis, Somerset, and Washington had lower death-rates than that of

the whole State; while the counties Androscoggin, Cumberland, Franklin, Kennebec, Knox, Sagadahoc, Waldo, and York had death-rates larger than that of the State. The highest county death-rate was that of Knox, 17.77.

The death-rate in the cities was 17.52 (20.46 in 1892, 19.89 in 1893, 19.65 in 1894, 18.36 in 1895, 18.78 in 1896, 20.11 in 1897, 19.74 in 1898, 18.10 in 1899, 18.34 in 1900, 17.90 in 1901, 17.03 in 1902, 17.16 in 1903, 18.00 in 1904, 16.79 in 1905, 17.25 in 1906, 18.18 in 1907, 17.03 in 1908, 16.63 in 1909, 19.13 in 1910, 17.78 in 1911, and 17.79 in 1912), as compared with that of the rest of the State with the cities omitted, which death-rate was 14.11, (17.46 in 1892, 15.54 in 1893, 15.39 in 1894, 14.77 in 1895, 14.93 in 1896, 15.68 in 1897, 15.24 in 1898, 15.52 in 1899, 15.47 in 1900, 15.13 in 1901, 14.58 in 1902, 13.39 in 1903, 15.54 in 1904, 15.49 in 1905, 14.71 in 1906, 15.60 in 1907, 15.54 in 1908, 14.85 in 1909, 14.96 in 1910, 14.74 in 1911, and 13.83 in 1912).

LARGEST NUMBER.			SMALLEST NUMBER.	
1892	January	1,577	November	790
1893	August	1,080	November	796
1894	January	1,266	November	761
1895	March	1,053	June	715
1896	August	1,079	November	667
1897	March	1,259	June	769
1898	September	1,147	June	791
1899	February	1,049	June	768
1900	April	1,196	November	769
1901	March	1,132	June	789
1902	December	998	June	805
1903	January	1,006	June	786
1904	April	1,116	July	800
1905	March	1,197	July	768
1906	August	1,133	January	822
1907	March	1,177	July	844
1908	January	1,128	June	818
1909	March	1,178	July	831
1910	March	1,149	June	844
1911	March	1,223	June	791
1912	January	1,052	November	836
1913	March	1,180	July	791

Seasons and Mortality.—The largest number of deaths occurred in March, 1,180. The smallest number of deaths in any one month was 791 in July. During the spring months 3,153 deaths occurred; during the summer, 2,648; during the autumn, 2,656; in the winter, 3,094. The table on page 173 shows the month in which the largest and the smallest number of deaths occurred in the years 1892-1913.

The following is a tabular statement of the number of deaths in each quarter of the twenty-two years 1892-1913.

	1st Quarter.	2d Quarter.	3d Quarter.	4th Quarter.
1892.....	3,964	2,926	2,780	2,427
1893.....	2,653	2,825	2,878	2,750
1894.....	3,166	2,660	2,774	2,402
1895.....	2,780	2,412	2,764	2,503
1896.....	2,728	2,717	2,836	2,339
1897.....	3,026	2,681	2,856	2,671
1898.....	2,567	2,641	2,964	2,782
1899.....	3,416	2,632	2,767	2,544
1900.....	2,879	3,057	2,909	2,536
1901.....	3,178	2,688	2,637	2,610
1902.....	2,787	2,503	2,585	2,774
1903.....	2,946	2,705	2,723	2,615
1904.....	3,100	2,961	2,603	2,670
1905.....	3,187	2,810	2,766	2,581
1906.....	2,735	2,794	3,135	2,747
1907.....	3,423	2,989	2,597	2,785
1908.....	3,114	2,817	2,932	2,799
1909.....	3,050	2,820	2,629	2,796
1910.....	3,286	2,962	3,117	3,074
1911.....	3,402	2,873	2,801	2,651
1912.....	3,133	2,835	2,657	2,657
1913.....	3,343	2,800	2,797	2,611
Average.....	3,085	2,778	2,796	2,656

The following table shows the number of deaths which have occurred in each of the twelve months in each of the years from 1892 to 1913:

DEATHS IN EACH MONTH FOR THE YEARS 1892-1913.

YEAR.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Not stated.	Total.
1892.....	1,577	1,292	1,095	1,048	1,045	883	866	938	976	844	790	793	50	12,147
1893.....	1,849	1,455	1,259	1,037	969	819	823	1,080	975	917	796	1,037	28	11,134
1894.....	1,266	980	920	993	851	816	865	953	956	821	791	820	10	11,012
1895.....	1,053	821	1,053	854	843	715	803	938	1,023	902	743	858	3	10,404
1896.....	863	921	944	942	961	814	845	1,079	912	833	697	839	6	10,462
1897.....	916	851	1,259	1,020	892	769	840	1,019	997	999	855	837	2	11,236
1898.....	887	817	863	915	935	791	814	1,003	1,147	1,034	837	911	2	10,956
1899.....	1,432	1,049	935	965	899	798	783	1,031	953	882	781	881	11	11,370
1900.....	903	881	1,095	1,196	1,068	793	839	1,033	1,037	911	769	856	8	11,389
1901.....	955	1,091	1,132	955	944	788	836	831	970	882	831	897	20	11,133
1902.....	876	900	929	939	919	805	837	861	911	854	820	998	24	10,673
1903.....	1,006	944	966	989	930	786	901	865	957	865	831	919	20	11,009
1904.....	985	1,035	1,080	1,116	1,038	807	800	896	907	909	817	944	12	11,346
1905.....	981	1,009	1,187	1,023	957	830	768	1,006	1,012	958	824	799	17	11,381
1906.....	822	853	1,060	1,187	961	848	885	1,133	1,117	920	885	942	16	11,427
1907.....	1,118	985	1,001	1,069	973	947	844	898	855	932	875	978	9	11,803
1908.....	1,128	985	1,001	1,177	1,045	818	820	1,006	1,079	990	890	919	2	11,664
1909.....	985	1,178	1,001	1,022	960	838	831	886	912	979	872	945	2	11,295
1910.....	1,101	1,036	1,149	1,103	1,015	844	913	881	1,084	1,034	1,013	1,027	4	12,439
1911.....	1,094	1,085	1,223	1,057	1,025	791	951	964	886	890	823	938	4	11,731
1912.....	1,032	1,034	1,047	1,014	980	841	881	873	903	907	836	1,022	-	11,390
1913.....	1,099	1,004	1,180	982	991	837	791	1,030	978	857	823	931	1	11,552
Total.....	22,801	21,508	23,472	22,269	21,110	17,889	18,536	21,470	21,545	20,120	18,119	20,091	247	249,177

Table No. 27 exhibits the total number of deaths which occurred in each month of the years 1906-1913. The number of deaths for 1913 in each month by counties is shown in Table No. 34.

Sex and Mortality.—Of the 11,552 decedents, 6,003 were males and 5,549 were females, and one was not stated.

Among children dying before they were 5 years old, 1,151 were males and 909 were females; there were 242 more deaths among boys under 5 years of age than among girls within the same age-period. At the age-periods from 5 to 80 years, there was also a preponderance of deaths among males, but from 80 to 100, more among females. At the age of 100 years and over, one woman died. See Table No. 34.

Age and Mortality.—The following shows the number of deaths which occurred within each age-period, and the relation which the percentage in each period bears to the whole number of deaths:

Under	1 year of age	1,534	13.27 per cent.
From	1-5 years of age	526	4.55 per cent.
From	5-10 years of age	208	1.80 per cent.
From	10-20 years of age	393	3.40 per cent.
From	20-30 years of age	607	5.25 per cent.
From	30-40 years of age	688	5.96 per cent.
From	40-50 years of age	778	6.73 per cent.
From	50-60 years of age	1,189	10.29 per cent.
From	60-70 years of age	1,736	14.16 per cent.
From	70-80 years of age	2,223	19.24 per cent.
From	80-90 years of age	1,395	12.08 per cent.
From	90-100 years of age	247	2.14 per cent.
	100 years of age and over	1	0.01 per cent.
	Ages not stated	27	0.23 per cent.

The Causes of Death.—Compared with 1912, among the chief causes of death there were in 1913, 10 more from cancer, 41 more from pneumonia, 6 more from measles, 1 more from scarlet fever, 93 more from influenza, 228 more from diarrheal diseases, 150 more from diseases of heart, and 21 more from nephritis and Bright's disease.

On the other hand there were 18 less from tuberculosis, 9 less from typhoid fever, 21 less from diabetes, 19 less from

whooping cough, 8 less from diphtheria and croup, 15 less from rheumatism, 134 less from diseases of nervous system, and 44 less from bronchitis.

The next table gives a cursory view of the relative mortality in 1912 and 1913 from some of the leading causes of death.

DEATHS FROM SOME OF THE LEADING CAUSES.

DISEASES.	1912.	1913.	More in 1912.	More in 1913.
Measles.....	59	65	-	6
Scarlet fever.....	16	17	-	1
Influenza.....	93	186	-	93
Whooping cough.....	54	35	19	-
Diphtheria and croup.....	97	89	8	-
Typhoid fever.....	102	93	9	-
Tuberculosis.....	995	977	18	-
Diarrheal diseases.....	405	633	-	228
Rheumatism.....	65	50	15	-
Cancer.....	828	838	-	10
Diabetes.....	149	128	21	-
Diseases of nervous system.....	1,541	1,407	134	-
Diseases of heart.....	1,292	1,442	1	150
Pneumonia.....	1,105	1,146	-	41
Bronchitis.....	205	161	44	-
Nephritis and Bright's disease.....	757	778	-	21

The following table shows the mortality from ten prominent causes in the twenty-two years 1892-1913. This year for the first time diseases of the heart occupy first place. The various diseases of the brain have occupied the first place among the causes of death, except in 1892, when pneumonia had the first place, until this year when it takes second place.

Consumption was the next most prominent cause until 1898 when it was reduced to the third place in the list; and in 1899 and 1900 it occupied the fourth place; in 1901, the third place; in 1902, 1903, 1904, 1905, 1906, 1907, 1908, 1909, 1910, and 1911 it occupied the fourth place, in 1912 it had fifth place, while this year it has declined to the sixth place. Pneumonia has the third place.

MORTALITY FROM TEN PROMINENT CAUSES, 1892-1913.

YEARS.	Brain disease*.	Heart disease.	Pneumonia.	Consumption.	Kidney disease. †	Cancer.	Old age.	Diarrhea and enteritis (under 2 years.)	Bronchitis.	Diphtheria and croup.
1892.....	3d	4th	1st	2d	8th	7th	5th	6th	9th	10th
1893.....	1st	4th	3d	2d	8th	7th	5th	6th	9th	10th
1894.....	1st	4th	3d	2d	8th	6th	5th	7th	9th	10th
1895.....	1st	3d	4th	2d	8th	7th	5th	6th	9th	10th
1896.....	1st	3d	4th	2d	8th	7th	5th	6th	10th	9th
1897.....	1st	3d	4th	2d	8th	7th	5th	6th	10th	9th
1898.....	1st	2d	4th	3d	8th	7th	6th	5th	9th	10th
1899.....	1st	3d	2d	4th	8th	7th	5th	6th	9th	10th
1900.....	1st	3d	2d	4th	8th	7th	5th	6th	9th	10th
1901.....	1st	2d	4th	3d	8th	6th	5th	7th	9th	10th
1902.....	1st	2d	3d	4th	7th	6th	5th	8th	9th	10th
1903.....	1st	2d	3d	4th	6th	7th	5th	8th	9th	10th
1904.....	1st	2d	3d	4th	6th	7th	5th	8th	9th	10th
1905.....	1st	2d	3d	4th	7th	6th	5th	8th	9th	10th
1906.....	1st	2d	3d	4th	5th	7th	8th	6th	9th	10th
1907.....	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1908.....	1st	2d	3d	4th	6th	5th	8th	7th	9th	10th
1909.....	1st	2d	3d	4th	6th	5th	7th	8th	9th	10th
1910.....	1st	2d	3d	4th	5th	6th	8th	7th	9th	10th
1911.....	1st	2d	3d	4th	5th	6th	7th	8th	9th	10th
1912.....	1st	2d	3d	5th	6th	4th	7th	8th	9th	10th
1913.....	2d	1st	3d	6th	5th	4th	7th	8th	9th	10th

*Including deaths certified as from apoplexy, paralysis, insanity, inflammatory diseases of brain and its membranes, and other brain diseases.

†Including deaths certified as from nephritis and Bright's disease.

By referring to Table No. 29 it will be noticed that the causes of death are arranged by counties under fourteen classes. The following notes on some of the classes and individual causes of death will be arranged in accordance with the classification shown in this Table No. 29.

Infectious Diseases.—The lists of the infectious diseases usually include smallpox, measles, scarlet fever, typhoid fever, whooping cough, diphtheria and croup. The following table shows the number of deaths which resulted from these diseases in the several counties of the State.

SIX INFECTIOUS DISEASES BY COUNTIES—1913.

COUNTIES.	Estimated population in 1913.	Aggregate deaths from six infectious diseases—1913.	Infectious death-rate per 10,000—1913.
Androscoggin.....	61,631	25	4.06
Aroostook.....	78,840	71	9.01
Cumberland.....	115,680	52	4.48
Franklin.....	19,320	1	0.52
Hancock.....	35,075	7	1.99
Kennebec.....	64,003	26	4.06
Knox.....	28,580	8	2.79
Lincoln.....	17,835	1	0.56
Oxford.....	37,462	8	2.14
Perobscot.....	87,991	36	4.09
Piscataquis.....	20,763	5	2.41
Sagadahoc.....	18,063	5	2.76
Somerset.....	37,144	16	4.30
Waldo.....	23,111	6	2.59
Washington.....	42,306	9	2.13
York.....	69,511	25	3.60
State.....	757,315	301	3.98

In the foregoing table the second column shows for each county the whole number of deaths for 1913 from the infectious diseases; the third column shows the infectious death-rate for the same year. The following table makes a similar comparative exhibit for the cities:

SIX INFECTIOUS DISEASES BY CITIES—1913.

CITIES.	Estimated population in 1913.	Aggregate deaths from six infectious diseases—1913.	Infectious death-rate per 10,000—1913.
Auburn.....	15,751	10	6.35
Augusta.....	13,705	4	2.92
Bangor.....	25,762	13	5.04
Bath.....	9,072	2	2.20
Belfast.....	4,618	1	2.17
Biddeford.....	17,381	4	2.30
Brewer.....	5,915	2	3.38
Calais.....	5,654	1	1.77
Eastport.....	4,926	1	2.04
Ellsworth.....	3,325	2	6.02
Gardiner.....	5,235	4	7.64
Hallowell.....	2,894	—	—
Lewiston.....	27,053	10	3.69
Old Town.....	6,581	3	4.56
Portland.....	61,308	33	5.38
Rockland.....	8,180	6	7.33
Saco.....	6,721	5	7.44
South Portland.....	7,825	5	6.40
Waterville.....	12,100	5	4.13
Westbrook.....	8,605	2	2.32
Collectively.....	252,611	113	4.47

By consulting the following table it will be seen that the number of deaths from scarlet fever, measles, influenza and tetanus was larger than in 1912. There was a smaller number of deaths from the other diseases included in this table.

INFECTIOUS DISEASES—1906-1913.

DISEASES.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	Total.
Smallpox.....	-	-	-	-	-	-	4	2	6
Measles.....	105	33	21	36	95	29	59	65	443
Scarlet fever.....	5	14	17	32	40	15	16	17	156
Influenza.....	109	278	241	170	125	200	93	186	1,402
Whooping cough....	109	72	80	58	104	77	54	35	589
Diphtheria and croup	119	122	105	112	99	77	97	89	820
Tetanus.....	4	7	6	5	11	9	2	3	47
Typhoid fever.....	133	124	151	110	149	135	102	93	997

Smallpox.—No deaths were due to this disease from 1892, when our system of registration went into effect until 1899, when there were three deaths; in 1900, 2; in 1902, 12; in 1903, 7; and in 1904, 3. In 1911, as in 1910, 1909, 1908, 1907, 1906, 1905, and 1901, there were no deaths from smallpox. In 1912 there were 4 deaths from this cause, all children, under 1 year, and in 1913, 2 deaths occurred, one of which was a man of 40 years, the other an infant.

Measles.—This disease caused the death of 65 persons, of whom 36 were males and 29 females. The deaths from measles were 29 in 1892, 55 in 1893, 21 in 1894, 8 in 1895, 32 in 1896, 22 in 1897, 41 in 1898, 39 in 1899, 84 in 1900, 26 in 1901, 28 in 1902, 36 in 1903, 22 in 1904, 32 in 1905, 105 in 1906, 33 in 1907, 21 in 1908, 36 in 1909, 95 in 1910, 29 in 1911, and 59 in 1912.

MEASLES BY COUNTIES, MONTHS, AND AGE-PERIODS—1896-1913.

By Counties.		By Months.		By Age-Periods.	
Androscoggin.....	94	January.....	67	Under 1.....	233
Aroostook.....	131	February.....	75	1-5.....	306
Cumberland.....	115	March.....	74	5-10.....	60
Franklin.....	21	April.....	90	10-20.....	53
Hancock.....	24	May.....	101	20-30.....	38
Kennebec.....	65	June.....	84	30-40.....	34
Knox.....	26	July.....	84	40-50.....	26
Lincoln.....	7	August.....	47	50-60.....	17
Oxford.....	43	September.....	29	Over 60.....	35
Penobscot.....	76	October.....	49	Not stated.....	3
Piscataquis.....	13	November.....	59	Total.....	805
Sagadahoc.....	8	December.....	46		
Somerset.....	63	Total.....	805		
Waldo.....	17				
Washington.....	34				
York.....	68				
State.....	805				

Scarlet Fever.—The total mortality from this disease was 17 (36 in 1892, 80 in 1893, 29 in 1894, 25 in 1895, 33 in 1896, 38 in 1897, 43 in 1898, 48 in 1899, 35 in 1900, 18 in 1901, 13 in 1902, 18 in 1903, 10 in 1904, 7 in 1905, 5 in 1906, 14 in 1907, 17 in 1908, 32 in 1909, 40 in 1910, 15 in 1911 and 16 in 1912. Eight males and 9 females. The largest number of deaths occurred at the age-period 1-5. The largest monthly number of deaths from this cause was in the months of February and March, 4 deaths having occurred in each month. There were 9 deaths in the first quarter, 3 in the second, 2 in the third, and 3 in the last quarter of the year.

Androscoggin county had 2 deaths from scarlet fever; Aroostook, 4; Hancock, 2; Penobscot, 3; Somerset, 2; and York, 4. Of the 17 deaths from this cause, 2 were in the cities.

The following is the exhibit of the scarlet fever deaths arranged by counties, months, and age-periods for the twenty-one years, 1893-1913.

SCARLET FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1913.

By Counties.		By Months.		By Age-Periods.	
Androscoggin.....	52	January.....	41	Under 1.....	50
Aroostook.....	83	February.....	48	1-5.....	257
Cumberland.....	59	March.....	74	5-10.....	156
Franklin.....	10	April.....	55	10-20.....	61
Hancock.....	25	May.....	44	20-30.....	17
Kennebec.....	46	June.....	44	30-40.....	8
Knox.....	29	July.....	25	40-50.....	1
Lincoln.....	5	August.....	25	50-60.....	2
Oxford.....	8	September.....	37	Not stated.....	1
Penobscot.....	54	October.....	46	Total.....	553
Piscataquis.....	11	November.....	66		
Sagadahoc.....	16	December.....	48		
Somerset.....	18	Total.....	553		
Waldo.....	14				
Washington.....	23				
York.....	100				
State.....	553				

The scarlatina death-rate per 10,000 for this State was 0.22; for the cities, 0.08.

Influenza.—During the year for which this report is made, 186 deaths were attributed to influenza. By months the percentage distribution of deaths from this cause was as follows: January, 16.13; February, 20.97; March, 12.91; April, 10.75; May, 1.08; June, 0.55; July, 0.55; September, 0.55; October, 2.69; November, 4.14; December, 3.87. The following shows the age incidence of deaths reported as having occurred from influenza:

Under	1 year, 20	30-40 years, 4
	1- 5 years, 7	40-50 years, 9
	5-10 years, 1	50-60 years, 11
	10-20 years, 3	60-70 years, 23
	20-30 years, 4	70-80 years, 50
		Over 80 years, 54

The influenza death-rate for the whole State was 2.47 for each 10,000 living population (11.43 in 1892, 2.31 in 1893, 4.46 in 1894, 2.30 in 1895, 1.77 in 1896, 4.45 in 1897, 2.19 in 1898, 5.50 in 1899, 3.40 in 1900, 3.83 in 1901, 1.87 in 1902, 2.82 in 1903, 2.39 in 1904, 3.40 in 1905, 1.52 in 1906, 3.85 in 1907, 3.32 in 1908, 2.33 in 1909, 1.68 in 1910, 2.67 in 1911, and 1.24 in 1912.)

DEATHS FROM INFLUENZA BY COUNTIES AND MONTHS, 1913.

COUNTIES.	January.	February	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.
Androscoggin.....	5	1	3	2	1	-	-	-	-	1	-	-	13
Aroostook.....	1	5	5	5	4	-	-	1	-	2	1	-	24
Cumberland.....	4	5	6	3	3	-	-	-	-	-	-	-	21
Franklin.....	1	3	4	1	1	-	-	-	-	-	-	-	10
Hancock.....	2	2	1	2	2	1	-	-	-	-	1	-	11
Kennebec.....	2	3	6	1	-	-	1	-	-	-	2	-	15
Knox.....	2	1	-	1	1	-	-	-	-	-	-	2	7
Lincoln.....	-	-	3	-	-	-	-	-	-	-	-	-	3
Oxford.....	2	-	2	1	2	-	-	-	-	-	-	-	7
Penobscot.....	4	5	2	1	1	-	-	-	-	1	2	2	18
Piscataquis.....	-	2	1	-	1	-	-	-	-	-	1	-	5
Sagadahoc.....	-	4	1	-	-	-	-	-	-	-	-	1	6
Somerset.....	2	2	6	2	-	1	-	-	1	-	-	-	14
Waldo.....	1	3	2	-	3	-	-	-	-	1	-	-	10
Washington.....	1	1	1	3	-	-	-	-	-	-	1	-	7
York.....	3	2	5	2	1	-	-	-	-	-	-	2	15
State.....	30	39	48	24	20	2	1	1	1	5	8	7	186

Whooping Cough.—The number of deaths from whooping cough was 35 (54 in 1892, 51 in 1893, 20 in 1894, 82 in 1895, 111 in 1896, 46 in 1897, 44 in 1898, 96 in 1899, 99 in 1900, 28 in 1901, 51 in 1902, 110 in 1903, 54 in 1904, 38 in 1905, 109 in 1906, 72 in 1907, 80 in 1908, 58 in 1909, 104 in 1910, 77 in 1911, and 54 in 1912,) of which 20 were males and 15 females. The number of deaths in the cities was 7. Fifteen of the 35 deaths from this cause were among infants under 1 year of age.

The deathrate in the State from whooping cough was 0.46 per 10,000; that of the cities, 0.58.

The following shows the deaths from whooping cough arranged by counties, months, and age-periods.

WHOOPING COUGH BY COUNTIES, MONTHS, AND AGE-PERIODS, 1913.

By Counties.		By Months.		By Age-Periods.	
Androscoggin.....	5	January.....	3	Under 1.....	15
Aroostook.....	9	February.....	6	1-5.....	15
Cumberland.....	1	March.....	2	5-10.....	4
Franklin.....	-	April.....	1	Over 10.....	1
Hancock.....	1	May.....	4	Total.....	35
Kennebec.....	6	June.....	4		
Knox.....	-	July.....	-		
Lincoln.....	-	August.....	5		
Oxford.....	-	September.....	6		
Penobscot.....	5	October.....	-		
Piscataquis.....	1	November.....	4		
Sagadahoc.....	1	December.....	-		
Somerset.....	2	Total.....	35		
Waldo.....	1				
Washington.....	2				
York.....	1				
State.....	35				

Diphtheria.—There were for the year 1913, 89 deaths from diphtheria. Of the decedents, 40 were males and 49 were females. Ages: Under 1, 9; 1-5, 42; 5-10, 32; 10-20, 4; 20-30, 1; 40-50, 1.

Of the 89 deaths, 36 were in the cities, and 53 in other places. The diphtheria death-rate for the State was 1.04, and for the cities, 1.42. The following exhibits the deaths from diphtheria arranged by counties and months, and gives the death-rate in each county:

DIPHTHERIA BY COUNTIES AND MONTHS, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	3	2	-	1	2	-	1	1	-	-	-	1	11	1.80
Aroostook....	3	-	3	1	4	-	5	4	-	-	4	4	28	3.55
Cumberland..	1	3	2	-	1	1	1	3	1	-	-	1	14	1.21
Franklin.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Hancock.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Kennebec....	-	2	-	-	-	1	-	-	-	3	3	2	11	1.72
Knox.....	-	-	-	-	-	-	-	-	-	-	-	1	1	0.35
Lincoln.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford.....	-	1	-	-	2	-	-	-	-	-	-	-	3	0.80
Penobscot....	-	-	-	-	-	-	-	-	-	1	1	1	3	0.34
Piscataquis...	-	-	-	-	-	-	-	-	-	-	1	-	1	0.48
Sagadahoc....	-	1	-	-	1	-	-	-	-	-	-	-	2	1.11
Somerset.....	-	-	-	-	-	-	-	1	1	-	-	-	2	0.54
Waldo.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Washington...	-	-	-	-	1	-	-	-	-	-	-	1	2	0.47
York.....	2	-	2	-	1	1	-	1	-	2	2	-	11	1.59
State....	9	9	7	2	12	3	7	10	2	6	11	11	89	1.17

The following tabulation shows the number of deaths from diphtheria for the twenty-one years 1893-1913 arranged by counties, months, and age-periods:

DIPHTHERIA BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1913.

By Counties.		By Months.		By Age-Periods.	
Androscoggin.....	361	January.....	319	Under 1.....	370
Aroostook.....	511	February.....	258	1-5.....	1,325
Cumberland.....	555	March.....	195	5-10.....	760
Franklin.....	48	April.....	186	10-20.....	334
Hancock.....	68	May.....	200	20-30.....	64
Kennebec.....	258	June.....	165	30-40.....	29
Knox.....	110	July.....	159	40-50.....	20
Lincoln.....	37	August.....	173	50-60.....	13
Oxford.....	90	September.....	202	60-70.....	6
Penobscot.....	227	October.....	312	Over 70.....	7
Piscataquis.....	32	November.....	389	Not stated.....	6
Sagadahoc.....	82	December.....	373	Total.....	2,934
Somerset.....	106	Not stated.....	3		
Waldo.....	35	Total.....	2,934		
Washington.....	128				
York.....	286				
State.....	2,934				

The following table shows the number of deaths from diphtheria in each of the cities in each year from 1899 to 1913; the diphtheria death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Diphtheria

CITIES.	1899.	Death rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.
Auburn.....	3	2.35	2	1.54	2	1.52	-	-	2	1.49	3	2.30	1	0.72
Augusta.....	1	0.86	-	-	2	1.70	1	0.84	-	-	-	-	3	2.45
Bangor.....	-	-	2	0.92	2	0.90	4	1.79	-	-	3	1.31	-	-
Bath.....	2	1.54	2	1.91	5	4.69	3	2.77	7	6.36	14	1.52	4	3.52
Belfast.....	-	-	-	-	2	4.22	-	-	-	-	1	1.95	-	-
Biddeford.....	11	6.89	8	4.96	3	1.84	5	3.03	7	4.20	6	3.57	9	5.29
Brewer.....	-	-	1	2.07	-	-	-	-	-	-	3	5.89	-	-
Calais.....	1	1.31	1	1.31	-	-	1	1.29	1	1.29	-	-	-	-
Eastport.....	-	-	2	3.77	1	1.87	1	1.85	-	-	-	-	-	-
Ellsworth.....	-	-	-	-	1	2.32	-	-	-	-	1	2.33	-	-
Gardiner.....	1	1.82	-	-	4	7.27	-	-	2	3.63	-	-	-	-
Hallowell.....	1	3.62	-	-	-	-	-	-	-	-	-	-	-	-
Lewiston.....	47	19.95	17	7.15	7	2.92	1	0.41	5	2.05	4	2.85	2	0.81
Old Town.....	-	-	-	-	-	-	3	5.13	1	1.79	3	5.05	4	6.68
Portland.....	22	4.46	18	3.59	24	4.71	15	2.89	9	1.71	18	3.36	10	1.85
Rockland.....	1	1.23	-	-	1	1.23	1	1.23	-	-	-	-	-	-
Saco.....	3	4.90	2	3.27	2	3.26	1	1.63	1	1.63	1	1.63	1	1.63
South Portland....	-	-	-	-	-	-	3	3.99	3	3.90	1	1.27	1	1.25
Waterville.....	-	-	1	1.06	1	1.03	3	3.01	5	4.91	5	4.80	5	4.69
Westbrook.....	1	1.39	10	13.73	2	2.72	-	-	1	1.34	4	5.30	2	2.63
Total.....	94	4.21	66	2.92	59	2.58	42	1.82	44	1.88	70	2.96	42	1.75
State.....	152	2.20	155	2.23	127	1.82	115	1.64	115	1.63	162	2.28	110	1.54
State exclusive of cities.....	58	1.24	89	1.90	68	1.45	73	1.55	71	1.51	92	1.95	68	1.44

in the Cities and the State, 1899-1913.

1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	1913.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
4	2.86	6	4.24	6	4.19	2	1.38	2	1.33	4	2.62	4	2.58	6	3.81	47	2.19
1	0.81	4	3.20	2	3.17	2	1.57	-	-	-	-	-	-	1	0.73	17	1.02
5	2.13	5	2.10	1	0.42	1	0.41	1	0.40	2	0.80	6	2.36	-	-	32	0.90
-	-	2	1.71	-	-	-	-	5	5.32	-	-	2	2.18	1	1.10	47	2.93
1	1.86	-	-	-	-	1	1.90	1	2.16	-	-	-	-	-	-	6	0.81
1	0.58	2	1.15	3	1.71	15	8.35	8	4.68	4	2.33	8	4.63	3	1.72	93	3.66
2	3.83	-	-	2	3.74	-	-	-	-	-	-	-	-	-	-	8	1.04
1	1.27	-	-	-	-	1	1.25	2	3.27	1	1.64	-	-	-	-	9	0.84
-	-	-	-	4	7.10	4	7.05	4	8.06	1	2.02	1	2.04	1	2.03	19	2.35
-	-	-	-	2	4.65	-	-	-	-	-	-	-	-	-	-	4	0.62
1	1.82	1	1.82	-	-	2	3.63	-	-	-	-	-	-	3	5.73	14	1.71
-	-	-	-	-	-	3	1.11	1	3.49	-	-	-	-	-	-	5	0.55
2	0.80	6	2.38	10	3.94	6	2.34	10	3.81	5	1.89	6	2.24	3	1.11	134	3.64
11	18.23	4	6.58	1	1.53	-	-	1	1.58	1	1.57	-	-	1	1.52	30	3.31
13	2.36	7	1.24	11	1.92	13	2.23	9	1.54	7	1.18	5	0.83	6	0.98	187	2.32
6	7.36	6	7.36	1	1.23	3	3.68	-	-	-	-	-	-	1	1.22	20	1.64
-	-	1	1.62	1	1.62	1	1.62	1	1.52	1	1.51	1	1.50	5	7.48	22	2.43
1	1.22	3	3.58	-	-	-	-	-	-	-	-	2	2.60	1	1.28	15	1.27
3	2.75	7	6.29	4	3.52	2	1.74	3	2.62	-	-	5	4.22	2	1.65	46	2.82
3	3.91	6	7.75	3	3.84	2	2.54	1	1.21	3	3.57	-	-	2	2.32	40	3.48
55	2.27	60	2.46	51	2.08	58	2.34	45	1.99	29	1.16	40	1.61	36	1.42	795	2.23
119	1.66	122	1.70	105	1.44	112	1.53	99	1.33	77	1.03	97	1.29	89	1.04	1756	1.62
64	1.36	62	1.31	54	1.12	54	1.12	50	1.01	48	0.96	57	1.14	53	1.05	961	1.34

Typhoid Fever.—There were 93 deaths from typhoid fever. Of these, 60 were males and 33 were females. As indicative of the loss which the State incurs from typhoid fever, it is well to bear in mind that the age distribution of the decedents shows that the deaths from this disease are principally among those active and productive age-periods when human life is of the most value; 74 per cent. died between 10 and 50 years of age.

Ages: 1-5, 4; 5-10, 2; 10-20, 22; 20-30, 31; 30-40, 9, 40-50, 17; 50-60, 3; 60-70, 5.

The largest number of deaths, 15, occurred in September, and the smallest number, 2, in August. By quarters, 18 were in the first quarter, 26 in the second, 21 in the third, and 28 in the last quarter of the year.

The typhoid death-rate of 1.66 in the cities is much greater than that in the villages and rural towns, which is 1.01. The rate for the State is 1.23.

The following exhibits the number of deaths from typhoid fever in each county, by months, with death-rate in each county

TYPHOID FEVER, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	-	-	-	1	1	1	1	-	-	-	2	-	6	0.97
Aroostook....	-	-	-	-	1	1	-	-	-	1	1	1	5	0.63
Cumberland..	-	2	2	-	1	2	-	-	3	3	2	-	15	1.21
Franklin.....	-	-	-	-	-	-	-	-	1	-	-	-	1	0.52
Hancock.....	-	1	-	1	1	-	-	-	-	-	1	-	4	1.14
Kennebec....	2	1	-	-	1	2	-	-	1	-	1	-	8	1.25
Knox.....	-	-	-	1	-	-	-	1	2	1	1	-	6	2.09
Lincoln.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford.....	-	-	-	-	-	1	-	-	-	1	1	-	3	0.80
Penobscot....	4	-	4	-	3	1	1	-	2	2	1	-	20	2.28
Piscataquis....	-	-	-	-	1	-	-	-	-	2	-	-	3	1.44
Sagadahoc....	-	-	-	-	-	-	-	-	-	-	2	-	2	1.11
Somerset.....	-	-	1	2	-	2	1	-	2	-	-	-	8	2.15
Waldo.....	-	-	-	-	1	-	-	1	1	1	1	-	5	2.16
Washington...	-	-	-	1	-	-	-	-	-	-	-	-	1	0.23
York.....	-	-	1	-	-	-	1	-	3	1	-	-	6	0.86
State....	6	4	8	6	10	10	4	2	15	12	13	3	93	1.23

The following exhibits for the twenty-one years, 1893-1913 the distribution of deaths from typhoid fever by counties, months and age-periods:

TYPHOID FEVER BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1913.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	319	January.....	294	Under 1.....	23
Aroostook.....	330	February.....	252	1-5.....	140
Cumberland.....	526	March.....	319	5-10.....	212
Franklin.....	80	April.....	289	10-20.....	849
Hancock.....	143	May.....	256	20-30.....	1,133
Kennebec.....	366	June.....	207	30-40.....	569
Knox.....	98	July.....	189	40-50.....	364
Lincoln.....	67	August.....	301	50-60.....	217
Oxford.....	158	September.....	459	60-70.....	140
Penobscot.....	648	October.....	502	70-80.....	84
Piscataquis.....	80	November.....	365	Over 80.....	18
Sagadahoc.....	67	December.....	334	Not stated.....	25
Somerset.....	130	Not stated.....	7	Total.....	3,774
Waldo.....	81	Total.....	3,774		
Washington.....	195				
York.....	450				
State.....	3,774				

The following table shows the number of deaths from typhoid fever in each of the cities in each year from 1899 to 1913, the typhoid death-rate of each city based upon the estimated population of each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates From Typhoid

CITIES.	1899.		1900.		1901.		1902.		1903.		1904.		1905.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn.....	5	3.91	4	3.09	—	—	1	0.75	1	0.74	1	0.73	2	1.45
Augusta.....	8	6.92	4	3.42	9	7.63	4	3.36	29	24.11	5	4.12	6	4.89
Bangor.....	15	6.95	4	1.83	24	10.85	7	3.12	10	4.41	39	16.99	17	7.32
Bath.....	—	—	1	0.95	1	0.94	2	1.85	1	0.91	2	1.79	1	0.88
Belfast.....	1	2.14	—	—	—	—	—	—	1	2.00	2	3.91	1	1.91
Biddeford.....	5	3.13	16	9.91	19	11.65	10	6.07	8	4.80	10	5.94	13	7.65
Brewer.....	4	8.38	1	2.07	7	14.29	1	2.01	—	—	3	5.89	1	1.94
Calais.....	4	5.25	2	2.61	3	3.90	3	3.88	2	2.58	—	—	3	3.83
Eastport.....	1	1.90	—	—	2	3.74	1	1.85	1	1.84	—	—	—	—
Ellsworth.....	—	—	2	4.65	—	—	2	4.65	2	4.65	1	2.33	—	—
Gardiner.....	2	3.64	1	1.82	2	3.64	1	1.82	1	1.82	—	—	—	—
Hallowell.....	—	—	—	—	4	14.73	2	7.37	1	3.68	1	3.68	—	—
Lewiston.....	24	10.19	15	6.31	13	5.42	2	0.83	3	1.23	9	3.66	8	3.23
Old Town.....	2	3.50	3	5.21	7	12.05	5	8.54	9	15.26	19	31.97	5	8.35
Portland.....	13	2.64	19	3.79	15	2.94	15	2.89	17	3.23	16	2.99	14	2.58
Rockland.....	1	1.23	1	1.23	1	1.23	1	1.23	1	1.23	2	2.45	1	1.23
Saco.....	4	6.54	6	9.80	5	8.16	4	6.52	5	8.15	5	8.14	2	3.25
South Portland....	2	2.86	—	—	—	—	1	1.33	3	3.90	1	1.27	1	1.25
Waterville.....	3	3.25	2	2.11	7	7.20	7	7.03	17	16.69	2	1.92	2	1.87
Westbrook.....	2	2.77	1	1.27	1	1.36	2	2.70	3	4.01	3	3.98	2	2.62
Total.....	96	4.16	82	3.68	120	5.25	71	3.07	115	4.91	121	5.11	79	3.30
State.....	206	2.98	196	2.82	224	3.21	162	2.31	225	3.18	242	3.41	156	2.18
State exclusive of cities.....	110	2.42	114	2.43	104	2.22	91	1.94	110	2.34	121	2.57	77	1.63

Malarial Diseases.—About every year a few deaths have been reported to the department as having been caused by malaria, or malarial disease. Almost without exception when there was good reason to believe that the deaths had malarial cause, the infection was contracted outside the State. For the year 1910, no deaths were reported as having been caused by malaria, for 1911 only 3, for 1912, 2; and for 1913, 4.

Fever in the Cities and the State, 1899-1913.

1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	1913.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
-	-	-	-	2	1.40	-	-	3	1.99	1	0.65	2	1.29	1	0.66	23	1.11
7	5.66	3	2.40	5	3.96	3	2.35	4	3.03	3	2.24	3	2.22	1	0.75	94	5.14
10	4.26	7	2.94	4	2.90	9	2.70	8	3.23	21	8.37	7	2.76	10	4.03	195	5.51
-	-	2	1.71	-	-	-	-	1	1.06	3	2.84	1	1.08	1	1.06	16	1.01
-	-	-	-	-	-	1	1.90	2	4.33	-	-	1	2.17	1	2.17	10	1.37
3	1.75	3	1.73	-	-	4	2.26	3	1.86	2	1.16	2	1.16	1	0.58	99	3.98
1	1.92	2	3.78	2	3.74	1	1.85	2	4.14	-	-	-	-	1	1.77	26	3.45
4	5.08	6	7.59	2	2.52	3	3.76	-	-	-	-	-	-	1	1.63	33	2.84
1	1.80	-	-	-	-	-	-	-	-	1	2.03	-	-	-	-	7	0.88
-	-	-	-	1	2.33	2	4.65	1	2.82	-	-	1	2.94	2	6.01	14	2.34
-	-	-	-	-	-	1	1.82	-	-	-	-	-	-	-	-	8	0.97
-	-	2	7.36	-	-	1	3.68	-	-	-	-	-	-	-	-	11	2.70
8	3.20	5	1.91	8	3.15	1	0.39	2	0.76	3	1.13	2	0.75	4	1.48	107	2.91
6	9.94	8	13.16	6	9.80	3	4.86	3	4.75	2	3.77	2	3.11	2	3.04	82	9.15
9	1.63	11	1.96	22	4.01	15	2.58	31	5.29	21	3.53	23	3.82	9	1.47	250	3.02
3	3.68	1	1.23	-	-	3	3.67	-	-	2	2.45	2	2.44	5	6.11	24	1.96
-	-	-	-	-	-	-	-	-	-	2	3.02	-	-	-	-	23	3.57
-	-	-	-	2	2.79	-	-	2	2.68	1	1.34	1	1.30	-	-	14	1.25
-	-	1	0.90	3	2.64	1	0.87	6	5.24	1	0.86	-	-	3	2.48	55	3.54
-	-	-	-	1	1.28	-	-	2	2.42	1	1.19	-	-	-	-	18	1.58
52	2.15	51	2.08	61	2.48	48	1.93	70	2.85	64	2.57	41	1.88	42	1.66	1119	3.14
133	1.85	124	1.73	151	2.08	110	1.51	149	2.01	135	1.80	102	1.36	93	1.23	2408	2.24
81	1.72	73	1.54	90	1.88	62	1.28	79	1.60	71	1.42	55	1.10	51	1.01	1289	1.81

Tuberculosis.—In 1913 tuberculosis in its various forms was the cause of 977 deaths (1,513 in 1892, 1,446 in 1893, 1,443 in 1894, 1,397 in 1895, 1,359 in 1896, 1,338 in 1897, 1,239 in 1898, 1,241 in 1899, 1,223 in 1900, 1,250 in 1901, 1,165 in 1902, 1,076 in 1903, 1,217 in 1904, 1,109 in 1905, 1,176 in 1906, 1,214 in 1907, 1,145 in 1908, 1,059 in 1909, 1,117 in 1910, 1,054 in 1911, and 995 in 1912.) The death-rate per 10,000 from this cause was 12.91.

The following table shows the number of deaths from tuberculosis (all kinds) in each county by months, with the death-rate in each county.

TUBERCULOSIS (ALL KINDS) BY COUNTIES AND MONTHS, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	7	13	11	8	6	8	10	5	6	8	4	8	94	15.25
Aroostook. . .	5	7	6	10	10	8	5	5	11	4	9	7	87	11.04
Cumberland. .	17	13	8	9	17	9	12	23	14	4	9	13	148	12.79
Franklin. . . .	1	-	1	2	1	-	2	3	-	3	-	1	14	7.20
Hancock. . . .	2	2	5	8	8	6	1	1	2	7	1	3	46	13.11
Kennebec. . . .	5	10	10	8	10	8	6	12	8	8	3	8	96	15.00
Knox.	5	2	3	6	5	5	2	5	1	5	2	5	46	16.09
Lincoln.	4	-	1	1	3	2	1	5	1	1	1	1	21	11.80
Oxford.	5	7	5	3	1	2	1	1	6	7	6	2	46	12.27
Penobscot. . .	7	12	12	15	14	5	6	7	7	3	10	14	112	12.73
Piscataquis. .	2	1	4	3	3	-	1	2	3	-	1	1	21	10.11
Sagadahoc. . .	2	3	2	-	1	3	-	2	2	1	3	1	20	11.07
Somerset. . . .	3	2	5	2	3	7	4	2	4	1	2	1	36	9.70
Waldo.	5	-	6	3	4	6	1	2	3	3	-	5	38	16.43
Washington. .	7	7	11	7	5	3	4	5	4	4	6	2	65	15.36
York.	12	8	11	7	10	4	8	10	4	5	4	4	87	12.51
State. . . .	89	87	101	92	101	76	64	90	76	64	61	76	977	12.91

The following table shows the deaths from tuberculosis (all kinds) arranged according to sex and age-periods.

TUBERCULOSIS (ALL KINDS) BY SEX AND AGE-PERIODS, 1913.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	22	23	12	45	119	85	71	58	42	25	6	1	509
Females.....	16	21	10	55	112	83	61	40	35	28	7	-	468
Total.....	38	44	22	100	231	168	132	98	77	53	13	1	977

The following table shows the number of deaths from tuberculosis in each of the cities in each year from 1899 to 1913, the tuberculosis death-rate of each city based upon the esti-

Deaths and Death-Rates from Tuberculosis

CITIES.	1899.	Death-rate per 10,000.	1900.	Death-rate per 10,000.	1901.	Death-rate per 10,000.	1902.	Death-rate per 10,000.	1903.	Death-rate per 10,000.	1904.	Death-rate per 10,000.	1905.	Death-rate per 10,000.
Auburn.....	15	11.74	20	15.44	21	16.00	8	6.02	18	13.37	20	14.67	17	12.32
Augusta.....	20	17.29	21	17.97	22	18.65	18	15.11	20	16.63	22	18.11	22	17.94
Bangor.....	50	23.17	34	15.56	51	23.05	48	21.43	37	16.31	58	25.27	51	21.96
Bath.....	11	10.68	22	21.00	31	29.10	19	17.55	13	11.80	15	13.42	20	17.61
Belfast.....	5	10.68	12	26.00	9	18.98	11	22.60	12	24.03	10	19.53	8	15.25
Biddeford.....	34	21.28	28	17.34	38	23.29	37	22.44	37	22.21	39	23.18	29	17.06
Brewer.....	15	31.44	18	37.23	15	30.62	7	14.10	11	21.88	16	31.42	21	40.73
Calais.....	16	21.00	19	24.82	24	31.20	12	15.52	13	16.74	14	17.95	17	21.69
Eastport.....	19	36.05	13	24.48	17	31.77	9	16.69	10	18.41	10	18.27	13	23.58
Ellsworth.....	9	20.70	5	11.64	8	18.62	5	11.64	7	16.29	3	6.98	5	11.64
Gardiner.....	11	20.00	9	16.36	8	14.54	11	19.99	8	14.53	8	14.53	7	12.71
Hallowell.....	7	25.35	11	40.53	7	25.79	6	22.11	8	29.48	3	11.05	8	29.48
Lewiston.....	50	21.23	45	18.94	33	13.77	51	21.10	28	11.49	41	16.68	42	16.94
Old Town.....	9	15.74	11	19.09	10	17.22	14	23.92	14	23.74	16	26.92	19	31.72
Portland.....	107	21.70	109	21.74	124	24.32	120	23.16	98	18.61	102	19.07	100	18.41
Rockland.....	11	13.49	18	22.09	18	22.09	15	18.40	23	28.22	20	24.54	18	22.09
Saco.....	13	21.25	9	14.70	10	16.32	7	11.42	8	13.04	12	19.54	13	21.15
South Portland....	9	12.85	13	18.12	11	14.97	9	11.97	12	15.61	15	19.08	9	11.21
Waterville.....	21	22.73	15	15.83	13	13.38	9	9.04	18	17.67	19	18.23	16	15.01
Westbrook.....	18	24.94	16	21.97	22	29.94	11	14.84	10	13.37	11	14.58	10	13.14
Total.....	450	20.14	448	18.83	492	21.52	427	18.45	405	17.30	454	19.17	445	18.57
State.....	1241	17.96	1223	17.61	1250	17.90	1165	16.58	1076	15.23	1217	17.13	1109	15.52
State exclusive of cities.....	791	16.91	775	16.54	758	16.16	738	15.71	671	14.27	763	16.20	664	14.08

mated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

(all kinds) in the Cities and the State, 1899-1913.

1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	1913.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
18	12.88	28	19.80	17	11.88	21	14.51	19	12.61	13	8.51	22	14.20	22	13.97	279	13.19
18	14.54	20	16.01	24	19.03	33	25.83	32	24.22	25	18.71	23	17.02	30	21.90	350	18.60
48	20.43	54	22.71	47	19.54	60	24.67	55	22.17	45	17.93	50	19.69	45	17.46	733	20.76
11	9.54	9	7.69	14	11.79	10	8.29	14	11.90	5	4.74	16	17.43	7	7.72	217	13.55
9	11.17	7	12.73	9	17.14	5	9.52	10	21.65	15	32.48	7	45.16	9	19.49	135	18.43
45	26.21	38	21.92	49	27.96	34	19.19	42	24.59	38	22.13	33	19.11	36	20.71	557	21.90
18	34.48	14	26.50	4	7.48	10	18.48	12	21.18	7	11.74	14	24.00	8	13.52	190	24.22
12	15.24	14	17.70	13	16.36	10	12.53	15	24.53	18	30.19	10	17.22	18	31.84	225	20.97
13	23.41	10	17.88	8	14.20	17	29.97	17	34.27	9	18.27	4	8.18	6	12.18	175	21.83
8	18.62	3	6.98	6	13.97	7	12.34	5	14.69	3	8.63	3	8.83	7	21.05	84	13.47
5	9.08	14	25.42	12	21.78	11	19.96	7	13.18	15	28.30	6	11.38	9	17.19	141	17.26
9	33.16	8	29.48	8	29.48	6	22.11	4	13.97	5	17.37	8	27.64	6	20.73	104	25.18
58	23.20	57	22.62	52	20.47	36	14.05	52	19.81	45	16.99	50	18.70	53	19.22	693	18.35
17	28.17	14	23.03	18	29.40	11	17.83	12	19.00	8	12.55	20	31.12	8	12.15	201	22.11
101	18.31	104	18.57	104	18.13	105	18.04	76	12.98	100	16.83	100	16.60	98	13.05	1548	18.64
12	14.72	16	19.63	13	15.95	7	8.59	8	9.79	15	18.35	10	12.23	16	19.56	220	17.98
8	13.01	12	19.49	11	11.36	6	9.73	7	10.63	6	9.05	5	7.49	5	7.44	128	13.71
13	15.85	11	13.14	7	9.76	7	11.13	19	25.43	10	13.39	-	-	8	10.22	153	13.51
17	15.66	23	20.65	16	14.07	15	13.03	27	23.56	20	17.16	14	11.81	17	14.05	260	16.12
12	15.64	10	12.92	12	15.38	10	12.71	15	18.11	11	13.11	15	17.69	13	15.11	196	16.90
449	18.53	466	19.01	440	17.91	421	16.96	448	18.24	413	16.58	410	16.41	421	16.67	6589	13.35
1176	16.36	1214	16.91	1145	15.75	1059	14.49	1117	15.05	1054	14.09	995	13.23	977	12.91	17018	15.78
727	12.40	748	15.82	705	14.65	638	13.22	669	13.47	641	12.84	585	11.65	556	11.02	10423	14.53

Cerebral Tuberculosis.—(Tubercular Meningitis.)—The number of deaths was 89; 46 were of males and 43 of females.

The number for the cities was 46. The death-rate for the State was 1.04; for the cities 1.82.

Ages: Under 1, 20; 1-5, 32; 5-10, 18; 10-20, 5; 20-30, 9; 30-40, 5.

Pulmonary Tuberculosis.—(Consumption.)—From this cause 736 deaths were registered in 1913, which is equivalent to a death-rate of 9.72 per 10,000 of population. The death-rate for the cities was 16.67. The following is a tabular arrangement of the number of deaths in the State from pulmonary tuberculosis in each of the twenty-two registration years, together with the death-rate from consumption for each year:

	Number of deaths.	Death-rate per 10,000.
1892	1,352	20.24
1893	1,299	19.35
1894	1,262	18.80
1895	1,195	17.71
1896	1,172	17.21
1897	1,128	16.47
1898	1,021	14.85
1899	1,015	14.69
1900	1,027	14.79
1901	1,033	14.87
1902	970	13.97
1903	901	12.97
1904	1,016	14.63
1905	894	12.50
1906	915	12.73
1907	950	13.14
1908	893	12.29
1909	830	11.36
1910	889	11.98
1911	842	11.25
1912	780	10.37
1913	736	9.72

There were in 1913, 616 fewer deaths than in 1892, 563 fewer than in 1893, 526 fewer than in 1894, 459 fewer than in 1895, 436 fewer than in 1896, 392 fewer than in 1897, 285 fewer than in 1898, 279 fewer than in 1899, 291 fewer than in 1900, 297 fewer than in 1901, 234 fewer than in 1902, 165 fewer than in 1903, 280 fewer than in 1904, 158 fewer than in 1905, 179 fewer than in 1906, 214 fewer than in 1907, 157 fewer than in 1908, 94 fewer than in 1909, 153 fewer than in 1910, 106 fewer than in 1911, and 44 fewer than in 1912.

Ages: Under 1, 12; 1-5, 6; 5-10, 2; 10-20, 75; 20-30, 192; 30-40, 136; 40-50, 112; 50-60, 79; 60-70, 64; 70-80, 48; 80 and over, 9.

It is thus shown in this report, that the smallest number of deaths occurred at the age-period 5-10 years, and that of the decedents, 77 per cent. died at those ages when their deaths entailed the greatest loss to the State.

As to the sex, 383 of the decedents, or 52.04 per cent. were males; and 353, or 47.96 per cent., were females.

The following table shows the number of deaths in each county by months, with the death-rate from consumption in each county:

CONSUMPTION BY COUNTIES AND MONTHS, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	6	9	10	6	4	6	8	2	5	6	2	6	70	11.35
Aroostook....	5	6	5	9	9	4	4	3	9	4	5	4	67	8.49
Cumberland..	14	11	5	9	12	7	8	19	10	-	6	8	109	9.42
Franklin.....	1	-	1	1	1	-	1	2	-	3	-	1	11	5.69
Hancock.....	1	1	2	6	5	3	-	-	1	4	1	2	26	7.41
Kennebec....	5	5	9	6	8	7	5	10	7	6	3	5	76	11.87
Knox.....	5	2	2	4	4	5	2	5	-	4	1	5	39	13.65
Lincoln.....	3	-	1	-	1	2	1	3	1	-	1	1	14	7.80
Oxford.....	3	6	3	2	1	1	1	1	6	6	5	1	36	9.59
Penobscot....	6	10	7	11	8	4	5	6	6	2	8	5	78	8.86
Piscataquis...	2	1	3	3	1	-	-	1	1	-	-	1	13	6.26
Sagadahoc....	2	3	2	-	1	3	-	2	2	1	2	-	18	9.97
Somerset.....	3	2	5	2	-	7	3	1	4	1	2	1	31	8.35
Waldo.....	3	-	6	3	4	5	1	1	2	2	-	4	31	13.41
Washington...	3	6	9	5	5	2	3	5	4	4	4	2	52	12.29
York.....	11	7	9	5	5	3	6	5	4	5	2	3	65	9.35
State.....	73	69	79	72	69	59	48	66	62	48	42	49	736	9.72

The following table shows the deaths from pulmonary tuberculosis arranged according to sex and age-periods:

CONSUMPTION BY SEX AND AGE-PERIODS, 1913.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	8	3	1	36	98	69	61	45	34	23	4	1	383
Females.....	4	3	1	39	94	67	51	34	30	25	5	-	353
Total..	12	6	2	75	192	136	112	79	64	48	9	1	736

For the twenty-one years, 1893-1913, the distribution of deaths from pulmonary tuberculosis is shown by counties, months, and age-periods in the following table:

CONSUMPTION BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1913.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,635	January..... 1,774	Under 1..... 298
Aroostook..... 1,445	February..... 1,756	1-5..... 299
Cumberland..... 3,057	March..... 2,102	5-10..... 175
Franklin..... 460	April..... 2,035	10-20..... 2,413
Hancock..... 1,070	May..... 2,011	20-30..... 5,920
Kennebec..... 1,895	June..... 1,737	30-40..... 3,990
Knox..... 1,034	July..... 1,652	40-50..... 2,552
Lincoln..... 544	August..... 1,565	50-60..... 1,948
Oxford..... 795	September..... 1,449	60-70..... 1,660
Penobscot..... 2,486	October..... 1,545	70-80..... 1,125
Piscataquis..... 461	November..... 1,470	Over 80..... 312
Sagadahoc..... 554	December..... 1,655	Not stated..... 76
Somerset..... 1,014	Not stated..... 17	Total..... 20,768
Waldo..... 815	Total..... 20,768	
Washington..... 1,522		
York..... 1,981		
State..... 20,768		

The following table shows the number of deaths from pulmonary tuberculosis in each of the cities in each year from 1899 to 1913, the death-rate from this disease for each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths, and Death-Rates from Pulmonary Tuberculosis

CITIES.	1899.		1900.		1901.		1902.		1903.		1904.		1905.	
	Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.	
Auburn.....	12	9.39	17	13.13	14	10.67	7	5.27	14	10.40	13	9.53	12	8.69
Augusta.....	16	13.83	18	15.41	20	16.95	14	11.75	16	13.30	21	17.29	21	17.13
Bangor.....	40	18.54	28	12.81	36	16.27	40	17.86	31	13.67	47	20.48	39	16.79
Bath.....	6	5.82	19	18.13	29	27.22	13	12.01	13	11.80	11	9.84	19	16.73
Belfast.....	5	10.68	11	23.84	8	16.87	7	14.38	10	20.02	7	13.67	8	15.25
Biddeford.....	30	18.78	26	16.10	34	20.84	35	21.23	31	18.61	36	21.40	20	11.77
Brewer.....	14	29.34	12	24.82	12	29.49	5	10.07	8	15.91	14	27.49	16	31.03
Calais.....	15	19.69	14	18.29	20	26.00	10	12.93	9	11.59	10	12.82	16	20.41
Eastport.....	17	32.25	12	22.59	15	28.03	9	16.69	7	12.89	7	12.79	12	21.77
Ellsworth.....	8	18.46	5	11.64	8	18.62	5	11.64	7	16.29	2	4.65	4	9.31
Gardiner.....	7	12.73	8	14.54	5	9.09	9	16.35	7	12.72	8	14.53	7	12.71
Hallowell.....	5	18.11	10	36.85	7	25.79	5	18.42	7	25.79	3	11.05	8	29.48
Lewiston.....	34	14.43	40	16.83	25	10.43	46	19.03	21	8.61	33	13.42	31	12.51
Old Town.....	9	15.74	10	17.35	9	15.50	10	17.09	10	16.95	14	23.56	18	30.06
Portland.....	87	17.64	82	16.35	101	19.81	88	16.98	80	15.19	82	15.33	77	14.17
Rockland.....	6	7.36	17	20.86	17	20.85	15	18.40	20	24.54	16	19.63	18	22.09
Saco.....	10	16.35	9	14.70	7	11.42	3	4.89	8	13.04	10	16.28	12	19.52
South Portland....	8	11.42	9	12.55	11	14.97	8	10.64	9	11.71	13	16.54	2	2.49
Waterville.....	19	20.56	14	14.77	10	10.30	7	7.03	16	15.70	15	14.39	14	13.13
Westbrook.....	15	20.78	14	19.22	17	23.14	8	10.79	9	12.04	11	14.58	8	10.51
Total.....	363	16.24	375	16.60	405	17.71	344	14.87	333	14.22	373	15.75	362	15.11
State.....	1015	14.69	1027	14.79	1033	14.71	970	13.81	991	12.75	1016	14.30	894	12.51
State exclusive of cities.....	652	13.94	652	13.92	628	13.39	625	13.33	568	12.08	643	13.65	532	11.28

in the Cities and in the State, 1899-1913.

1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	1913.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
14	10.02	20	14.14	15	10.48	17	11.74	15	9.96	12	7.85	18	11.62	16	10.16	216	10.20
15	12.12	18	14.41	19	15.07	30	23.48	28	21.19	20	14.97	16	11.84	24	17.51	296	15.75
35	14.89	40	16.82	36	14.97	45	18.50	41	16.53	37	14.74	40	14.97	32	12.42	567	16.02
8	6.94	6	5.13	12	10.10	9	7.47	12	12.77	5	4.74	11	11.98	5	5.51	178	11.08
4	7.44	6	10.91	9	17.14	4	7.62	8	17.32	11	23.82	2	4.34	8	17.32	108	14.71
31	18.06	31	17.88	37	21.11	26	14.68	34	19.91	30	17.47	29	17.38	27	16.11	457	18.09
11	21.07	19	18.93	3	5.61	8	14.78	11	19.41	5	8.70	11	18.85	4	6.76	144	18.82
12	15.24	10	12.64	12	15.10	9	11.28	12	19.62	15	25.16	8	13.78	15	26.53	187	17.41
11	19.81	10	17.88	4	7.10	14	24.68	15	30.24	7	14.21	5	6.55	6	12.18	149	18.64
6	13.96	3	6.98	5	11.64	5	11.64	3	8.45	2	5.76	3	8.83	4	12.03	70	11.32
3	5.45	11	19.98	6	10.89	9	16.33	6	11.30	12	22.64	4	7.58	6	11.46	108	13.22
8	29.48	7	25.79	8	29.48	5	18.42	4	13.97	5	17.37	8	27.64	4	13.82	94	22.76
43	17.20	43	17.06	38	14.96	26	10.15	39	14.86	34	12.83	42	15.70	39	14.42	534	14.16
13	21.54	14	23.03	11	17.97	9	14.59	8	12.66	7	10.99	16	26.45	4	6.08	162	17.97
77	13.96	78	13.93	68	11.85	78	13.40	63	12.56	73	12.29	78	12.94	74	12.07	1186	14.57
10	12.27	14	17.18	10	12.27	3	3.68	6	7.34	10	12.23	10	12.23	14	17.11	186	15.20
8	13.01	11	17.87	4	6.49	5	8.11	2	3.04	6	9.05	4	5.99	3	4.46	102	10.95
11	13.41	8	9.55	6	8.36	4	6.36	13	17.40	10	13.39	-	-	3	3.83	115	10.16
15	13.76	17	15.27	12	10.55	12	10.43	24	20.95	18	15.44	11	9.28	15	12.40	219	13.85
12	15.64	8	10.34	10	12.81	9	11.44	11	13.28	10	11.93	10	11.79	10	11.63	162	13.99
347	14.32	365	14.99	325	13.22	327	13.18	355	14.45	329	13.21	324	12.97	313	12.39	5,240	14.62
915	12.73	950	13.14	893	12.29	830	11.36	889	11.98	842	11.25	780	10.37	736	9.72	13691	12.69
568	12.03	585	12.37	568	11.81	503	10.42	534	10.75	513	10.27	456	9.08	423	8.38	8,451	11.65

Abdominal Tuberculosis.—There were 61 deaths from this cause, 30 males and 31 females.

Ages: Under 1, 2; 1-5, 2; 5-10, 3; 10-20, 7; 20-40, 28; 40-60, 11; over 60, 8.

Acute Miliary Tuberculosis.—There were 10 deaths from this cause, 7 males and 3 females.

Ages: Under 1, 1; 5-10, 1; 10-20, 1; 20-30, 2; 30-40, 2, over 40, 3.

Tuberculosis, Other Forms.—Of these deaths, 81 in all, the cause assigned was: Disseminated tuberculosis, 41; tuberculosis of kidneys, 4; tuberculosis of bones, 2; tuberculosis of glands, 2; tubercular abscess, 4; tuberculosis of bladder, 1; scrofulosis, 1; thigh, 3; Pott's disease, 15; white swellings, 4; lupus, 2; tuberculosis of liver, 1; tuberculosis of genitourinary organs, 1.

There were 15 deaths from erysipelas; 27 from pyemia and septicemia, and 24 from puerperal fever—giving a special death-rate of 0.17. The following shows the distribution of puerperal fever by months and counties:

January	2 Androscoggin	4
February	2 Aroostook	3
March	3 Cumberland	7
April	3 Franklin	0
May	3 Hancock	1
June	2 Kennebec	1
July	2 Knox	1
August	1 Lincoln	0
September	3 Oxford	2
October	2 Penobscot	2
November	0 Piscataquis	1
December	1 Sagadahoc	0
	— Somerset	1
Total	24 Waldo	0
	Washington	1
	York	0
	—	—
	Total	24

Thirty-one deaths were returned under alcoholism. The special death-rate from alcoholism was 0.41.

Rheumatism.—The returns give 50 deaths from this cause. (68 in 1892, 46 in 1893, 66 in 1894, 56 in 1895, 44 in 1896, 42 in 1897, 57 in 1898, 56 in 1899, 56 in 1900, 53 in 1901, 45 in 1902, 58 in 1903, 60 in 1904, 60 in 1905, 54 in 1906, 47 in 1907, 47 in 1908, 45 in 1909, 56 in 1910, 58 in 1911, and 65 in 1912), 19 were males and 31 females. Twelve of these deaths were in the cities. The special death-rate for this disease was, therefore, 0.66, and that in the cities was 0.46. The following shows the deaths from this cause arranged by counties, months, and age-groups:

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1913.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	2	January.....	10	Under 1.....	1
Aroostook.....	6	February.....	6	1-5.....	1
Cumberland.....	6	March.....	5	5-10.....	2
Franklin.....	—	April.....	3	10-20.....	7
Hancock.....	1	May.....	2	20-30.....	2
Kennebec.....	3	June.....	5	30-40.....	5
Knox.....	3	July.....	6	40-50.....	1
Lincoln.....	1	August.....	8	50-60.....	6
Oxford.....	3	September.....	1	60-70.....	7
Penobscot.....	6	October.....	—	70-80.....	12
Piscataquis.....	2	November.....	2	Over 80.....	6
Sagadahoc.....	2	December.....	2	Total.....	50
Somerset.....	2	Total.....	50		
Waldo.....	4				
Washington.....	3				
York.....	6				
State.....	50				

The following shows the distribution of deaths from rheumatism by counties, months, and age-periods for the twenty-one years, 1893-1913.

RHEUMATISM BY COUNTIES, MONTHS, AND AGE-PERIODS, 1893-1913.

By Counties.		By Months.		By Age-periods.	
Androscoggin.....	61	January.....	112	Under 1.....	7
Aroostook.....	81	February.....	125	1-5.....	19
Cumberland.....	163	March.....	92	5-10.....	41
Franklin.....	24	April.....	83	10-20.....	97
Hancock.....	53	May.....	104	20-30.....	68
Kennebec.....	97	June.....	63	30-40.....	74
Knox.....	52	July.....	93	40-50.....	87
Lincoln.....	38	August.....	91	50-60.....	149
Oxford.....	69	September.....	75	60-70.....	228
Penobscot.....	132	October.....	76	70-80.....	252
Piscataquis.....	37	November.....	101	Over 80.....	97
Sagadahoc.....	35	December.....	104	Not stated.....	3
Somerset.....	63	Not stated.....	3	Total.....	1,122
Waldo.....	51	Total.....	1,122		
Washington.....	57				
York.....	109				
State.....	1,122				

Cancer.—From cancer in its various forms and locations there were 838 deaths (404 in 1892, 433 in 1893, 474 in 1894, 480 in 1895, 518 in 1896, 463 in 1897, 531 in 1898, 541 in 1899, 526 in 1900, 570 in 1901, 615 in 1902, 598 in 1903, 611 in 1904, 662 in 1905, 617 in 1906, 737 in 1907, 710 in 1908, 727 in 1909, 762 in 1910, 738 in 1911, and 828 in 1912). Of the decedents, 290 were males and 548 were females. The cancer death-rate for the State was 11.06.

Distributed as to its more frequent locations, there died of cancer of the stomach, 165; peritoneum and intestines, 178; female genital organs, 124; liver, 115; breast, 79; skin, 31; buccal cavity, 20; abdomen, 6; neck, 9; kidney, 5; prostate, 5; bladder, 23; glands, 12; pelvis, 6; lungs, 2; eye, 2; larynx, 2; arm, 5; throat, 10; jaw, 3; brain, 1; leg, 10; spine, 1; chest, 5; spleen, 2; various, 12; unspecified, 5.

The deaths from cancer, arranged by sex and age-periods of the decedents, are exhibited in the following:

CANCER BY SEX AND AGE-PERIODS, 1913.

Sex.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	-	1	-	2	2	7	17	58	94	80	29	-	290
Females.....	1	-	-	1	5	25	81	128	139	118	50	-	54
Total.....	1	1	-	3	7	32	98	186	233	198	79	-	838

The distribution of cancer by counties and age-groups and the special death-rate for each county are shown in the following for 1913, and for the twenty-one years, 1893-1913:

CANCER, 1913 AND 1893-1913.

COUNTIES.	1913.		1893-1913.		AGE-GROUPS.	Number of deaths.	
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.		1913.	1893-1913.
Androscoggin.....	62	10.06	1,013	8.72	Under 1.....	1	16
Aroostook.....	45	5.71	516	3.82	1-5.....	1	21
Cumberland.....	147	12.71	2,291	10.61	5-10.....	-	13
Franklin.....	23	11.91	387	9.98	10-20.....	3	51
Hancock.....	41	11.68	664	8.60	20-30.....	7	168
Kennebec.....	82	12.81	1,189	9.43	30-40.....	32	651
Knox.....	40	13.99	624	9.81	40-50.....	98	1,609
Lincoln.....	23	12.89	439	10.54	50-60.....	186	2,733
Oxford.....	33	8.81	594	8.54	60-70.....	233	3,481
Penobscot.....	99	11.25	1,425	8.62	70-80.....	198	3,066
Piscataquis.....	16	7.71	266	7.16	Over 80 years.....	79	1,122
Sagadahoc.....	26	14.39	387	9.30	Not stated.....	-	48
Somerset.....	40	10.77	636	8.83	Total.....	838	12,979
Waldo.....	28	12.11	479	9.20			
Washington.....	38	8.98	697	7.45			
York.....	95	13.67	1,372	9.93			
State.....	838	11.06	12,979	8.75			

CANCER, 1903-1913.

	1903.	1904.	1905.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.
Cancer of buccal cavity.....	19	29	25	29	28	30	28	29	23	26	20
Cancer of stomach and liver...	220	238	273	215	288	266	286	288	289	325	280
Cancer of the peritoneum intestines and rectum.....	75	76	76	101	101	99	97	109	117	151	178
Cancer of female genital organs	91	78	100	92	116	100	108	105	121	120	124
Cancer of breast.....	54	57	51	49	70	64	62	77	65	61	79
Cancer of skin.....	21	27	24	30	33	42	39	38	22	30	31
Cancer of other organs and of organs not specified.....	118	106	113	101	101	109	107	116	101	115	126
Cancer totals.....	598	611	662	617	737	710	727	762	738	828	838

Diabetes.—The deaths from this cause numbered 128 (55 in 1892, 65 in 1893, 71 in 1894, 77 in 1895, 67 in 1896, 95 in 1897, 88 in 1898, 95 in 1899, 74 in 1900, 87 in 1901, 83 in 1902, 92 in 1903, 91 in 1904, 115 in 1905, 121 in 1906, 107 in 1907, 116 in 1908, 129 in 1909, 127 in 1910, 174 in 1911, and 149 in 1912). The special death-rate from diabetes was, therefore 1.69 in 1913. Sixty-two of the decedents were males and 66 were females.

Ages: 1-5, 1; 5-10, 4; 10-20, 9; 20-30, 3; 30-40, 8; 40-50, 7; 50-60, 22; 60-70, 38; 70-80, 29; 80-90, 6; over 90, 1.

Old Age.—There were registered 534 deaths as due to old age, 245 men and 289 women, the old age limit not including any persons who died at an age lower than 60 years. Of these decedents, 11 were from 60 to 70 years of age; 128 were from 70 to 80; 299 were from 80 to 90; 93 were from 90 to 100, while 2 were over 100 years of age, and 1 not stated.

From Table No. 34, however, it will be seen that the whole number of persons who died at the ages between 60 and 100 years or more was 5,602, or one death in every four and eight-tenths was of a person who was between 60 and 100 years of age or older.

The following shows the number of deaths in each county of persons 60 years of age and over, and the death-rate per 10,000 of the population at all ages.

OLD AGE.

COUNTIES.	Deaths.	Rate per 10,000.	COUNTIES.	Deaths.	Rate per 10,000.
Androscoggin.....	420	68.14	Oxford.....	275	73.41
Aroostook.....	268	33.99	Penobscot.....	604	68.64
Cumberland.....	919	79.44	Piscataquis.....	119	57.31
Franklin.....	156	80.74	Sagadahoc.....	187	103.52
Hancock.....	310	88.38	Somerset.....	253	68.11
Kennebec.....	548	85.62	Waldo.....	231	100.00
Knox.....	291	101.82	Washington.....	293	69.26
Lincoln.....	165	92.52	York.....	562	80.85

Centenarians.—Among the persons whose decease occurred in 1913, one woman had exceeded the age of 100 years. Her name, together with a few facts relating to her life history is as follows:

Eliza Giles Ward died in Troy, November 13, at the age of 102 years, 2 months, and 20 days. She was born in Unity. She was the widow of Richard H. Ward. Her father, Giles Stevens, was born in New Hampshire, and her mother, Mary Scribner, was also born there.

Another, Adele L'Italien, died at Auburn, December 27, aged about 100 years. She was born in Canada and was the widow of J. L'Italien. The birthplace of her parents, Joseph Larue and Marguerite Ducasse, is unknown.

Diseases of the Nervous System and of Organs of Special Sense.—The number of deaths registered under the causes included in this group was 1,407 (1,459 in 1892, 1,451 in 1893, 1,543 in 1894, 1,585 in 1895, 1,520 in 1896, 1,661 in 1897, 1,607 in 1898, 1,728 in 1899, 1,652 in 1900, 1,615 in 1901, 1,600 in 1902, 1,641 in 1903, 1,578 in 1904, 1,648 in 1905, 1,524 in 1906, 1,731 in 1907, 1,624 in 1908, 1,543 in 1909, 1,672 in 1910, 1,540 in 1911, and 1,548 in 1912), or 18.58 to every 10,000 of population.

Inflammation of the Brain or Membranes.—The number of deaths was 107 (236 in 1892, 263 in 1893, 286 in 1894, 261 in 1895, 242 in 1896, 327 in 1897, 272 in 1898, 273 in 1899, 251 in 1900, 264 in 1901, 211 in 1902, 243 in 1903, 212 in 1904, 216 in 1905, 159 in 1906, 282 in 1907, 215 in 1908, 153 in 1909, 149 in 1910, 113 in 1911 and 108 in 1912), 44 males and 63 females. Of these, 48 were in the cities. The death-rate from the several diseases grouped under this head was 1.43.

Ages: Under 1, 29; 1-5, 24; 5-10, 10; 10-20, 12; 20-40, 11; 40-60, 11; over 60, 10.

Apoplexy.—From this cause 851 deaths occurred (488 in 1892, 422 in 1893, 408 in 1894, 488 in 1895, 492 in 1896, 555 in 1897, 558 in 1898, 629 in 1899, 583 in 1900, 595 in 1901, 674 in 1902, 712 in 1903, 714 in 1904, 751 in 1905, 718 in 1906, 825 in 1907, 802 in 1908, 817 in 1909, 887 in 1910, 860 in 1911, and 930 in 1912), 398 males and 453 females. Of these 272 were in the cities. The State's death-rate from apoplexy was, therefore, 11.24; that of the cities, 10.77.

The largest number of deaths from apoplexy, 225 occurred in the winter; the largest number in any one month was 81 in November.

In 1894, 1896, 1900, 1905, 1906, 1908, 1909, and 1911, the greatest mortality from this cause occurred in the spring; in 1892, 1893, 1895, 1897, 1899, 1901, 1903, 1904, 1907, 1909, 1910, and 1912 in the winter; in 1898, in the winter and spring; and in 1902 in the summer.

Conversely, the smallest number of deaths, 49, was in July; the smallest number in any one season was 181 in the summer months. Over 80 per cent. of the deaths were of persons 60 years of age and upward.

APOPLEXY BY COUNTIES AND MONTHS, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	8	1	2	7	9	7	3	6	6	5	7	6	67	10.87
Aroostook....	1	4	4	1	4	6	1	3	5	1	3	2	35	4.44
Cumberland..	14	10	7	11	17	9	11	9	3	7	10	8	116	10.03
Franklin.....	2	2	6	-	4	5	3	2	1	4	6	2	37	19.15
Hancock.....	7	4	6	7	2	4	1	6	6	2	3	7	55	15.68
Kennebec....	5	7	7	5	5	7	9	8	5	5	6	9	78	12.18
Knox.....	2	5	5	5	5	8	2	3	7	5	2	6	55	19.25
Lincoln.....	3	2	2	2	2	4	1	1	-	4	1	1	23	12.90
Oxford.....	5	6	4	4	4	2	1	2	8	5	5	3	49	13.08
Penobscot....	9	7	9	6	11	5	4	6	7	2	7	12	85	9.66
Piscataquis...	5	-	2	5	1	-	2	1	2	1	4	1	24	11.56
Sagadahoc....	4	3	3	1	3	2	2	2	2	2	3	3	30	16.61
Somerset.....	4	4	4	4	1	5	1	3	6	3	5	2	42	11.31
Waldo.....	1	5	4	4	-	1	4	1	6	2	6	2	36	15.57
Washington...	2	4	6	4	3	1	1	2	4	5	1	2	35	8.27
York.....	3	6	7	2	7	3	3	8	8	11	12	14	84	12.09
State....	75	70	78	68	78	69	49	63	76	64	81	80	851	11.24

The following is a tabular exhibit by sex and age-groups of the deaths from apoplexy:

APOPLEXY BY SEX AND AGE-PERIODS, 1913.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	3	-	-	-	2	5	16	51	111	130	78	2	398
Females.....	3	-	-	1	3	12	15	50	99	149	121	-	453
Total.....	6	-	-	1	5	17	31	101	210	279	199	2	851

APOPLEXY, 1913 AND 1896-1913.

COUNTIES.	1913.		1893-1913.	1893-1913.
	Number of deaths.	Death-rate per 10,000.	Number of deaths.	Mean death-rate per 10,000.
Androscoggin.....	67	10.87	1,190	10.90
Aroostook.....	35	4.44	449	3.51
Cumberland.....	116	10.03	2,435	11.69
Franklin.....	37	19.15	434	11.59
Hancock.....	55	15.68	635	8.64
Kennebec.....	78	12.18	1,478	12.35
Knox.....	55	19.25	728	12.37
Lincoln.....	23	12.90	449	11.37
Oxford.....	49	13.08	684	10.08
Penobscot.....	85	9.66	1,433	9.29
Piscataquis.....	24	11.56	290	8.50
Sagadahoc.....	30	16.61	487	11.95
Somerset.....	42	11.31	738	11.03
Waldo.....	36	15.57	545	11.30
Washington.....	35	8.27	703	7.74
York.....	84	12.09	1,593	12.05
State.....	851	11.24	14,271	10.10

Softening of the Brain.—From cerebral softening there were 29 deaths—those of 16 males and 13 females.

Ages: From 50-60, 4; 60-70, 3; 70-80, 12; over 80, 10.

Paralysis.—Of the 160 deaths from paralysis, 73 persons were males and 87 were females.

Ages: 1-5, 2; 10-20, 1; 20-30, 5; 30-40, 2; 40-50, 6; 50-60, 25; 60-70, 39; 70-80, 46; 80-90, 31; over 90, 3.

Epilepsy.—Seventeen males and 9 females died of epilepsy, 26 in all.

Ages: 1-5, 2; 10-20, 2; 20-40, 10; 40-60, 5; over 60, 7.

Tetanus.—This disease was the cause of 3 deaths (7 in 1892, 10 in 1893, 6 in 1894, 10 in 1895, 8 in 1896, 2 in 1897, 4 in 1898, 11 in 1899, 7 in 1900, 5 in 1901, 7 in 1902, 11 in 1903, 14 in 1904, 7 in 1905, 4 in 1906, 7 in 1907, 6 in 1908, 5 in 1909, 11 in 1910, 9 in 1911, and 2 in 1912). The decedents were 2 males and 1 female.

Ages: Under 5, 2; 5-10, 1.

Diseases of the Heart.—From diseases of the heart, including those from endocarditis, pericarditis, angina pectoris, and organic diseases of the heart, there were 1,442 deaths (816 in 1892, 875 in 1893, 940 in 1894, 948 in 1895, 1,036 in 1896, 1,062 in 1897, 1,132 in 1898, 1,028 in 1899, 1,045 in 1900, 1,076 in 1901, 1,097 in 1902, 1,153 in 1903, 1,191 in 1904, 1,222 in 1905, 1,246 in 1906, 1,381 in 1907, 1,284 in 1908, 1,330 in 1909, 1,380 in 1910, 1,348 in 1911, and 1,292 in 1912). The following exhibits the age and sex distribution of each form of disease for the year 1913.

DISEASES.	Under 1.	1-10.	10-20.	20-40.	40-60.	Over 60.	Not stated.	Males.	Females.	Total.
Pericarditis.....	-	1	1	3	1	6	1	9	4	13
Endocarditis.....	3	4	2	9	17	3	-	22	16	38
Organic diseases of heart.....	8	13	15	57	226	972	1	708	584	1292
Angina pectoris.....	1	-	-	5	26	67	-	63	36	99
Total.....	12	18	18	74	270	1048	2	802	640	1442

For the year 1913, the number of deaths in each county from diseases of the heart is shown in the following, as well as the special death-rates for State and county:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	89	14.44	Oxford.....	77	20.55
Aroostook.....	59	7.49	Penobscot.....	132	15.00
Cumberland.....	253	21.87	Piscataquis.....	32	15.41
Franklin.....	25	12.94	Sagadahoc.....	54	29.89
Hancock.....	81	23.12	Somerset.....	58	15.62
Kennebec.....	176	27.49	Waldo.....	49	21.20
Knox.....	82	28.98	Washington.....	85	20.09
Lincoln.....	38	21.31	York.....	152	31.87
			State.....	1,442	19.04

As may be noted, York county had the highest death-rate from diseases of the heart, and Aroostook the lowest. The rate for the State was 19.04.

The whole number of deaths from disease of the heart arranged by sex and age-groups was as follows:

HEART DISEASE BY SEX AND AGE-PERIODS 1913.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	4	3	6	5	7	31	48	107	197	269	123	2	802
Females.....	8	3	6	13	9	27	31	84	134	214	111	-	640
Total.....	12	6	12	18	16	58	79	191	331	483	234	2	1442

Diseases of the Respiratory System.—Without the inclusion of tuberculosis, 1,443 persons died from the various respiratory diseases as tabulated on page 101 (1,760 in 1892, 1,407 in 1893, 1,312 in 1894, 1,165 in 1895, 1,141 in 1896, 1,347 in 1897, 1,124 in 1898, 1,455 in 1899, 1,513 in 1900, 1,405 in 1901, 1,380 in 1902, 1,348 in 1903, 1,428 in 1904, 1,391 in 1905, 1,330 in 1906, 1,497 in 1907, 1,334 in 1908, 1,509 in 1909, 1,664 in 1910, 1,421 in 1911, and 1,452 in 1912). From these diseases there were therefore, 317 fewer deaths than in 1892, 36 more than in 1893, 131 more than in 1894, 278 more than in 1895, 302 more than in 1896, 96 more than in 1897, 319 more than in 1898, 12 fewer than in 1899, 70 fewer than in 1900, 38 more than in 1901, 63 more than in 1902, 95 more than in 1903, 15 more than in 1904, 52 more than in 1905, 113 more than in 1906, 54 fewer than in 1907, 100 more than in 1908, 66 fewer than in 1909, 221 fewer than in 1910, 22 more than in 1911, and 9 fewer than in 1912.

Including the deaths from pulmonary tuberculosis, as well as from pneumonia, bronchitis, and the other respiratory diseases in 1913, the number of deaths was 969 smaller than in 1892, 563 smaller than in 1893, 431 smaller than in 1894, 217 smaller than in 1895, 170 smaller than in 1896, 332 smaller than in 1897, 34 larger than in 1898, 227 smaller than in 1899, 397 smaller than in 1900, 295 smaller than in 1901, 207 smaller than in 1902, 106 smaller than in 1903, 301 smaller than in 1904, 142 smaller than in 1905, 102 smaller than in 1906, 304 smaller than in 1907, 84 smaller than in 1908, 196 smaller than in 1909, 410 smaller than in 1910, 120 smaller than in 1911, and 53 smaller than in 1912.

The death-rate from the respiratory diseases (excluding pulmonary tuberculosis) in 1913 was 19.05 in each 10,000 population, as compared with 19.32 in 1912, 18.98 in 1911, 22.41 in 1910, 20.65 in 1909, 18.35 in 1908, 20.71 in 1907, 18.50 in 1906, 19.46 in 1905, 20.56 in 1904, 19.41 in 1903, 19.87 in 1902, 20.23 in 1901, 21.79 in 1900, 20.91 in 1899, 17.00 in 1898, 20.38 in 1897, 17.26 in 1896, 17.62 in 1895, 19.85 in 1894, 21.28 in 1893, and 27.16 in 1892.

Pneumonia.—The number of deaths registered under this cause was 1,146 (1,431 in 1892, 1,143 in 1893, 1,023 in 1894, 812 in 1895, 781 in 1896, 936 in 1897, 769 in 1898, 1,067 in

1899, 1,067 in 1900, 994 in 1901, 987 in 1902, 999 in 1903, 1,050 in 1904, 1,053 in 1905, 970 in 1906, 1,153 in 1907, 1,068 in 1908, 1,120 in 1909, 1,246 in 1910, 1,071 in 1911, and 1,105 in 1912), of which 581 were males and 565 were females. The death-rate from this disease was, therefore, 15.13 per 10,000 (21.56 in 1892, 17.27 in 1893, 15.47 in 1894, 12.28 in 1895, 11.81 in 1896, 14.16 in 1897, 11.62 in 1898, 15.44 in 1899, 15.36 in 1900, 14.31 in 1901, 14.21 in 1902, 14.39 in 1903, 15.12 in 1904, 14.73 in 1905, 13.50 in 1906, 15.95 in 1907, 14.69 in 1908, 15.32 in 1909, 16.78 in 1910, 14.31 in 1911, and 14.70 in 1912.) As 513 of the deaths occurred in the cities, the urban death-rate was 20.30.

The age distribution of pneumonia by sex and age-groups is shown in the following table.

PNEUMONIA BY SEX AND AGE-PERIODS, 1913.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Not stated.	Total.
Males.....	101	66	11	13	23	47	37	63	83	81	54	2	581
Females.....	80	59	8	11	14	24	32	39	89	114	94	1	565
Total.....	181	125	19	24	37	71	69	102	172	195	148	3	1146

PNEUMONIA BY COUNTIES AND MONTHS WITH DEATH-RATE PER 10,000, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	17	12	17	21	12	14	4	4	2	3	4	10	120	19.47
Aroostook....	8	11	11	12	8	7	4	3	-	4	3	10	81	10.27
Cumberland..	27	34	36	23	23	11	5	4	6	6	10	22	207	17.89
Franklin.....	5	3	10	2	5	2	1	1	-	1	1	-	31	16.04
Hancock.....	5	7	5	6	6	6	-	-	-	1	2	6	44	12.54
Kennebec....	23	29	21	9	8	4	8	4	6	2	2	12	128	20.00
Knox.....	4	8	8	3	1	1	-	1	2	1	1	1	31	10.85
Lincoln.....	-	2	3	-	1	-	-	1	-	1	-	1	9	5.05
Oxford.....	6	8	8	2	1	1	-	2	1	4	3	5	41	10.94
Penobscot....	20	24	18	22	20	6	3	6	8	8	7	17	159	18.07
Piscataquis...	1	3	4	3	3	3	-	1	1	-	-	1	20	9.63
Sagadahoc....	3	14	7	2	5	-	-	1	1	-	1	4	38	21.03
Somerset.....	8	6	11	4	3	3	1	1	1	1	-	3	42	11.31
Waldo.....	1	4	7	1	4	-	2	1	-	2	2	2	26	11.25
Washington..	8	3	12	9	5	4	1	1	3	2	3	7	58	13.71
York.....	20	22	18	11	9	1	2	1	2	6	8	11	111	15.96
State.....	156	190	196	130	114	63	31	32	33	42	47	112	1146	15.13

The following table shows the number of deaths from pneumonia in each of the cities in each year from 1899 to 1913, the pneumonia death-rate of each city based upon the estimated population for each of these years, the same facts for the State as a whole, and for the State exclusive of the cities.

Deaths and Death-Rates from Pneumonia

CITIES.	1899.		1900.		1901.		1902.		1903.		1904.		1905.	
		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.		Death-rate per 10,000.
Auburn.....	25	19.56	12	9.27	16	12.19	12	9.03	15	11.14	10	7.54	22	15.94
Augusta.....	27	23.34	16	13.70	12	10.17	30	25.18	16	13.30	22	18.11	16	13.05
Bangor.....	38	17.61	36	16.48	37	16.72	41	18.31	58	25.57	60	26.15	48	20.67
Bath.....	11	10.68	15	14.32	10	9.29	14	12.93	19	11.25	16	14.31	20	17.61
Belfast.....	5	10.68	8	17.33	6	12.66	7	14.38	7	14.02	3	5.86	8	15.25
Biddeford.....	44	27.54	41	25.39	21	12.87	42	25.48	29	17.41	40	23.77	37	21.77
Brewer.....	6	12.55	4	8.27	11	22.45	6	12.09	15	29.83	8	15.71	13	25.21
Calais.....	7	9.19	12	15.68	1	22.10	14	18.10	9	11.59	16	20.51	10	12.76
Eastport.....	3	5.69	14	26.36	12	22.43	7	12.98	5	9.20	6	10.96	9	16.33
Ellsworth.....	6	13.71	8	18.62	9	30.25	13	30.25	2	4.65	6	13.96	25	58.18
Gardiner.....	17	30.91	19	34.54	14	25.45	4	7.27	12	21.80	11	19.98	14	25.43
Hallowell.....	4	14.49	8	29.43	4	14.74	8	29.48	4	14.74	4	14.74	6	22.11
Lewiston.....	34	14.43	40	16.83	28	11.68	42	17.37	18	7.38	25	10.17	49	19.77
Old Town.....	19	33.22	9	15.62	8	13.77	11	18.79	16	27.12	7	11.78	9	15.03
Portland.....	96	19.47	94	18.74	68	13.34	75	14.47	96	18.23	77	14.39	65	11.96
Rockland.....	9	11.04	10	12.27	9	11.04	12	14.72	10	12.27	9	11.04	9	11.04
Saco.....	14	22.89	16	26.14	11	17.95	6	9.79	7	11.40	7	11.40	9	14.64
South Portland....	5	7.14	13	18.12	7	9.52	6	7.98	3	3.90	5	6.36	3	3.73
Waterville.....	9	9.47	14	14.77	9	9.26	24	24.12	11	10.89	21	20.14	8	7.53
Westbrook.....	8	11.08	3	4.12	9	13.31	9	12.14	12	16.05	7	9.28	6	7.89
Total.....	387	17.32	392	17.35	318	13.91	383	16.55	364	15.55	360	15.20	386	16.11
State.....	1067	15.44	1067	15.44	994	14.23	987	14.05	999	14.11	1050	14.78	1053	14.72
State exclusive of cities.....	680	14.54	675	14.54	676	14.41	604	12.86	635	13.50	690	14.65	667	14.15

in the Cities and the State, 1899-1913.

1906.	Death-rate per 10,000.	1907.	Death-rate per 10,000.	1908.	Death-rate per 10,000.	1909.	Death-rate per 10,000.	1910.	Death-rate per 10,000.	1911.	Death-rate per 10,000.	1912.	Death-rate per 10,000.	1913.	Death-rate per 10,000.	Total.	Death-rate per 10,000.
26	18.61	29	14.14	17	11.88	19	13.12	27	17.92	16	10.47	18	11.62	15	9.52	270	12.78
19	15.35	25	23.21	15	11.90	28	21.92	29	25.52	26	19.46	30	22.20	49	35.75	374	19.74
40	17.02	50	21.03	54	22.45	49	20.14	40	16.13	42	16.74	74	29.14	69	26.79	736	20.06
15	13.01	14	11.96	15	12.62	13	10.79	16	17.03	13	12.32	16	17.43	15	16.54	222	13.88
5	9.31	6	10.91	3	5.42	7	13.33	2	4.33	8	17.32	4	8.66	13	28.15	92	12.53
45	26.22	35	20.19	24	13.59	50	28.22	66	38.65	44	25.62	36	20.85	42	24.16	596	23.46
9	17.24	11	20.82	11	20.57	10	18.45	10	20.68	9	15.65	17	29.14	9	15.22	149	18.93
13	16.51	16	20.23	15	18.88	12	15.03	9	14.72	6	10.06	7	12.05	19	33.60	182	16.73
9	16.21	11	19.67	8	14.20	5	8.81	6	12.09	15	30.45	2	4.08	9	18.21	121	15.18
5	11.64	7	16.29	10	23.27	8	18.62	14	32.58	13	37.41	8	23.54	8	24.06	142	23.80
3	5.27	6	10.89	12	21.78	4	7.26	11	20.00	5	9.43	9	17.07	16	30.56	157	19.17
5	18.42	7	25.79	5	18.42	1	3.68	8	29.47	5	17.37	5	17.28	4	13.82	78	18.93
70	28.00	47	18.65	45	17.71	61	23.81	61	25.63	48	18.12	54	20.19	43	26.98	695	18.45
21	34.80	12	19.74	16	26.13	12	19.46	8	13.88	7	10.99	13	20.23	6	9.12	174	19.32
81	14.68	120	21.43	100	11.43	104	17.87	97	19.34	103	17.34	92	15.27	120	19.57	1388	16.90
10	12.27	11	13.50	11	13.50	7	8.59	6	7.36	12	14.68	12	14.68	9	11.02	146	11.93
6	9.76	6	9.75	11	17.85	9	14.60	10	16.33	13	19.61	8	11.98	5	7.44	138	14.77
6	7.31	15	20.91	7	9.76	6	9.54	8	12.72	7	9.37	5	6.49	7	8.94	103	9.45
17	15.90	13	11.67	15	13.19	17	14.77	11	11.61	24	20.59	33	27.84	18	14.88	234	14.42
17	22.15	14	18.09	11	14.10	19	24.15	13	17.85	8	9.54	9	11.59	7	8.13	152	13.05
422	17.41	450	18.36	405	16.48	441	17.78	462	18.80	424	17.04	448	17.93	513	20.31	6,155	17.07
970	13.50	1153	16.06	1068	14.69	1120	15.32	1246	16.78	1071	14.31	1105	14.70	1146	15.13	16096	14.88
548	11.61	703	14.88	663	13.78	679	14.07	784	15.79	647	12.96	657	13.09	633	10.56	9,941	14.69

The following is a tabular statement of the deaths from pneumonia by counties, months, and age-groups for the twenty-one years 1893 to 1913.

PNEUMONIA, 1893-1913.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,811	January..... 2,927	Under 1..... 3,439
Aroostook..... 1,363	February..... 2,877	1-5..... 2,190
Cumberland..... 3,448	March..... 3,241	5-10..... 433
Franklin..... 618	April..... 2,709	10-20..... 689
Hancock..... 1,034	May..... 2,093	20-30..... 992
Kennebec..... 1,991	June..... 1,157	30-40..... 1,202
Knox..... 725	July..... 550	40-50..... 1,444
Lincoln..... 508	August..... 491	50-60..... 1,845
Oxford..... 1,101	September..... 684	60-70..... 2,876
Penobscot..... 2,652	October..... 1,154	70-80..... 3,696
Piscataquis..... 447	November..... 1,508	Over 80..... 2,679
Sagadahoc..... 614	December..... 2,158	Not stated..... 75
Somerset..... 1,009	Not stated..... 11	Total..... 21,560
Waldo..... 684	Total..... 21,560	
Washington..... 1,235		
York..... 2,320		
State..... 21,560		

Bronchitis.—From this cause, including both acute and chronic bronchitis, 161 deaths were registered (287 in 1892, 197 in 1893, 209 in 1894, 225 in 1895, 220 in 1896, 237 in 1897, 210 in 1898, 233 in 1899, 262 in 1900, 222 in 1901, 241 in 1902, 209 in 1903, 223 in 1904, 218 in 1905, 187 in 1906, 190 in 1907, 154 in 1908, 214 in 1909, 229 in 1910, 204 in 1911, and 205 in 1912.) Among these decedents 63 were males and 98 were females. Of these 161 deaths, 67 were in the cities. The largest number of deaths in any one month was 32 in January. The smallest number of deaths in any month, 4, occurred in September. The largest number of deaths in three consecutive months was 78 in January, February and March; the smallest number in any three consecutive months was 19 in July, August and September. The number of deaths by quarters was 78, 35, 19 and 29.

The bronchitis death-rate of the State was 2.12; of the cities, 2.65.

The following shows the age distribution of the decedents from this disease; it will be noticed that there was a great fatality at either extreme of life.

Under	1 year, 48	40-50 years, 3
	1- 5 years, 8	50-60 years, 2
	5-10 years, 2	60-70 years, 12
	10-20 years, 1	70-80 years, 41
	20-30 years, 3	Over 80 years, 38
	30-40 years, 3	

The following shows the distribution of bronchitis by counties and months, together with the bronchitis death-rate of counties and State:

BRONCHITIS, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	2	1	1	-	2	-	1	2	2	1	1	1	14	2.27
Aroostook....	1	-	2	1	1	-	-	-	-	-	-	1	6	0.76
Cumberland..	4	5	4	1	1	2	1	2	-	2	-	2	24	2.07
Franklin.....	-	-	-	-	1	-	-	-	-	-	-	-	1	0.52
Hancock.....	3	-	3	-	1	2	1	-	-	-	-	-	10	2.85
Kennebec....	5	1	3	5	-	-	-	1	-	2	-	2	19	2.97
Knox.....	1	1	-	-	-	-	1	-	-	-	2	-	5	1.74
Lincoln.....	-	1	-	1	-	-	-	-	-	-	-	-	2	4.46
Oxford.....	-	2	-	1	-	-	-	-	-	-	2	1	6	1.60
Penobscot....	3	6	4	1	1	3	2	-	1	-	2	1	24	2.73
Piscataquis...	1	-	-	1	-	-	-	-	-	-	-	-	2	0.96
Sagadahoc....	1	-	-	-	-	-	-	-	-	-	1	-	2	1.11
Somerset.....	1	1	1	1	2	-	-	1	-	1	-	1	9	2.42
Waldo.....	6	1	1	-	1	1	-	-	-	-	-	-	10	4.33
Washington...	1	2	-	-	1	-	-	-	-	-	-	-	4	0.94
York.....	3	4	2	1	2	1	1	2	1	4	1	1	23	3.31
State....	32	25	21	13	13	9	7	8	4	10	9	10	161	2.12

Pleurisy.—Twenty-three deaths were charged to this disease (18 in 1892, 19 in 1893, 15 in 1894, 19 in 1895, 19 in 1896, 26 in 1897, 17 in 1898, 24 in 1899, 28 in 1900, 24 in 1901, 16 in 1902, 17 in 1903, 24 in 1904, 21 in 1905, 17 in 1906, 26 in 1907, 10 in 1908, 32 in 1909, 22 in 1910, 22 in 1911, and 27 in 1912), 14 males and 9 females.

Ages: 1-5, 5; 5-10, 2; 20-30, 2; 30-40, 1; 40-50, 3; 50-60, 2; 60-70, 2; over 70, 6.

Diseases of the Digestive System.—The combined mortality from this group of diseases was 1,192 (659 in 1892, 653 in 1893, 685 in 1894, 693 in 1895, 679 in 1896, 673 in 1897, 651 in 1898, 1,411 in 1899, 1,411 in 1900, 1,202 in 1901, 973 in 1902, 1,087 in 1903, 1,076 in 1904, 1,303 in 1905, 1,366 in 1906, 1,063 in 1907, 1,450 in 1908, 1,215 in 1909, 1,420 in 1910, 1,190 in 1911, and 1,011 in 1912), or a death-rate of 15.74. The distribution of these under their several causes will be found on page 101.

Diarrheal Diseases.—The total number of deaths caused by the diseases under this group was 633 (662 in 1892, 642 in 1893, 602 in 1894, 635 in 1895, 639 in 1896, 666 in 1897, 854 in 1898, 662 in 1899, 805 in 1900, 684 in 1901, 476 in 1902, 566 in 1903, 514 in 1904, 719 in 1905, 868 in 1906, 493 in 1907, 862 in 1908, 601 in 1909, 851 in 1910, 585 in 1911, and 485 in 1912). The death-rate from this group of diseases was 8.36 per 10,000.

Infantile Diarrhea.—This, as synonymous with diarrhea and enteritis (under 2 years) was the cause of 481 deaths (546 in 1892, 507 in 1893, 468 in 1894, 523 in 1895, 520 in 1896, 528 in 1897, 669 in 1898, 565 in 1899, 680 in 1900, 567 in 1901, 360 in 1902, 403 in 1903, 369 in 1904, 561 in 1905, 652 in 1906, 375 in 1907, 682 in 1908, 483 in 1909, 693 in 1910, 451 in 1911, and 309 in 1912.) A reference to the following table will show the number of deaths which occurred in each month as well as the number in each county, and the county death-rates, for this cause. There were in the first quarter of the year but 22 deaths from this cause; in the second quarter, 36; in the third quarter, 350; and in the fourth quarter, 73. The largest number of deaths in one month occurred in August, that being 161.

Of the children dying from this cause, 59 per cent. were less than 6 months old, and another 29 per cent. were less than 1 year of age, making 88 per cent. of deaths within the first year of age.

Ages: Under 3 months, 123; 3-6 months, 159; 6-9 months, 89; 9-12 months, 50; 12-18 months, 43; 18 months-2 years, 17.

In the classification of deaths from diarrheal diseases, only the deaths among children under 2 years of age are included under "infantile diarrhea." The deaths from diarrheal diseases other than those under this cause were: Cholera morbus, 11; dysentery, 22; and diarrhea and enteritis (2 years and over), 119.

Of the 481 deaths from infantile diarrhea, 167 were returned from the cities. This represents an urban death-rate from this cause of 6.61 (15.20 in 1892, 14.33 in 1893, 13.27 in 1894, 13.78 in 1895, 11.43 in 1896, 14.95 in 1897, 15.15 in 1898, 11.77 in 1899, 14.84 in 1900, 10.09 in 1901, 6.89 in 1902, 6.49 in 1903, 6.26 in 1904, 9.96 in 1905, 10.15 in 1906, 8.21

in 1907, 11.39 in 1908, 7.66 in 1909, 10.42 in 1910, 7.03 in 1911, and 6.32 in 1912). The rate for the villages and rural districts is 6.22 this year (5.33 in 1892, 4.95 in 1893, 4.47 in 1894, 5.44 in 1895, 6.36 in 1896, 5.05 in 1897, 8.00 in 1898, 6.47 in 1899, 7.37 in 1900, 7.24 in 1901, 4.37 in 1902, 5.50 in 1903, 4.86 in 1904, 6.57 in 1905, 8.52 in 1906, 3.65 in 1907, 8.35 in 1908, 6.67 in 1909, 8.80 in 1910, 5.53 in 1911, and 3.01 in 1912.)

DIARRHEA AND ENTERITIS (UNDER 2 YEARS) BY COUNTIES AND MONTHS, 1913.

COUNTIES.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.	Total.	Death-rate per 10,000.
Androscoggin.	1	1	2	3	-	-	7	18	8	7	3	3	53	8.60
Aroostook....	1	1	1	4	1	5	18	72	52	13	2	3	173	21.94
Cumberland..	2	-	-	1	1	-	7	9	15	6	2	-	43	3.7½
Franklin.....	-	-	-	1	2	-	-	3	3	-	1	-	10	5.17
Hancock.....	-	-	1	-	-	-	-	-	2	-	-	-	3	0.86
Kennebec....	1	-	-	2	2	-	4	12	10	3	-	-	34	5.31
Knox.....	-	-	-	-	1	-	-	1	4	1	-	-	7	2.45
Lincoln.....	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Oxford.....	1	1	-	-	1	-	-	13	9	1	4	2	32	8.54
Penobscot....	1	1	-	1	-	1	1	5	12	2	1	-	25	2.84
Piscataquis...	-	-	-	-	-	-	-	1	-	-	1	-	2	0.96
Sagadahoc....	-	-	1	-	1	-	1	-	1	-	-	1	5	2.77
Somerset.....	1	-	-	-	-	-	1	5	7	1	1	-	16	4.31
Waldo.....	-	-	-	-	-	-	-	-	1	-	-	-	1	0.43
Washington...	-	1	-	2	2	-	-	6	3	1	3	-	18	4.25
York.....	2	2	-	-	2	3	2	16	21	8	-	3	59	8.49
State.....	10	7	5	14	13	9	41	161	148	43	18	12	481	6.35

The preceding table exhibits the number of deaths from infantile diarrhea in 1913, by counties and months, with the death-rate for each county. The following is a tabulation of the deaths from infantile diarrhea for the twenty-one years 1893-1913, by counties, months, and age-groups:

DIARRHEA AND ENTERITIS (UNDER 2 YEARS) BY COUNTIES, MONTHS AND AGE-PERIODS, 1893-1913.

By Counties.	By Months.	By Age-periods.
Androscoggin..... 1,388	January..... 167	Under 6 months.... 5,995
Aroostook..... 2,413	February..... 138	6-12 months..... 3,439
Cumberland..... 1,266	March..... 172	1-2 years..... 1,389
Franklin..... 168	April..... 175	Unknown..... 23
Hancock..... 259	May..... 191	Total..... 10,846
Kennebec..... 1,001	June..... 272	
Knox..... 227	July..... 1,353	
Lincoln..... 53	August..... 3,501	
Oxford..... 348	September..... 3,093	
Penobscot..... 993	October..... 1,306	
Piscataquis..... 121	November..... 289	
Sagadahoc..... 212	December..... 186	
Somerset..... 306	Not stated..... 3	
Waldo..... 105	Total..... 10,846	
Washington..... 625		
York..... 1,361		
State..... 10,846		

The following is a tabular exhibit of the number of deaths from infantile diarrhea in the cities for each of the eight years 1906-1913.

DIARRHEA AND ENTERITIS (UNDER 2 YEARS) IN THE CITIES, 1906-1913.

CITIES.	1906.	1907.	1908.	1909.	1910.	1911.	1912.	1913.	Total.
Auburn.....	15	6	12	13	11	11	10	9	87
Augusta.....	16	13	26	10	13	14	11	18	121
Bangor.....	13	9	7	8	8	7	5	8	65
Bath.....	7	10	9	7	7	1	8	3	52
Belfast.....	2	1	-	-	1	1	3	-	8
Biddeford.....	37	22	38	23	44	20	19	29	232
Brewer.....	3	5	4	2	6	3	-	2	25
Calais.....	7	8	10	2	4	7	3	8	49
Eastport.....	6	8	8	7	5	1	2	1	38
Ellsworth.....	5	-	-	2	-	-	-	-	7
Gardiner.....	1	-	6	-	6	3	2	1	19
Hallowell.....	1	2	3	1	1	-	1	1	10
Lewiston.....	45	57	54	49	69	46	45	37	402
Old Town.....	12	6	12	5	5	6	1	5	52
Portland.....	44	31	41	36	42	30	22	27	273
Rockland.....	1	2	3	1	3	1	-	4	15
Saco.....	5	4	10	4	7	1	5	5	41
South Portland.....	7	-	5	3	2	3	1	3	24
Waterville.....	16	6	22	13	15	12	12	4	100
Westbrook.....	2	10	10	4	7	8	8	2	51
Total.....	245	200	280	190	256	175	158	167	1,671

Peritonitis.—There were 22 deaths from this cause (129 in 1892, 151 in 1893, 137 in 1894, 125 in 1895, 116 in 1896, 117 in 1897, 102 in 1898, 83 in 1899, 105 in 1900, 99 in 1901, 81 in 1902, 55 in 1903, 63 in 1904, 90 in 1905, 59 in 1906, 60 in 1907, 64 in 1908, 59 in 1909, 62 in 1910, 36 in 1911, and 36 in 1912), 10 males and 12 females. Thirteen of them were in the cities. The following shows the county, month, and age distribution of the deaths from this cause:

PERITONITIS, 1913.

By Counties.		By Months.		By Age-periods.		d
Androscoggin.....	2	January.....	2	Under 1.....		2
Aroostook.....	-	February.....	3	1-5.....		2
Cumberland.....	1	March.....	1	5-10.....		1
Franklin.....	-	April.....	2	10-20.....		7
Hancock.....	-	May.....	2	20-30.....		2
Kennebec.....	1	June.....	1	30-40.....		3
Knox.....	3	July.....	1	40-50.....		1
Lincoln.....	1	August.....	4	50-60.....		1
Oxford.....	-	September.....	1	60-70.....		-
Penobscot.....	10	October.....	2	70-80.....		2
Piscataquis.....	-	November.....	-	Over 80.....		1
Sagadahoc.....	-	December.....	3	Total.....		22
Somerset.....	1	Total.....	22			
Waldo.....	2					
Washington.....	1					
York.....	-					
State.....	22					

Appendicitis.—Of the deaths classified under this cause, 86 in number, 51 were males and 35 females. The number of deaths in each month was: January, 8; February, 12; March, 7, April, 6; May, 4; June, 9; July, 5; August, 7; September, 10, October, 2; November, 8; December, 8.

Ages: From 1-5, 4; 5-10, 9; 10-20, 24; 20-30, 16; 30-40, 9; 40-50, 8; 50-60, 6; over 60, 10.

Cirrhosis of the Liver.—Fifty-seven deaths were ascribed to cirrhosis of the liver—those of 28 men and 29 women. Of these 57 deaths, 26 were in the cities, and 31 in the rural parts

of the State. The death-rate in the State from this one cause was 0.75 per 10,000 (0.19 in 1892, 0.18 in 1893, 0.29 in 1894, 0.50 in 1895, 0.33 in 1896, 0.45 in 1897, 0.58 in 1898, 0.52 in 1899, 0.79 in 1900, 0.63 in 1901, 0.63 in 1902, 0.92 in 1903, 0.66 in 1904, 0.62 in 1905, 0.60 in 1906, 0.82 in 1907, 0.89 in 1908, 0.75 in 1909, 0.79 in 1910, 0.41 in 1911, and 0.65 in 1912.)

Nonvenereal Diseases of the Genitourinary System and Anæra.—There were 898 deaths referred to the diseases under this group, equivalent to a death-rate of 11.86.

Nephritis.—Acute nephritis caused the death of 93 persons, 38 males and 55 females. The death-rate from nephritis was, therefore, 1.23.

Ages: Under 1, 4; 1-5, 5; 5-10, 4; 10-20, 3; 20-30, 11; 30-40, 9; 40-50, 12; 50-60, 15; 60-70, 14; 70-80, 8; over 80, 8.

**Bright's Disease.*—This was the cause of 685 deaths (204 in 1892, 217 in 1893, 219 in 1894, 234 in 1895, 282 in 1896, 231 in 1897, 250 in 1898, 262 in 1899, 443 in 1900, 471 in 1901, 523 in 1902, 573 in 1903, 575 in 1904, 599 in 1905, 652 in 1906, 661 in 1907, 600 in 1908, 595 in 1909, 714 in 1910, 768 in 1911, and 694 in 1912), 398 males and 287 females. Of these deaths 263 were in the cities.

The sex and age-group distribution of Bright's disease is as follows:

BRIGHT'S DISEASE BY SEX AND AGE-PERIODS, 1913.

SEX.	Under 1.	1-5.	5-10.	10-20.	20-30.	30-40.	40-50.	50-60.	60-70.	70-80.	Over 80.	Total.
Males.....	2	1	-	1	8	13	27	70	97	125	54	398
Females.....	2	-	-	4	11	17	28	38	77	67	43	287
Total.....	4	1	-	5	19	30	55	108	174	192	97	685

* This title includes: Chronic, albuminous, interstitial, or parenchymatous nephritis; albuminuria; amyloid or fatty degeneration of the kidney; steatosis of the kidney; renal sclerosis. Also includes when their precise nature is not indicated: Uremia, uremic eclampsia; uremic delirium; uremic coma.

The following tabulation shows the number of deaths from Bright's disease in each county, and the death-rate of each from this cause:

COUNTIES.	Number of deaths.	Rate.	COUNTIES.	Number of deaths.	Rate.
Androscoggin.....	62	10.06	Oxford.....	30	8.01
Aroostook.....	34	4.31	Penobscot.....	69	7.84
Cumberland.....	137	11.93	Piscataquis.....	17	8.19
Franklin.....	24	12.42	Sagadahoc.....	18	9.96
Hancock.....	37	10.55	Somerset.....	18	4.85
Kennebec.....	50	7.81	Waldo.....	31	13.41
Knox.....	44	15.39	Washington.....	25	5.91
Lincoln.....	17	9.53	York.....	72	10.36
			State.....	685	9.04

The Puerperal State.—Under this class of accidents and diseases of reproduction, 72 deaths were registered, not including puerperal fever, (69 in 1892, 50 in 1893, 41 in 1894, 36 in 1895, 56 in 1896, 62 in 1897, 51 in 1898, 40 in 1899, 50 in 1900, 52 in 1901, 69 in 1902, 94 in 1903, 72 in 1904, 51 in 1905, 76 in 1906, 80 in 1907, 66 in 1908, 56 in 1909, 63 in 1910, 99 in 1911, and 65 in 1912). This is equivalent to a special death-rate of 0.95.

Deaths from External Causes.—Under this class there were 672 deaths.

Absorption of deleterious gases (conflagration excepted) caused 8 deaths.

Accidental drowning caused 110 deaths.

The number of deaths referred to food poisoning was 9. The statement in nearly all instances was ptomaine poisoning.

Acute poisoning caused 32 deaths. These deaths distributed under the various toxic agencies were as follows: Morphine or other opiates, 6; strychnine, 4; wood alcohol or denatured alcohol, 3; corrosive sublimate, 3; potassium cyanide, 2; carbolic acid, 2; patent medicine, alcohol, eating brown tail moth. arsenic, and acetanilid, 1 each; other poisons, 7.

Burns and scalds caused 53 deaths—14 were from clothing taking fire; 12 from explosion of kerosene; 7 from explosion of boiler; 6, scalded with hot water; 6, from matches; 2, from explosion of gasoline; 1 by explosion of alcohol; 1 by boiling starch, 1 by boiling tea, and the rest were unspecified.

Conflagration caused 4 deaths.

Electricity caused 6 deaths.

Excessive cold caused 7 deaths.

Eight persons died from excessive heat.

Fractures (cause not specified) caused 7 deaths.

Inanition was the cause of 1 death.

Injuries by animals caused 5 deaths.

Lightning caused only 1 death.

There were 13 homicides in this State.

Other external violence (accident or traumatism unqualified) caused 17 deaths.

Traumatism by cutting or piercing instruments caused 7 deaths; by fall, 116, by firearms, 36; by machines, 21; by other crushing (vehicles, railroads, landslides, etc.), 109; in mines and quarries, 3.

The death-rate in the State under this class was 8.87.

Suicide.—Within the year 99 persons took their own lives (59 in 1892, the same number in 1893, 39 in 1894, 66 in 1895, 81 in 1896, 71 in 1897, 56 in 1898, 93 in 1899, 66 in 1900, 81 in 1901, 73 in 1902, 77 in 1903, 107 in 1904, 84 in 1905, 85 in 1906, 87 in 1907, 121 in 1908, 94 in 1909, 79 in 1910, 100 in 1911, and 110 in 1912), 79 males and 20 females. Of the males, the occupation of 18 was laborer; of 14, farmer; of 4, retired; of 3, carpenter; of 3, each seaman, shoemaker and student; of 2 each, teamster, shoe-dealer, blacksmith, fisherman, and real estate agent; of 1 each, harness maker, mail clerk, plumber, business man, lumberman, newspaper man, merchant, assistant postmaster, chemist, landlord, caterer, cook, actor, moving picture operator, soldier, stevedore, marble cutter, carriage smith, loom fixer and watchman; while of 1, no occupation was given.

Of the females, the occupation of 11 was given as housewife; of 2, as housekeeper; of 1 each, domestic, at home, dress-maker, tailoress, and factory operative. In 2 cases no occupation was given.

As to the means employed, 34 committed suicide by hanging; 23 by firearms; 9 by poison; 18 by drowning, 11 by cutting instruments; 1 by gas asphyxiation; 2 by jumping from high places; and 1 not stated.

SUICIDES BY AGES, MONTHS, AND COUNTIES, 1913.

AGE-PERIODS.		MONTHS.	COUNTIES.		Rate per 10,000 of population.
10-20.....	5	January.....	9	Androscoggin.....	10 1.62
20-30.....	15	February.....	11	Aroostook.....	3 0.39
30-40.....	12	March.....	10	Cumberland.....	19 1.64
40-50.....	15	April.....	6	Franklin.....	1 0.52
50-60.....	17	May.....	8	Hancock.....	5 1.42
60-70.....	20	June.....	13	Kennebec.....	7 1.09
70-80.....	12	July.....	7	Knox.....	10 3.99
Over 80.....	2	August.....	11	Lincoln.....	2 1.12
Unknown.....	1	September.....	3	Oxford.....	6 1.60
Total.....	99	October.....	9	Penobscot.....	11 1.25
		November.....	5	Piscataquis.....	3 1.45
		December.....	7	Sagadahoc.....	5 2.77
		Total.....	99	Somerset.....	- -
				Waldo.....	6 2.59
				Washington.....	- -
				York.....	11 1.59
				State.....	99 1.31

The youngest suicide was a boy aged 12 years; the oldest, a woman of 84 years. The largest number of suicides was 13 in June. The largest number, 19, occurred in Cumberland county. The highest death-rate from suicide was in Knox county. The rate for the State per 10,000 of population was 1.31.

TABLE OF INFANTILE MORTALITY, 1913.

AGE-PERIODS.	Number of deaths.	*Rate of mortality.
Under 1 day.....	62	3.9
Under 1 week.....	226	14.3
Under 2 weeks.....	52	3.3
Under 3 weeks.....	64	4.1
Under 4 weeks.....	51	3.2
Under 2 months.....	182	11.5
Under 3 months.....	154	9.7
Under 4 months.....	150	9.5
Under 5 months.....	115	7.3
Under 6 months.....	108	6.8
Under 9 months.....	207	13.1
Under 1 year.....	163	10.3
	1,534	97.5

*The infant mortality rates in this table are based upon the total number of births in 1913. The number was 15,719.

INFANTILE MORTALITY, FOR CITIES WITH RATES, 1910-1913.

CITIES.	BIRTHS.				DEATHS (under 1 year.)				*RATE PER 1,000.				Average.
	1910.	1911.	1912.	1913.	1910.	1911.	1912.	1913.	1910.	1911.	1912.	1913.	
Auburn.....	227	261	258	240	40	31	36	32	176.2	114.9	139.5	133.3	140.9
Augusta.....	283	273	294	263	35	22	45	38	123.7	80.6	153.0	144.5	125.5
Barnstable.....	397	349	371	372	49	52	53	35	123.4	137.2	142.9	94.1	124.4
Bath.....	178	145	156	156	20	14	7	13	112.4	96.6	44.9	83.3	84.3
Belfast.....	83	75	95	95	10	10	7	8	120.5	133.3	73.7	84.2	102.9
Biddeford.....	549	484	512	491	109	72	83	59	198.5	148.7	162.1	120.2	157.4
Brewster.....	151	153	143	148	19	8	10	8	125.8	52.2	69.9	54.1	75.5
Calais.....	127	139	137	135	15	16	10	22	118.1	115.1	72.9	162.9	117.3
Eastport.....	111	106	87	92	9	12	9	6	81.1	113.3	103.4	65.2	90.8
Ellsworth.....	48	61	30	52	3	5	2	7	62.5	76.9	66.6	134.6	85.2
Gardiner.....	95	81	73	86	15	7	5	8	157.9	86.4	68.5	93.0	101.5
Hallowell.....	49	34	54	57	4	3	6	3	81.7	88.2	111.1	52.6	83.4
Lewiston.....	578	606	631	675	112	82	109	104	193.7	135.3	172.7	154.1	164.0
Old Town.....	141	189	153	176	20	19	11	26	141.8	100.5	71.9	147.7	115.5
Portland.....	1,162	1,243	1,343	1,279	147	158	129	156	126.5	127.1	96.1	121.9	117.9
Rockland.....	140	130	155	149	9	9	11	16	64.3	84.6	71.0	107.4	81.8
Saco.....	111	111	89	103	18	11	18	12	162.2	153.2	202.2	116.5	158.5
South Portland.....	156	185	170	166	14	7	7	20	89.7	37.8	52.9	120.5	75.2
Waterville.....	330	297	269	310	41	32	45	26	124.2	107.7	167.3	83.9	120.8
Westbrook.....	214	197	228	213	29	21	18	7	135.5	106.6	78.9	32.8	88.5

*The infant mortality rates in this table are based upon the number of births in these cities.

LIST OF TABLES.

	PAGE
Table No. 1.—Population in 1890, 1900, 1910 and Estimated Population in 1913.....	6
Table No. 2.—Births, Marriages and Deaths, 1905-1913.....	7
Table No. 3.—Estimated Population for 1913, Births, Marriages, and Deaths, with the rate of each to 1,000 of population for the year ending December 31, 1913	8
Table.—Summary of Births, Marriages and Deaths.....	9
Table No. 4.—Births and Deaths in each County.....	10
Table No. 5.—Births and Deaths in the Cities.....	11
Table No. 6.—Births, Marriages and Deaths by Counties and Towns	12-61
Table No. 7.—Births, Marriages and Deaths by Counties.....	62-63
Table No. 8.—Births and Birth-Rates by Counties, for the years 1906-1913	64
Table No. 9.—Births by Counties, showing the proportion of males to females, 1913.....	65
Table No. 10.—Number of Births in each month of 1906-1913 with Monthly Ratio compared with a standard of 100	66
Table No. 11.—Births by Sex and Months, by Counties, 1913....	67
Table No. 12.—Births in Cities for 1913, with rate per 1,000 of population	68
Table No. 13.—Percentage of American and Foreign Births by Counties, 1913	69
Table No. 14.—Percentage of American and Foreign Births by Cities, 1913	70
Table No. 15.—Twin Births by Months and Counties, 1913.....	71
Table No. 16.—Twin Births by Sex and Parentage, by Counties, 1913	72
Table No. 17.—Stillbirths by Sex and Parentage, by Counties, 1913	73
Table No. 18.—Stillbirths by Seasons, 1913.....	74
Table.—Births in each Month of the twenty-two years, 1892-1913	77
Table No. 19.—Marriages and Marriage-Rates by Counties for the years 1906-1913.....	78
Table No. 20.—Marriages by Counties and Nativity, 1913.....	79
Table No. 21.—Marriages by Months and Counties, 1913.....	79
Table No. 22.—Number of Marriages in each month of 1906- 1913, with Monthly Ratio compared with a Standard of 100	80

	PAGE
Table No. 23.—Marriages by Ages and Counties, 1913.....	81
Table No. 24.—Interesting Facts in Relation to Marriages.....	82-83
Table No. 25.—Divorces decreed by the Supreme Court of Maine in the year 1913.....	86-87
Table No. 26.—Divorces by Causes, Sex of Libellants and the Number of years married, 1913.....	88
Table No. 27.—Deaths and Death-Rates by Counties, for the years 1906-1913	90
Table No. 28.—Number of Deaths in each month of 1906-1913, with Monthly Ratio compared with a Stand- ard of 100.....	91
Table No. 29.—The number of Deaths in the State, and in each County, arranged by Classes and Counties...	92-97
Table No. 30.—Deaths from all Causes, by Months, 1913.....	98-103
Table No. 31.—Deaths from all Causes, by Age-Groups, 1910- 1913	104-121
Table No. 32.—Deaths in each Town from Special Causes, Mostly Infectious Diseases.....	122-143
Table No. 33.—Deaths in each Town from Certain Diseases and Groups of Diseases.....	144-165
Table No. 34.—Deaths by Ages, Sex, and Months, by Counties..	166-167
Table No. 35.—Deaths by Ages, Sex, and Months, by Cities....	168-169
Table No. 36.—Number of Deaths from several Specified Causes, of each sex, in each month, which were reg- istered during twenty-two years, 1892-1913...	170
Table No. 37.—Mortality by months, reduced to a Standard Mean of 100; Twenty-two years, 1892-1913	171
Table.—Number of Deaths from 1892-1913, with Death-Rate..	172
Table.—Months in which the Largest and the Smallest Number of Deaths occurred in the years 1892-1913...	173
Table.—Number of Deaths by Quarters in the Twenty-two years, 1892-1913	174
Table.—Deaths in each month for the years 1892-1913.....	175
Table.—Deaths from some of the Leading Causes.....	177
Table.—Mortality from Ten Prominent Causes, 1892-1913.....	178
Table.—Six Infectious Diseases by Counties, 1913.....	179
Table.—Six Infectious Diseases by Cities, 1913.....	180
Table.—Infectious Diseases, 1906-1913.....	181
Table.—Measles by Counties, Months, and Age-Periods, 1896- 1913	182
Table.—Scarlet Fever by Counties, Months, and Age-Periods, 1893-1913	183
Table.—Influenza by Counties and Months, 1913.....	184
Table.—Whooping Cough by Counties, Months, and Age-Peri- ods, 1913	185
Table.—Diphtheria by Counties and Months, 1913.....	186
Table.—Diphtheria by Counties, Months, and Age-Periods, 1893- 1913	187

	PAGE
Table.—Diphtheria in the Cities and the State, 1899-1913.....	188-189
Table.—Typhoid Fever by Counties and Months, 1913.....	190
Table.—Typhoid Fever by Counties, Months, and Age-Periods, 1893-1913	191
Table.—Typhoid Fever in the Cities and the State, 1899-1913...	192-193
Table.—Tuberculosis (all kinds) by Counties and Months, 1913	194
Table.—Tuberculosis (all kinds) by Sex and Age-Periods, 1913	195
Table.—Tuberculosis (all kinds) in the Cities and the State, 1899-1913	196-197
Table.—Consumption by Counties and Months, 1913.....	200
Table.—Consumption by Sex and Age-Periods, 1913.....	200
Table.—Consumption by Counties, Months, and Age-Periods, 1893-1913	201
Table.—Pulmonary Tuberculosis in the Cities and State, 1899- 1913	202-203
Table.—Rheumatism by Counties, Months, and Age-Periods, 1913	205
Table.—Rheumatism by Counties, Months, and Age-Periods, 1893-1913	206
Table.—Cancer by Sex and Age-Periods, 1913.....	207
Table.—Cancer by Counties and Age-Periods, 1913 and 1893- 1913	207
Table.—Cancer, 1903-1913	208
Table.—Deaths over 60 years by Counties, 1913.....	209
Table.—Apoplexy by Counties and Months, 1913.....	211
Table.—Apoplexy by Sex and Age-Periods, 1913.....	211
Table.—Apoplexy, 1913 and 1893-1913.....	212
Table.—Diseases of the Heart by Ages, 1913.....	213
Table.—Diseases of the Heart by Counties 1913.....	214
Table.—Heart Disease by Sex and Age-Periods, 1913.....	214
Table.—Pneumonia by Sex and Age-Periods, 1913.....	216
Table.—Pneumonia by Counties and Months with Death-Rate per 10,000, 1913.....	217
Table.—Pneumonia in the Cities and the State, 1899-1913.....	218-219
Table.—Pneumonia by Counties, Months, and Age-Periods, 1893- 1913	220
Table.—Bronchitis by Counties and Months, 1913.....	222
Table.—Diarrhea and Enteritis (under 2 years) by Counties and Months, 1913	224
Table.—Diarrhea and Enteritis (under 2 years) by Counties, Months, and Age-Periods, 1893-1913.....	225
Table.—Diarrhea and Enteritis (under 2 years) in the Cities, 1906-1913	226
Table.—Peritonitis by Counties, Months, and Age-Periods, 1913	227
Table.—Bright's Disease by Sex and Age-Periods, 1913.....	228
Table.—Bright's Disease by Counties, 1913.....	229
Table.—Suicides by Ages, Months, and Counties, 1913.....	231
Table.—Infantile Mortality, 1913.....	232
Table.—Infantile Mortality, for Cities with rates, 1910-1913....	233

INDEX.

	PAGE
Age and Mortality	176
Appendicitis	227
Apoplexy	210
1913 and 1893-1913.....	212
by counties and months.....	211
by sex and age-periods, 1913.....	211
Birth-rate	75
Birth-rates	7, 8
Births and birth-rates, by counties and years.....	64
by counties, showing proportion of males to females....	65
by seasons	76
by sex and months, by counties.....	67
in cities, for 1913, with rate.....	68
in each month, by years.....	66
notes on	75
parentage of	75
percentage of American and foreign, by cities.....	70
by counties.....	69
relation to deaths	10
twin	77
by months and counties.....	71
by sex and parentage.....	72
marriages and deaths, in each county.....	62-63
in each town	12-61
Brain or Membranes, inflammation of.....	210
softening of the.....	212
Bright's Disease	228-229
Bronchitis	221-222
Cancer	206
1913 and 1893-1913.....	207
by sex and age-periods, 1913.....	207
1903-1913	208
Centenarians	200
Cirrhosis of the liver.....	227
Consumption by counties and months.....	200
by counties, months and age-periods, 1893-1913...	201
by sex and age-periods, 1913.....	200

	PAGE
Deaths, age and mortality.....	176
causes of	176
by ages, sex and months, by cities, 1913.....	168-169
by ages, sex and months, by counties, 1913.....	166-167
by months, reduced to a standard mean for twenty-two years	171
in each month, for the years 1892-1913.....	175
in each town, from special causes.....	122-143
from certain diseases and groups of diseases.....	144-165
in the State and Counties, by classes and counties.....	92-97
from all causes, by months.....	98-103
from all causes, by age-groups, 1910-1913.....	104-121
from several specified causes in twenty-two years.....	170
from some of the leading causes.....	177
notes on, and the causes of death.....	172
number in each month, by years.....	91
seasons and mortality.....	174
sex and mortality.....	176
and death-rates, by counties and years.....	90
Death-rates	7, 8
compared	172
Diabetes	208
Diarrheal Diseases	223
Diarrhea and enteritis (under 2 years) by counties and months	224
by counties, months, and age-periods, 1893-1913.....	225
in cities, 1906-1913.....	226
Digestive System, diseases of the.....	222
Diphtheria	185
by counties and months.....	186
by counties, months, and age-periods, 1893-1913.....	187
in the cities and in the State, 1899-1913.....	188-189
Divorces, by causes, sex of libellants, etc.....	88
decreed in 1913.....	86, 87
notes on	89
Epilepsy	212
External causes, deaths from.....	229
Genitourinary system and its annexa, diseases of the.....	228
Heart, diseases of the.....	213
Infantile Diarrhea	223
Infantile mortality	232
Infantile mortality, for Cities with Rates, 1910-1913.....	233
Infectious diseases	179
1906-1913	181
six by cities.....	180
six by counties.....	179
Influenza	183
deaths from, by counties and months.....	184
Liver, cirrhosis of	227

	PAGE
Marriages, interesting facts relating to.....	82-83
rates	7, 8, 84
ages	84
and rates, by counties.....	78
by ages and counties	81
by counties and nativity.....	79
by months and counties.....	79
nativity	84
notes on	84
number of, in each month, by years.....	80
seasons	84
Malarial diseases	192
Measles	181
by counties, months, and age-periods, 1896-1913.....	182
Mortality from ten prominent causes, 1892-1913.....	178
Nephritis	228
Nervous system, diseases of the.....	209
Old age	208
Paralysis	212
Peritonitis	227
by counties, months, and age-periods, 1913.....	227
Pleurisy	222
Pneumonia	215
1893-1913	220
by counties and months, with death-rates.....	217
by sex and age-periods, 1913.....	216
in the cities and the State, 1899-1913.....	218-219
Population	5
Puerperal fever, by months and counties, 1913.....	204
Puerperal state, the.....	229
Respiratory system, diseases of the.....	215
Rheumatism	205
by counties, months, and age-periods 1913.....	205
by counties, months and age-periods, 1893-1913....	206
Scarlet fever	182
by counties, months, and age-periods, 1893-1913....	183
Sex and mortality.....	176
Smallpox	181
Stillbirths	77
by seasons	74
by sex and parentage.....	73
Suicides	230
by ages, months, and counties, 1913.....	231
Tetanus	213
Tuberculosis	193
abdominal	204

	PAGE
acute miliary	204
cerebral	198
in the cities and the State, 1899-1913.....	196-197
other forms	204
pulmonary	198
in the cities and the State, 1899-1913...	202-203
Typhoid fever	190
by counties and months, 1913.....	190
by counties, months and age-periods, 1893-1913..	191
in the cities and the State, 1899-1913.....	192-193
Whooping Cough	184
by counties, months, and age-periods, 1913....	185

